Annual Report of the Public Health Statistics Section -- Part Two 1954

C614.1
N87v
1954
pt.2, c.3

UNIVERSITY OF N.C. AT CHAPEL HILL
00017472076

THE LIBRARY OF THE
UNIVERSITY OF
NORTH CAROLINA

THE COLLECTION OF
NORTH CAROLINIANA
PRESENTED BY

C614.1
N87v
1954
pt.2 c.3

This **BOOK** may be kept out **TWO WEEKS ONLY**, and is subject to a fine of **FIVE CENTS** a day thereafter. It is **DUE** on the **DAY** indicated below:

APR 16 '62

ANNUAL REPORT

OF THE

PUBLIC HEALTH STATISTICS SECTION

PART 2

LIVE BIRTHS

STILLBIRTHS

DEATHS

POPULATION

1954

NORTH CAROLINA STATE BOARD OF HEALTH

EPIDEMIOLOGY DIVISION

ANNUAL REPORT

OF THE

PUBLIC HEALTH STATISTICS SECTION

PART 2

LIVE BIRTHS
STILLBIRTHS
DEATHS
POPULATION

1954

NORTH CAROLINA STATE BOARD OF HEALTH

J. W. R. NORTON, M.D.
SECRETARY
AND STATE HEALTH OFFICER

C614.1
N87v
1954
pt. 2
c. 3

LETTER OF TRANSMITTAL

Raleigh, North Carolina
October 12, 1955

The Honorable Luther H. Hodges
Governor of North Carolina
Raleigh, North Carolina

Dear Governor Hodges:

I have the honor of transmitting the report for the Public Health Statistics Section of the Epidemiology Division, State Board of Health, covering the calendar year 1954.

Respectfully submitted,

J. W. R. Norton, M.D.
Secretary and State Health Officer

662663

Digitized by the Internet Archive
in 2009 with funding from
Ensuring Democracy through Digital Access (NC-LSTA)

http://www.archive.org/details/annualreportofpu19542nort

CONTENTS

Table		Page
1.	Estimated population by color: North Carolina, each county, and incorporated places having a population of 10,000 or more, July 1, 1954	11
2.	Live births and deaths with crude rates per 1,000 population, also infant and maternal deaths with rates per 1,000 live births: North Carolina, 1914-1954	13
3.	Live births by color with crude rates per 1,000 population, by person in attendance: North Carolina and each county, 1954	14
4.	Live births by color with crude rates per 1,000 population, by person in attendance: each incorporated place having a population of 10,000 or more, 1954	18
5.	Resident live births by color and sex, showing month of birth: North Carolina, 1954	20
6.	Resident live births by color and age of mother, showing birth order: North Carolina, 1954	21
7.	Resident cases of plural births classified by number of children born alive and stillborn, by color and sex: North Carolina, 1954	22
8.	Resident live births and deaths filed in 1954 showing number received in time to be included in 1953 or 1954 annual reports: North Carolina and each county	23
9.	Resident deaths (excluding stillbirths) from each cause by age, color, and sex with specific death rates per 1,000 estimated population: North Carolina, 1954	26
10.	Deaths (excluding stillbirths) by color with crude rates per 1,000 population: North Carolina and each county, 1954	74
11.	Deaths (excluding stillbirths) by color with crude rates per 1,000 population: each incorporated place having a population of 10,000 or more, 1954	77
12.	Resident deaths (excluding stillbirths) by cause (abbreviated list of 52 causes), by color: North Carolina and each county, 1954	78
13.	Resident deaths (excluding stillbirths) by cause (abbreviated list of 52 causes), by color: each incorporated place having a population of 10,000 or more, 1954	96
14.	Deaths (excluding stillbirths) from selected causes: North Carolina, 1916-1954	102
15.	Leading causes of resident deaths (excluding stillbirths) by age, color, and sex: North Carolina, five-year average, 1950-1954	106

CONTENTS—Continued

TABLE		PAGE
16.	Motor vehicle and nonmotor vehicle accidental deaths by place of occurrence: North Carolina, each county and each incorporated place having a population of 10,000 or more, 1954	110
17.	Accidental deaths by cause, color, and sex with crude rates per 100,000 estimated population: North Carolina, 1954	113
18.	Resident Infant deaths by cause and age: North Carolina, 1954	114
19.	Resident infant and maternal deaths by color with rates per 1,000 live births: North Carolina and each county, 1954 and five-year average, 1950-1954	116
20.	Resident live births, illegitimates, deaths, stillbirths, infant deaths, and maternal deaths by color (Indians included in "nonwhite") with number occurring in hospitals: North Carolina, each county, urban and rural, 1954	120
21.	Resident live births, illegitimates, deaths, stillbirths, infant deaths, and maternal deaths of Indians with number occurring in hospitals: North Carolina, each county, urban and rural, 1954	132
22.	Resident live births and deaths (excluding stillbirths) by color and institution of occurrence: North Carolina and each county, 1954	134
23.	Resident stillbirths by color and sex with rates per 1,000 live births: North Carolina and each county, 1954	138
24.	Resident stillbirths by color and sex with rates per 1,000 live births: each incorporated place having a population of 10,000 or more, 1954	141
25.	Resident stillbirths by age of mother, color, and attendant with percentage distribution: North Carolina, 1954	142

INTRODUCTION

The thirty-ninth annual report, Part II, of the Public Health Statistics Section, formerly known as the Bureau of Vital Statistics, presents tabular information regarding North Carolina's population, births, deaths, and stillbirths. The majority of the tabulations are by place of residence; selected tabulations, in whole or in part, are given by place of occurrence. Communicable disease morbidity data are shown in Part I of the annual report of the Section which is printed separately.

Reports have been published annually since 1914 with the exception of the years 1918 and 1919.

Certificates of births, deaths, and stillbirths occurring in 1954 that were filed in 1954 and the first three months of 1955 are included in this report. It is estimated that vital events occurring in 1954 but reported after the first three months of 1955 will comprise less than two per cent of the total 1954 events. There are strong indications that registration in the state has been improving in recent years. The certificates are more complete and accurate and on the average have been filed more promptly.

Again in 1954 a tabulation was made of all birth and death certificates filed in 1954 by year of occurrence (see 1950 or 1951 annual report for explanation of interpretation). This was done in an effort to determine the per cent of certificates filed in time to be included in an annual report as compared with those filed too late to be included. The results of this study are shown in Table 8 of this report. This tabulation was prepared by county of residence in order to make available a correction factor that could be used by each county to more accurately calculate the natality and mortality rates.

Natality

In 1954 there were 114,563 live births occurring to mothers who were residents of the state. All births were allocated to the place of residence of the mother regardless of the place of birth or the length of residence. Births occurring in hospitals, sanatoria, and all other institutions, were allocated to the place where the mother lived. Births occurring on military bases to military personnel were allocated according to the residence shown on the certificate. The crude birth rate was 26.8 births

per 1,000 population. There were 76,374 white births and 38,189 nonwhite births. For the eighth consecutive year, over 100,000 births were recorded.

This state defines a stillbirth as a fetus showing no evidence of life after complete birth if the twentieth week of gestation has been reached. There was 2,353 resident stillbirths reported resulting in a ratio of 20.5 stillbirths per 1,000 live births. If stillbirths were considered as a single cause of death, they would rank fourth between cancer and influenza and pneumonia as a leading cause of death.

Premature Births

In order to achieve uniformity in the classification of premature infants in need of special care, and comparability of statistical data in hospitals and in studies of such infants, the definition of the American Academy of Pediatrics has been adopted; that is, a premature infant is an infant weighing 2500 grams (5½ pounds) or less at birth regardless of the period of gestation.

In 1954 there were 9,126 resident premature live births reported among 114,563 live births. Birth weight was reported on all but 212 certificates filed in 1954. Consequently, at least 8.0 per cent of the newborn babies weighed 2500 grams or less at birth. The number of premature infants by birth weight and color and by birth weight and age of mother are shown in the tables which follow:

RESIDENT PREMATURE LIVE BIRTHS BY COLOR AND WEIGHT: NORTH CAROLINA, 1954

Birth Weight in Grams	Total	White	Nonwhite
Total	9,126	5,315	3,811
500 or less	54	27	27
501-1000	495	282	213
1001-1500	772	453	319
1501-2000	1,754	993	761
2001-2500	6,051	3,560	2,491

RESIDENT PREMATURE LIVE BIRTHS BY WEIGHT AND AGE OF MOTHER: NORTH CAROLINA, 1954

Age of Mother	Total	Birth Weight in Grams				
		500 or less	501-1000	1001-1500	1501-2000	2001-2500
Total	9,126	54	495	772	1,754	6,051
Under 15 years	55	----------	1	7	13	34
15-19	1,935	8	97	163	374	1,293
20-24	2,832	16	156	246	542	1,872
25-29	2,058	14	100	166	383	1,395
30-34	1,293	10	87	125	252	819
35-39	717	4	40	51	132	490
40-44	206	1	11	11	51	132
45-49	15	----------	2	1	4	8
50 and over	----------	----------	----------	----------	----------	----------
Not stated	15	1	1	2	3	8

Mortality

There were 31,482 resident deaths recorded in 1954. The crude death rate was 7.4 deaths per 1,000 estimated population. Deaths were allocated to the place where the deceased resided unless the place of death item indicated that the deceased had been in the place of death for one year or more. In such cases they were allocated to the place of death, unless the death occurred in an institution. If this was the case, they were allocated to the place of residence, regardless of the length of stay in the institution.

Diseases of the heart, as they have been for the past 25 years, were responsible for more deaths than any other cause, accounting for approximately one-third of all deaths for the year.

All mortality statistics shown by cause in this report are classified according to the Sixth Decennial Revision of the International Lists of Diseases and Causes of Death. This is the sixth year that this revised statistical code has been applied to the causes of death.

In Table 14, regarding deaths from selected causes, 1916-1954, it is necessary to take into consideration the effect of the revision of the International List and of the joint cause of death coding procedure in making comparisons between the trend in causes of death since 1949 with prior years. Comparability ratios for specific causes of death may be obtained upon request.

Infant and Maternal Mortality

There were 3,447 infant deaths and 91 maternal deaths reported. The resultant infant and maternal death rates per 1,000 live births were 30.1 and 0.8 respectively. The maternal mortality rate was the lowest on record. The actual number of maternal deaths represent a new low dating back to 1914.

In 1918, there was an all-time high rate of 101.8 infant deaths per 1,000 live births. The infant mortality rate was more than three times as high thirty-six years ago as it was in 1954 while the maternal rate was 13 times higher at that time.

Hospital Data

All tables in this report which reflect events occurring in hospitals are based on the general and allied hospital definition of the North Carolina Medical Care Commission. A hospital is defined as a place where two or more non-related individuals reside 24 hours or more on the premises and receive medical care over and above any domiciliary care.

Rates

All rates shown in this report are crude rates unless otherwise specified. Such rates have not been adjusted for differences in the age, sex, color, rural or urban distribution of the population, or for under-registration or late reporting. Such factors should be kept in mind when comparing two different areas or time periods.

TABLE 1.—ESTIMATED POPULATION BY COLOR: NORTH CAROLINA, EACH COUNTY, AND INCORPORATED PLACES HAVING A POPULATION OF 10,000 OR MORE, JULY 1, 1954

Area	Population			Area	Population		
	Total	White	Nonwhite		Total	White	Nonwhite
NORTH CAROLINA	4,270,311	3,159,704	1,110,607				
Alamance	77,081	62,802	14,279	Durham	110,730	74,662	36,068
Burlington	29,813	26,043	3,770	Durham	76,037	48,739	27,298
Alexander	15,021	13,950	1,071	Edgecombe*	52,684	25,808	26,876
Alleghany	8,074	7,824	250	Rocky Mount**	28,602	17,786	10,816
Anson	26,077	13,458	12,619	Forsyth	154,490	112,929	41,561
Ashe	21,542	21,348	194	Winston-Salem	,91,211	54,137	37,074
Avery	13,263	13,084	179	Franklin	31,749	16,917	14,832
Beaufort	37,431	23,540	13,891	Gaston	120,738	104,879	15,859
Bertie	26,541	10,331	16,210	Gastonia	23,817	18,819	4,998
Bladen	30,787	18,108	12,679	Gates	9,346	4,294	5,052
Brunswick	20,135	12,578	7,557	Graham	7,086	6,844	242
Buncombe	131,054	116,151	14,903	Granvillle	32,834	18,038	14,796
Asheville	53,718	41,667	12,051	Greene	17,807	9,281	8,526
Burke	48,450	44,951	3,499	Guilford	206,842	167,334	39,508
Cabarrus	65,649	55,907	9,742	Greensboro	80,794	60,467	20,327
Concord	16,873	13,685	3,188	High Point	40,602	32,158	8,444
Caldwell	46,565	43,430	3,135	Halifax	59,167	25,740	33,427
Camden	5,131	3,205	1,926	Harnett	49,037	36,433	12,604
Carteret	25,086	22,092	2,994	Haywood	38,834	38,029	805
Caswell	21,227	10,951	10,276	Henderson	32,991	30,950	2,041
Catawba	66,103	60,322	5,781	Hertford	22,346	8,884	13,462
Hickory	15,295	13,101	2,194	Hoke	16,104	6,409	9,695
Chatham	25,677	17,438	8,239	Hyde	5,893	3,375	2,518
Cherokee	18,073	17,714	359	Iredell	58,802	48,625	10,177
Chowan	12,952	7,468	5,484	Statesville	19,222	14,922	4,300
Clay	5,836	5,774	62	Jackson	19,223	17,724	1,499
Cleveland	67,034	52,443	14,591	Johnston	66,803	52,121	14,682
Shelby	16,133	12,870	3,263	Jones	11,038	5,960	5,078
Columbus	52,729	34,494	18,235	Lee	25,553	19,104	6,449
Craven	56,273	39,681	16,592	Sanford	12,159	9,338	2,821
New Bern	17,512	10,367	7,145	Lenoir	47,967	27,292	20,675
Cumberland	111,601	81,986	29,615	Kinston	19,590	10,678	8,912
Fayetteville	42,063	26,518	15,545	Lincoln	28,849	25,291	3,558
Currituck	5,984	4,155	1,829	McDowell	26,876	25,601	1,275
Dare	5,133	4,792	341	Macon	16,297	15,983	314
Davidson	66,014	59,406	6,608	Madison	19,672	19,492	180
Lexington	14,855	12,627	2,228	Martin	28,716	14,041	14,675
Thomasville	11,201	9,200	2,001	Mecklenburg	216,278	163,471	52,807
Davie	15,637	13,496	2,141	Charlotte	148,127	108,032	40,095
Duplin	41,639	26,026	15,613	Mitchell	14,786	14,746	40

*Includes Rocky Mount, Edgecombe.

**Combined for Edgecombe and Nash.

TABLE 1.—*Continued*

Area	Population			Area	Population		
	Total	White	Nonwhite		Total	White	Nonwhite
Montgomery	17,676	13,629	4,047	Rutherford	46,687	41,198	5,489
Moore	34,047	25,338	8,709	Sampson	50,774	31,901	18,873
Nash*	61,751	35,437	26,314	Scotland	27,654	14,991	12,663
Rocky Mount**	28,602	17,786	10,816	Stanly	38,957	34,589	4,368
New Hanover	69,792	48,772	21,020	Albemarle	15,088	13,368	1,720
Wilmington	49,990	32,743	17,247	Stokes	21,035	19,257	1,778
Northampton	28,487	9,935	18,552	Surry	47,212	44,571	2,641
Onslow	52,294	44,838	7,456	Swain	8,960	7,410	1,550
Orange	39,263	29,973	9,290	Transylvania	16,448	15,734	714
Pamlico	10,116	6,626	3,490	Tyrrell	4,831	2,709	2,122
Pasquotank	25,954	16,430	9,524	Union	43,284	33,672	9,612
Elizabeth City	13,161	9,078	4,083	Monroe	11,700	8,532	3,168
Pender	18,725	9,536	9,189	Vance	33,010	18,122	14,888
Perquimans	9,526	5,001	4,525	Henderson	12,420	6,943	5,477
Person	24,076	15,472	8,604	Wake	147,882	106,480	41,402
Pitt	64,869	35,174	29,695	Raleigh	73,661	54,820	18,841
Greenville	18,445	11,364	7,081	Warren	23,705	7,842	15,863
Polk	11,521	10,071	1,450	Washington	13,545	7,669	5,876
Randolph	53,460	49,163	4,297	Watauga	18,440	18,268	172
Richmond	40,783	28,785	11,998	Wayne	66,792	38,894	27,898
Robeson	92,406	38,693	53,713	Goldsboro	23,231	12,837	10,394
Rockingham	67,757	54,338	13,419	Wilkes	46,195	43,516	2,679
Reidsville	12,269	8,041	4,228	Wilson	56,329	33,869	22,460
Rowan	78,045	65,215	12,830	Wilson	24,617	14,731	9,886
Salisbury	20,557	15,463	5,094	Yadkin	22,762	21,694	1,068
				Yancey	15,924	15,730	194

*Includes Rocky Mount, Nash.
**Combined for Nash and Edgecombe.

TABLE 2.—LIVE BIRTHS AND DEATHS WITH CRUDE RATES PER 1,000 POPULATION, ALSO INFANT AND MATERNAL DEATHS WITH RATES PER 1,000 LIVE BIRTHS: NORTH CAROLINA, 1914-1954*

Year	Population	Live births		Deaths		Infant deaths		Maternal deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
1914	2,421,191	71,931a	29.7	29,044	12.0	6,497	90.3	524	7.3
1915	2,472,635	79,409a	32.1	31,324	12.7	6,808	85.7	486	6.1
1916	2,513,146	76,658	30.5	31,389	12.5	7,112	92.8	593	7.1
1917	2,546,323	76,290	30.0	33,969	13.3	7,601	99.6	629	8.2
1918	2,521,891	75,525	29.9	42,274	16.8	7,686	101.8	815	10.8
1919	2,534,828	73,854	29.1	30,947	12.2	6,223	84.3	684	9.3
1920	2,587,536	81,407	31.5	32,654	12.6	6,909	84.9	814	10.0
1921	2,650,711	88,466	33.4	29,454	11.1	6,633	75.0	650	7.3
1922	2,699,923	81,871	30.3	30,821	11.4	6,510	79.5	651	8.0
1923	2,761,364	84,158	30.5	32,142	11.6	6,813	81.0	670	8.0
1924	2,830,151	87,540	30.9	33,238	11.7	7,208	82.3	678	7.7
1925	2,894,514	83,716	28.9	32,548	11.2	6,595	78.8	725	8.7
1926	2,959,392	82,202	27.8	34,562	11.7	6,769	82.3	726	8.8
1927	3,027,006	83,330	27.5	32,917	10.9	6,588	79.1	547	6.6
1928	3,082,380	80,893	26.2	36,160	11.7	6,935	85.7	635	7.8
1929	3,133,082	77,161	24.6	36,919	11.8	6,106	79.1	651	8.4
1930	3,171,108	76,772	24.2	35,782	11.3	6,037	78.6	639	8.3
1931	3,206,641	74,799	23.3	33,116	10.3	5,455	72.9	596	8.0
1932	3,264,916	77,902	23.9	31,051	9.5	5,183	66.5	529	6.8
1933	3,318,377	75,422	22.7	30,547	9.2	4,977	66.0	514	6.8
1934	3,359,276	79,704	23.7	35,180	10.5	6,212	77.9	569	7.1
1935	3,380,227	78,753	23.3	33,485	9.9	5,422	68.8	511	6.5
1936	3,400,525	76,182	22.4	35,630	10.5	5,247	68.9	502	6.6
1937	3,432,099	79,080	23.0	33,981	9.9	5,180	65.5	429	5.4
1938	3,475,530	79,934	23.0	33,599	9.7	5,487	68.6	421	5.3
1939	3,531,938	79,133b	22.4	31,652b	9.0	4,676b	59.1	371b	4.7
1940	3,571,623	80,455	22.5	31,904	8.9	4,631	57.6	412	5.1
1941	3,670,017	84,595	23.1	31,752	8.7	5,053	59.7	336	4.0
1942	3,665,373	89,854	24.5	29,414	8.0	4,342	48.3	307	3.4
1943	3,683,037	94,568	25.7	29,971	8.1	4,416	46.7	306	3.2
1944	3,594,865	90,629	25.2	29,390	8.2	4,115	45.4	266	2.9
1945	3,514,297	87,401	24.9	28,897	8.2	3,782	43.3	248	2.8
1946	3,640,645	100,679	27.7	28,724	7.9	3,742	37.2	203	2.0
1947	3,718,000	112,877	30.4	30,187	8.1	3,938	34.9	192	1.7
1948	3,798,000	109,430	28.8	30,161	7.9	3,837	35.3	206	1.9
1949	4,003,775	107,970	27.0	31,009	7.7	4,113	38.1	127	1.2
1950	4,061,929	106,486	26.2	31,130	7.7	3,674	34.5	126	1.2
1951	4,123,218	110,910	26.9	31,371	7.6	3,630	32.7	123	1.1
1952	4,172,249	111,272	26.7	32,259	7.7	3,968	35.7	113	1.0
1953	4,221,280	111,622	26.4	31,640	7.5	3,642	32.6	112	1.0
1954	4,270,311	114,563	26.8	31,482	7.4	3,447	30.1	91	0.8

* All population estimates by U. S. Census Bureau except 1951-1954 which were estimated by PHSS. Census years 1920, 1930, 1940, 1950 not estimated. Number births and deaths revised in accordance with national reports published 1917-1952 for births, and 1916-1952 for deaths.

a Stillbirths included in births 1914, 1915.

b Births, deaths, infant deaths, and maternal deaths by place of residence, 1939-1954; previous years by occurrence.

TABLE 3.—LIVE BIRTHS BY COLOR WITH CRUDE RATES PER 1,000 POPULATION, BY PERSON IN ATTENDANCE: NORTH CAROLINA, AND EACH COUNTY, 1954

Area	Place of birth			Place of residence															
				Total		White		Nonwhite		Attended by:									
										Physician					Midwife		Other and not stated	
											In hospital		Not in hospital					
	Total	White	Non-white	No.	Rate	No.	Rate	No.	Rate	Total	White	Non-white	White	Non-white	White	Non-white	White	Non-white
NORTH CAROLINA	114,495	76,408	38,087	114,563	26.8	76,374	24.2	38,189	34.4	103,172	73,542	21,193	2,238	6,199	573	10,732	21	65
Alamance	1,966	1,520	446	1,887	24.5	1,485	23.6	402	28.2	1,886	1,465	192	20	209	-------	1	-------	-------
Alexander	237	197	40	355	23.6	319	22.9	36	33.6	354	317	36	1	-------	1	-------	-------	-------
Alleghany	150	143	7	137	17.0	131	16.7	6	24.0	137	103	3	28	3	-------	-------	-------	-------
Anson	682	279	403	711	27.3	286	21.3	425	33.7	432	271	116	9	36	6	273	-------	-------
Ashe	507	502	5	489	22.7	484	22.7	5	25.8	479	423	5	51	-------	7	-------	3	-------
Avery	403	398	5	311	23.4	308	23.5	3	16.8	304	297	2	4	1	7	-------	-------	-------
Beaufort	1,273	679	594	970	25.9	482	20.5	488	35.1	729	467	242	12	8	3	235	-------	3
Bertie	624	129	495	797	30.0	220	21.3	577	35.6	565	211	248	9	97	-------	232	-------	-------
Bladen	658	274	384	861	28.0	428	23.6	433	34.2	666	389	198	34	45	5	189	-------	1
Brunswick	376	198	178	537	26.7	294	23.4	243	32.2	410	282	122	2	4	10	117	-------	-------
Buncombe	2,907	2,551	356	2,684	20.5	2,323	20.0	361	24.2	2,590	2,282	266	32	10	7	85	2	-------
Burke	891	799	92	976	20.1	883	19.6	93	26.6	940	845	91	4	-------	33	2	1	-------
Cabarrus	1,562	1,246	316	1,513	23.0	1,184	21.2	329	33.8	1,499	1,180	309	1	9	3	10	-------	1
Caldwell	1,142	1,034	108	1,284	27.6	1,183	27.2	101	32.2	1,267	1,117	90	56	4	10	7	-------	-------
Camden	51	2	49	155	30.2	73	22.8	82	42.6	114	61	14	12	27	-------	41	-------	-------
Carteret	694	555	139	705	28.1	580	26.3	125	41.8	670	573	90	6	1	1	34	-------	-------
Caswell	257	22	235	525	24.7	201	18.4	324	31.5	354	179	87	17	71	5	166	-------	-------
Catawba	1,921	1,690	231	1,763	26.7	1,521	25.2	242	41.9	1,710	1,503	196	8	3	10	43	-------	-------
Chatham	681	385	296	623	24.3	354	20.3	269	32.6	615	348	237	5	25	1	7	-------	-------
Cherokee	445	436	9	381	21.1	372	21.0	9	25.1	367	353	6	8	-------	7	1	4	2

Chowan	478	232	246	374	28.9	170	22.8	204	37.2	294	162	89	8	35		80		
Clay	45	45		124	21.2	124	21.5			119	78		41		5			
Cleveland	2,159	1,551	608	1,749	26.1	1,171	22.3	578	39.6	1,627	1,133	404	32	58	6	116		
Columbus	1,209	634	575	1,586	30.1	885	25.7	701	38.4	1,220	820	349	14	37	51	312		3
Craven	2,106	1,527	579	2,128	37.8	1,516	38.2	612	36.9	1,806	1,504	272	8	22	4	318		
Cumberland	5,271	3,976	1,295	5,079	45.5	3,811	46.5	1,268	42.8	4,512	3,756	637	29	90	26	541		
Currituck	177	79	98	165	27.6	84	20.2	81	44.3	124	72	14	12	26		40		1
Dare	50	40	10	127	24.7	112	23.4	15	44.0	115	109	5	1		2	10		
Davidson	1,416	1,217	199	1,604	24.3	1,386	23.3	218	33.0	1,598	1,372	198	12	15	1	4	1	
Davie	20	9	11	367	23.5	308	22.8	59	27.6	360	301	48	5	6	2	4		1
Duplin	558	168	390	1,174	28.2	610	23.4	564	36.1	1,102	579	370	29	124	2	69		1
Durham	3,061	1,872	1,189	2,469	22.3	1,489	19.9	980	27.2	2,469	1,482	967	7	13				
Edgecombe	1,627	538	1,089	1,716	32.6	626	24.3	1,090	40.6	1,199	591	274	21	313	14	503		
Forsyth	4,936	3,785	1,151	4,102	26.6	2,989	26.5	1,113	26.8	4,088	2,962	1,035	25	66	2	9		3
Franklin	699	233	466	833	26.2	341	20.2	492	33.2	562	331	181	7	43	3	267		1
Gaston	2,440	2,024	416	3,089	25.6	2,625	25.0	464	29.3	3,029	2,584	388	35	22	4	51	2	3
Gates	158	35	123	238	25.5	86	20.0	152	30.1	156	86	63		7		82		
Graham	123	122	1	174	24.6	166	24.3	8	33.1	171	159	7	5		2			1
Granville	868	362	506	823	25.1	365	20.2	458	31.0	782	354	310	11	107		41		
Greene	352	97	255	541	30.4	195	21.0	346	40.6	524	153	187	42	142		17		
Guilford	5,410	4,192	1,218	5,187	25.1	3,952	23.6	1,235	31.3	5,084	3,930	1,081	14	59	8	94		1
Halifax	1,909	585	1,324	1,852	31.3	573	22.3	1,279	38.3	989	547	239	23	180	3	860		
Harnett	1,401	916	485	1,247	25.4	790	21.7	457	36.3	1,121	768	276	18	59	4	120		2
Haywood	861	828	33	847	21.8	813	21.4	34	42.2	845	806	34	5		2			
Henderson	775	700	75	710	21.5	649	21.0	61	29.9	709	632	53	16	8	1			
Hertford	883	322	561	633	28.3	154	17.3	479	35.6	571	136	220	18	197		62		
Hoke	293	40	253	460	28.6	146	22.8	314	32.4	286	110	64	36	76		174		
Hyde	52	3	49	155	26.3	60	17.8	95	37.7	103	57	45	1		2	50		
Iredell	2,113	1,659	454	1,435	24.4	1,099	22.6	336	33.0	1,408	1,087	305	11	5	1	26		
Jackson	261	250	11	344	17.9	304	17.2	40	26.7	317	269	35	13		20	1	2	4

TABLE 3.—*Continued*

Area	Place of birth			Place of residence															
				Total		White		Nonwhite		Attended by:									
											Physician				Midwife		Other and not stated	
												In hospital		Not in hospital					
	Total	White	Non-white	No.	Rate	No.	Rate	No.	Rate	Total		White	Non-white	White	Non-white	White	Non-white	White	Non-white
Johnston	1,105	687	418	1,553	23.2	1,089	20.9	464	31.6	1,364	1,009	176	69	110	11	177	-------	1
Jones	106	8	98	324	29.4	125	21.0	199	39.2	248	118	101	3	26	4	72	-------	-------
Lee	921	634	287	739	28.9	497	26.0	242	37.5	713	492	210	3	8	2	23	-------	1
Lenoir	2,121	1,191	930	1,662	34.6	859	31.5	803	38.8	1,239	834	244	13	148	12	411	-------	-------
Lincoln	571	477	94	652	22.6	554	21.9	98	27.5	598	543	35	6	14	5	49	-------	-------
McDowell	781	723	58	664	24.7	605	23.6	59	46.3	661	587	56	16	2	2	-------	-------	1
Macon	321	316	5	359	22.0	354	22.1	5	15.9	354	260	-------	89	5	5	-------	-------	-------
Madison	129	125	4	379	19.3	375	19.2	4	22.2	339	295	-------	40	4	40	-------	-------	-------
Martin	560	190	370	808	28.1	289	20.6	519	35.4	634	258	224	31	121	-------	173	-------	1
Mecklenburg	6,883	4,996	1,887	6,329	29.3	4,358	26.7	1,971	37.3	6,153	4,352	1,721	5	75	1	172	-------	3
Mitchell	311	311	-------	347	23.5	347	23.5	-------	-------	338	331	-------	7	-------	9	-------	-------	-------
Montgomery	479	299	180	476	26.9	319	23.4	157	38.8	445	315	125	1	4	3	28	-------	-------
Moore	1,008	647	361	1,011	29.7	691	27.3	320	36.7	971	682	274	7	8	1	37	1	1
Nash	1,821	927	894	1,728	28.0	804	22.7	924	35.1	1,353	766	154	28	405	10	364	-------	1
New Hanover	2,178	1,415	763	1,846	26.5	1,227	25.2	619	29.4	1,840	1,223	605	3	9	1	-------	-------	5
Northampton	596	24	572	812	28.5	186	18.7	626	33.7	568	165	70	20	313	1	243	-------	-------
Onslow	2,763	2,446	317	2,221	42.5	1,931	43.1	290	38.9	2,132	1,920	206	5	1	6	80	-------	3
Orange	575	348	227	899	22.9	585	19.5	314	33.8	861	576	269	9	7	-------	36	-------	2
Pamlico	141	47	94	270	26.7	147	22.2	123	35.2	231	101	29	46	55	-------	38	-------	1
Pasquotank	928	611	317	801	30.9	506	30.8	295	31.0	650	500	101	6	43	-------	151	-------	-------

Pender	468	197	271	508	27.1	211	22.1	297	32.3	369	204	152	5	8	2	136	-------	1
Perquimans	144	5	139	279	29.3	118	23.6	161	35.6	147	112	20	5	10	1	131	-------	------
Person	716	365	351	736	30.6	363	23.5	373	43.4	656	347	231	16	62	-------	80	-------	------
Pitt	2,251	855	1,396	2,055	31.7	837	23.8	1,218	41.0	1,753	767	544	67	375	3	298	-------	1
Polk	253	202	51	272	23.6	223	22.1	49	33.8	265	211	30	12	12	-------	7	-------	------
Randolph	1,070	968	102	1,392	26.0	1,253	25.5	139	32.3	1,370	1,238	115	13	4	1	20	1	------
Richmond	1,015	643	372	1,112	27.3	699	24.3	413	34.4	954	678	222	17	37	4	153	-------	1
Robeson	2,686	909	1,777	3,104	33.6	996	25.7	2,108	39.2	2,589	902	1,152	74	461	20	495	-------	------
Rockingham	1,722	1,204	518	1,578	23.3	1,151	21.2	427	31.8	1,522	1,086	250	64	122	1	54	-------	1
Rowan	1,664	1,263	401	1,737	22.3	1,366	20.9	371	28.9	1,713	1,344	308	20	41	2	21	-------	1
Rutherford	914	752	162	1,058	22.7	890	21.6	168	30.6	1,014	761	58	121	74	8	36	-------	------
Sampson	1,336	688	648	1,408	27.7	720	22.6	688	36.5	1,234	668	166	45	355	6	166	1	1
Scotland	1,179	426	753	796	28.8	366	24.4	430	34.0	576	337	198	20	21	9	210	-------	1
Stanly	811	665	146	844	21.7	700	20.2	144	33.0	838	686	126	14	12	-------	5	-------	1
Stokes	141	99	42	492	23.4	426	22.1	66	37.1	475	359	32	64	20	3	14	-------	------
Surry	1,128	1,045	83	1,146	24.3	1,076	24.1	70	26.5	1,123	983	38	87	15	6	16	-------	1
Swain	328	240	88	250	27.9	197	26.6	53	34.2	242	151	51	40	-------	6	-------	-------	2
Transylvania	359	340	19	372	22.6	354	22.5	18	25.2	369	305	15	46	3	2	-------	1	------
Tyrrell	185	111	74	120	24.8	59	21.8	61	28.7	79	57	19	1	2	1	40	-------	------
Union	1,276	906	370	1,098	25.4	746	22.2	352	36.6	1,047	736	93	10	208	-------	50	-------	1
Vance	966	453	513	931	28.2	413	22.8	518	34.8	668	409	242	3	14	1	262	-------	------
Wake	3,679	2,466	1,213	3,682	24.9	2,407	22.6	1,275	30.8	3,374	2,339	698	65	272	3	304	-------	1
Warren	572	122	450	609	25.7	139	17.7	470	29.6	279	128	122	5	24	6	322	-------	2
Washington	418	162	256	445	32.9	207	27.0	238	40.5	345	199	122	6	18	2	97	-------	1
Watauga	415	411	4	422	22.9	417	22.8	5	29.1	419	413	5	1	-------	2	-------	1	------
Wayne	2,112	1,152	960	1,710	25.6	901	23.2	809	29.0	1,505	831	359	67	248	3	202	-------	------
Wilkes	756	707	49	1,037	22.4	974	22.4	63	23.5	969	858	51	54	6	62	6	-------	------
Wilson	1,996	1,076	920	1,638	29.1	790	23.3	848	37.8	1,376	742	440	44	150	4	258	-------	------
Yadkin	177	159	18	469	20.6	437	20.1	32	30.0	468	435	29	2	2	-------	-------	-------	1
Yancey	322	315	7	387	24.3	380	24.2	7	36.1	364	333	5	25	1	21	1	1	------

TABLE 4.—LIVE BIRTHS BY COLOR WITH CRUDE RATES PER 1,000 POPULATION, BY PERSON IN ATTENDANCE: EACH INCORPORATED PLACE HAVING A POPULATION OF 10,000 OR MORE, 1954

Area	Place of birth			Place of residence														
				Total		White		Nonwhite		Attended by:								
											Physician				Midwife		Other and not stated	
												In hospital		Not in hospital				
	Total	White	Non-white	No.	Rate	No.	Rate	No.	Rate	Total		White	Non-white	White	Non-white	White	Non-white	White	Non-white
TOTAL	52,769	39,291	13,478	28,887	28.0	19,242	26.4	9,645	31.8	27,268		19,138	7,259	70	801	32	1,574	2	11
Albemarle	791	659	132	291	19.3	258	19.3	33	19.2	291		257	30	1	3				
Asheville	2,811	2,462	349	1,164	21.7	860	20.6	304	25.2	1,079		856	216	2	5	2	83		
Burlington	246	188	58	436	14.6	359	13.8	77	20.4	436		352	20	7	57				
Charlotte	6,769	4,992	1,777	4,250	28.7	2,738	25.3	1,512	37.7	4,135		2,734	1,348	3	50	1	112		2
Concord	1,545	1,243	302	411	24.4	297	21.7	114	35.8	407		296	109		2	1	2		1
Durham	3,048	1,869	1,179	1,620	21.3	879	18.0	741	27.1	1,620		876	740	3	1				
Elizabeth City	824	607	217	569	43.2	387	42.6	182	44.6	476		385	86	2	3		93		
Fayetteville	1,733	1,105	628	2,575	61.2	1,892	71.3	683	43.9	2,305		1,875	374	4	52	13	257		
Gastonia	2,340	1,992	348	971	40.8	807	42.9	164	32.8	967		801	156	5	5		2	1	1
Goldsboro	1,063	664	399	662	28.5	329	25.6	333	32.0	522		316	101	12	93	1	139		
Greensboro	3,529	2,682	847	2,255	27.9	1,596	26.4	659	32.4	2,236		1,594	639	2	1		19		
Greenville	160		160	539	29.2	292	25.7	247	34.9	445		291	120	1	33		94		
Henderson	770	450	320	411	33.1	217	31.3	194	35.4	329		217	112				82		
Hickory	1,243	1,115	128	532	34.8	436	33.3	96	43.8	519		435	82	1	1		13		
High Point	1,810	1,492	318	1,056	26.0	773	24.0	283	33.5	1,010		772	203	1	34		46		

Kinston	1,706	1,160	546	746	38.1	455	42.6	291	32.7	580	449	99	1	31	5	161			
Lexington	864	737	127	394	26.5	305	24.2	89	39.9	393	303	78	1	11	1				
Monroe	1,069	896	173	274	23.4	179	21.0	95	30.0	273	178	29	1	65		1			
New Bern	951	607	344	561	32.0	326	31.4	235	32.9	417	324	93			2	142			
Raleigh	3,102	2,339	763	1,556	21.1	1,062	19.4	494	26.2	1,440	1,058	352	4	26		116			
Reidsville	944	647	297	311	25.3	191	23.8	120	28.4	311	190	77	1	43					
Rocky Mount	1,563	1,149	414	729	25.5	465	26.1	264	24.4	710	463	88	2	157		19			
Salisbury	1,601	1,242	359	496	24.1	334	21.6	162	31.8	494	333	142	1	18		1			1
Sanford	903	632	271	339	27.9	240	25.7	99	35.1	322	238	84			2	14			1
Shelby	1,195	879	316	430	26.7	293	22.8	137	42.0	406	293	113				24			
Statesville	1,166	973	193	420	21.8	341	22.9	79	18.4	412	336	71	4	1	1	7			
Thomasville	422	356	66	290	25.9	219	23.8	71	35.5	286	216	67	2	1		3	1		
Wilmington	2,176	1,414	762	1,301	26.0	780	23.8	521	30.2	1,296	777	509	2	8	1				4
Wilson	1,525	976	549	728	29.6	375	25.5	353	35.7	584	371	171	4	38		144			
Winston-Salem	4,900	3,764	1,136	2,570	28.2	1,557	28.8	1,013	27.3	2,567	1,552	950	3	62	2				1

TABLE 5.—RESIDENT LIVE BIRTHS BY COLOR AND SEX, SHOWING MONTH OF BIRTH: NORTH CAROLINA, 1954

Color and sex	Total	Month of birth											
		January	February	March	April	May	June	July	August	September	October	November	December
NORTH CAROLINA	114,563	9,856	8,824	9,264	8,695	8,804	9,311	10,446	10,292	10,080	9,735	9,511	9,745
White—Male	39,283	3,349	2,966	3,081	3,033	3,060	3,160	3,450	3,496	3,491	3,482	3,379	3,336
Female	37,091	3,218	2,863	2,893	2,872	2,767	3,001	3,445	3,296	3,260	3,179	3,087	3,210
Nonwhite—Male	19,295	1,689	1,529	1,706	1,413	1,489	1,561	1,827	1,733	1,675	1,552	1,518	1,603
Female	18,894	1,600	1,466	1,584	1,377	1,488	1,589	1,724	1,767	1,654	1,522	1,527	1,596

TABLE 6.—RESIDENT LIVE BIRTHS BY COLOR AND AGE OF MOTHER, SHOWING BIRTH ORDER[1]: NORTH CAROLINA, 1954

Color and age of mother	Birth Weight																						
	Total	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th	14th	15th	16th	17th	18th	19th	20th	22nd	Not stated
NORTH CAROLINA	114,563	32,401	28,475	19,163	11,749	7,448	4,878	3,235	2,275	1,538	1,102	741	479	306	170	106	62	37	10	5	10	1	372
White total	76,374	24,407	21,878	13,684	7,117	3,690	2,087	1,195	780	515	358	223	113	70	38	29	5	2	1	------	2	----	180
10-14 years	70	69	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----	------
15-19 years	11,775	8,727	2.468	464	51	4	1	------	------	------	------	1	1	------	------	------	------	------	------	------	------	----	58
20-24 years	25,256	10,029	8,935	4,070	1,508	486	129	27	7	------	3	------	3	------	------	------	------	------	------	------	------	----	59
25-29 years	19,766	3,784	6,490	4,724	2,503	1,261	598	250	90	21	13	3	5	2	------	1	------	------	------	------	------	----	21
30-34 years	12,089	1,268	2,876	3,085	1,942	1,157	727	452	278	172	75	23	10	2	3	------	------	------	------	------	------	----	19
35-39 years	5,624	428	917	1,133	924	610	462	326	259	213	161	94	33	25	13	8	2	------	1	------	------	----	15
40-44 years	1,592	78	168	189	174	163	156	126	133	100	99	82	51	31	19	14	3	2	------	------	2	----	2
45-49 years	110	3	4	7	5	7	11	8	8	8	6	17	10	8	3	5	------	------	------	------	------	----	------
50 and over	2	------	------	------	------	------	------	1	------	------	------	1	------	------	------	------	------	------	------	------	------	----	------
Not stated	90	21	19	12	10	2	3	5	5	1	1	2	------	2	------	1	------	------	------	------	------	----	6
Nonwhite total	38,189	7,994	6,597	5,479	4,632	3,758	2,791	2,040	1,495	1,023	744	518	366	236	132	77	57	35	9	5	8	1	192
10-14 years	293	277	16	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----	------
15-19 years	8,012	4,683	2,222	785	191	37	10	2	------	1	------	------	------	1	------	------	------	------	------	------	------	----	80
20-24 years	11,568	2,124	2,850	2,734	1,943	1,118	479	184	57	22	6	4	------	------	------	------	------	------	------	------	------	----	47
25-29 years	8,847	589	1,002	1,267	1,583	1,584	1,223	801	479	164	87	21	7	7	------	3	1	1	------	------	------	----	28
30-34 years	5,415	219	346	452	632	700	733	680	564	447	271	175	106	47	13	5	3	5	------	------	1	----	16
35-39 years	2,953	78	121	198	223	260	274	303	304	298	270	211	159	108	61	32	16	16	4	2	2	1	12
40-44 years	933	12	21	28	46	46	58	60	85	85	99	97	88	68	49	32	33	12	3	3	4	----	4
45-49 years	61	1	------	------	1	2	1	2	5	3	8	9	4	4	9	5	3	1	2	------	1	----	------
50 and over	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----	------
Not stated	107	11	19	15	13	11	13	8	1	3	3	1	2	1	------	------	1	------	------	------	------	----	5

1 Previous births used for calculation of birth order include stillbirths.

TABLE 7.—RESIDENT CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, BY COLOR AND SEX: NORTH CAROLINA, 1954

Sex and status at birth	Cases of twins		
	Total	White	Nonwhite
Number cases of twins	1,269	750	519
Two males—total cases	464	287	177
Both children live born	428	265	163
One child live born, one stillborn	24	14	10
Both children stillborn	12	8	4
One male, one female—total cases	384	216	168
Both children live born	363	211	152
One live born male, one stillborn female	19	5	14
Both children stillborn	2	----------	2
Two females—total cases	421	247	174
Both children live born	387	230	157
One child live born, one stillborn	19	11	8
Both children stillborn	15	6	9

Sex and status at birth	Cases of triplets		
	Total	White	Nonwhite
Number cases of triplets	13	6	7
Three males—total cases	4	1	3
All three children live born	3	----------	3
Two children live born and one stillborn	1	1	----------
One male, two female—total cases	2	2	----------
All three children live born	2	2	----------
Two males, one female—total cases	2	1	1
All three children live born	2	1	1
Three females—total cases	5	2	3
All three children live born	5	2	3

TABLE 8.—RESIDENT LIVE BIRTHS AND DEATHS FILED IN 1954 SHOWING NUMBER RECEIVED IN TIME TO BE INCLUDED IN 1953 OR 1954 ANNUAL REPORTS: NORTH CAROLINA AND EACH COUNTY

Area	Live births			Deaths		
	Total filed in 1954	Filed in time to be included in 1953 or 1954 annual reports		Total filed in 1954	Filed in time to be included in 1953 or 1954 annual reports	
		Number	Per cent		Number	Per cent
NORTH CAROLINA	115,878	115,005	99.2	32,072	31,744	99.0
Alamance	1,932	1,910	98.9	477	473	99.2
Alexander	353	353	100.0	108	107	99.1
Alleghany	146	135	92.5	71	68	95.8
Anson	729	716	98.2	257	249	96.9
Ashe	508	491	96.7	153	151	98.7
Avery	315	313	99.4	71	69	97.2
Beaufort	978	975	99.7	383	381	99.5
Bertie	776	765	98.6	239	236	98.7
Bladen	860	855	99.4	250	243	97.2
Brunswick	546	545	99.8	175	172	98.3
Buncombe	2,691	2,683	99.7	983	981	99.8
Burke	986	981	99.5	290	287	99.0
Cabarrus	1,538	1,535	99.8	453	448	98.9
Caldwell	1,282	1,281	99.9	299	299	100.0
Camden	157	154	98.1	51	50	98.0
Carteret	734	733	99.9	202	202	100.0
Caswell	513	510	99.4	155	154	99.4
Catawba	1,770	1,766	99.8	411	399	97.1
Chatham	600	599	99.8	210	209	99.5
Cherokee	384	382	99.5	145	144	99.3
Chowan	391	389	99.5	124	124	100.0
Clay	121	117	96.7	38	37	97.4
Cleveland	1,816	1,788	98.5	441	420	95.2
Columbus	1,670	1,643	98.4	414	413	99.8
Craven	2,141	2,134	99.7	456	425	93.2
Cumberland	5,095	5,066	99.4	723	709	98.1
Currituck	169	168	99.4	68	68	100.0
Dare	130	128	98.5	54	54	100.0
Davidson	1,622	1,616	99.6	452	450	99.6
Davie	375	370	98.7	122	122	100.0
Duplin	1,180	1,174	99.5	331	328	99.1
Durham	2,475	2,473	99.9	792	792	100.0
Edgecombe	1,718	1,715	99.8	430	429	99.8
Forsyth	4,140	4,129	99.7	1,208	1,204	99.7
Franklin	848	837	98.7	268	268	100.0

TABLE 8.—*Continued*

Area	Live births			Deaths		
	Total filed in 1954	Filed in time to be included in 1953 or 1954 annual reports		Total filed in 1954	Filed in time to be included in 1953 or 1954 annual reports	
		Number	Per cent		Number	Per cent
Gaston	3,259	3,208	98.4	727	720	99.0
Gates	229	228	99.6	89	89	100.0
Graham	169	167	98.8	32	32	100.0
Granville	828	819	98.9	240	239	99.6
Greene	549	541	98.5	122	119	97.5
Guilford	5,279	5,253	99.5	1,429	1,421	99.4
Halifax	1,856	1,853	99.8	484	482	99.6
Harnett	1,252	1,241	99.1	321	317	98.8
Haywood	866	860	99.3	222	221	99.5
Henderson	722	715	99.0	270	269	99.6
Hertford	585	577	98.6	173	173	100.0
Hoke	468	465	99.4	105	100	95.2
Hyde	154	154	100.0	73	73	100.0
Iredell	1,444	1,441	99.8	465	464	99.8
Jackson	346	342	98.8	145	142	97.9
Johnston	1,568	1,555	99.2	484	476	98.3
Jones	325	324	99.7	79	79	100.0
Lee	752	750	99.7	201	201	100.0
Lenoir	1,677	1,666	99.3	447	447	100.0
Lincoln	659	658	99.8	200	199	99.5
McDowell	701	680	97.0	175	159	90.9
Macon	378	375	99.2	125	125	100.0
Madison	386	385	99.7	114	114	100.0
Martin	829	826	99.6	225	222	98.7
Mecklenburg	6,356	6,340	99.7	1,677	1,673	99.8
Mitchell	359	353	98.3	119	113	95.0
Montgomery	485	483	99.6	125	124	99.2
Moore	1,030	1,022	99.2	299	293	98.0
Nash	1,733	1,724	99.5	540	534	98.9
New Hanover	1,853	1,849	99.8	667	667	100.0
Northampton	800	793	99.1	229	227	99.1
Onslow	2,252	2,243	99.6	262	252	96.2
Orange	911	910	99.9	216	213	98.6
Pamlico	276	269	97.5	90	90	100.0
Pasquotank	809	801	99.0	233	230	98.7
Pender	505	503	99.6	149	148	99.3
Perquimans	280	280	100.0	85	85	100.0
Person	730	727	99.6	186	186	100.0
Pitt	2,085	2,053	98.5	576	548	95.1
Polk	273	273	100.0	86	86	100.0

TABLE 8.—*Continued*

Area	Live births			Deaths		
	Total filed in 1954	Filed in time to be included in 1953 or 1954 annual reports		Total filed in 1954	Filed in time to be included in 1953 or 1954 annual reports	
		Number	Per cent		Number	Per cent
Randolph	1,424	1,416	99.4	405	398	98.3
Richmond	1,117	1,113	99.6	377	377	100.0
Robeson	3,093	3,067	99.2	716	710	99.2
Rockingham	1,549	1,530	98.8	476	473	99.4
Rowan	1,807	1,778	98.4	591	587	99.3
Rutherford	1,066	1,061	99.5	330	327	99.1
Sampson	1,422	1,417	99.6	390	385	98.7
Scotland	812	805	99.1	234	231	98.7
Stanly	921	858	93.2	260	257	98.8
Stokes	483	482	99.8	133	133	100.0
Surry	1,157	1,152	99.6	326	324	99.4
Swain	273	270	98.9	87	86	98.9
Transylvania	373	363	97.3	91	91	100.0
Tyrrell	123	120	97.6	34	34	100.0
Union	1,103	1,097	99.5	353	353	100.0
Vance	941	937	99.6	305	303	99.3
Wake	3,687	3,673	99.6	1,098	1,092	99.5
Warren	611	603	98.7	186	177	95.2
Washington	448	447	99.8	130	129	99.2
Watauga	426	423	99.3	123	123	100.0
Wayne	1,744	1,712	98.2	558	547	98.0
Wilkes	1,059	1,046	98.8	344	327	95.1
Wilson	1,657	1,641	99.0	492	491	99.8
Yadkin	474	469	98.9	139	139	100.0
Yancey	401	390	97.3	104	103	99.0

TABLE 9.—RESIDENT DEATHS (EXCLUDING STILLBIRTHS) FROM EACH CAUSE SPECIFIC FOR AGE, COLOR, AND SEX FOR

International code number	Cause of death, color, and sex		Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
	NORTH CAROLINA	Total	31,482	3,447	576	278
		Rate	7.8	36.7	1.4	0.6
	White	Total	21,180	1,673	288	183
		Rate	7.1	26.2	1.0	0.6
		Male	12,434	972	162	102
		Rate	8.3	29.7	1.1	0.7
		Female	8,746	701	126	81
		Rate	5.9	22.5	0.9	0.6
	Nonwhite	Total	10,302	1,774	288	95
		Rate	9.5	58.9	2.3	0.7
		Male	5,720	977	162	54
		Rate	10.8	64.9	2.6	0.8
		Female	4,582	797	126	41
		Rate	8.3	52.9	2.0	0.6
I.	INFECTIVE AND PARASITIC DISEASES					
	White	Total	298	23	25	20
		Male	195	16	15	9
		Female	103	7	10	11
	Nonwhite	Total	314	36	29	10
		Male	184	21	16	4
		Female	130	15	13	6
001–008	Tuberculosis of respiratory system					
	White	Male	96	------	------	------
		Female	42	------	------	------
	Nonwhite	Male	81	------	1	------
		Female	63	------	------	------
010	Tuberculosis of meninges and central nervous system					
	White	Male	1	------	------	------
		Female	1	------	------	------
	Nonwhite	Male	3	1	1	------
		Female	3	------	1	1
011	Tuberculosis of intestines, peritoneum, and mesenteric glands					
	Nonwhite	Male	1	------	------	------
012,013	Tuberculosis of bones and joints, active or unspecified					
	Nonwhite	Male	2	------	------	------
		Female	1	------	------	------
014–019	Tuberculosis, all other forms					
	White	Male	7	------	------	------
		Female	1	------	------	------
	Nonwhite	Male	5	------	------	------
		Female	4	------	------	------
020	Congenital syphilis					
	Nonwhite	Male	1	1	------	------
		Female	1	1	------	------

BY AGE, COLOR, AND SEX WITH RATES PER 1,000 POPULATION (1950 CENSUS)
ALL CAUSES: NORTH CAROLINA, 1954

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
204	377	488	541	713	917	1,308	1,536	2,013	5,023	6,765	5,381	1,912	3	
0.5	1.0	1.4	1.6	2.4	3.2	5.3	7.5	11.6	20.2	42.1	96.6	214.5	------	
125	223	277	303	360	496	745	959	1,218	3,301	4,963	4,511	1,555	------	
0.5	0.9	1.1	1.2	1.6	2.3	4.0	6.2	9.2	16.8	39.8	101.5	240.5	------	
78	163	200	232	241	333	498	648	827	2,182	2,842	2,284	670	------	
0.6	1.2	1.5	1.8	2.1	3.1	5.4	8.5	12.7	22.8	48.4	112.5	253.8	------	
47	60	77	71	119	163	247	311	391	1,119	2,121	2,227	885	------	
0.4	0.5	0.6	0.5	1.0	1.5	2.6	3.9	5.8	11.1	32.2	92.2	231.4	------	
79	154	211	238	353	421	563	577	795	1,722	1,802	870	357	3	
0.7	1.5	2.3	2.9	4.9	5.9	9.7	11.9	19.5	33.4	50.0	77.3	145.9	------	
55	98	146	151	207	234	308	326	417	951	1,005	485	143	1	
0.9	1.9	3.3	3.8	6.0	6.8	11.0	14.1	21.0	36.8	58.3	89.9	144.9	------	
24	56	65	87	146	187	255	251	378	771	797	385	214	2	
0.4	1.0	1.3	2.0	3.9	5.0	8.5	9.8	18.1	29.9	42.3	65.7	146.6	------	
														I.
7	3	10	6	8	9	20	26	18	38	40	40	5	------	
5	1	5	6	5	5	12	18	16	27	26	25	4	------	
2	2	5	------	3	4	8	8	2	11	14	15	1	------	
7	16	10	21	13	16	26	23	32	45	24	6	------	------	
4	4	3	7	8	11	15	16	20	32	17	6	------	------	
3	12	7	14	5	5	11	7	12	13	7	------	------	------	
														001–008
------	------	2	2	3	3	4	13	11	20	20	15	3	------	
------	------	2	------	3	1	6	5	1	7	10	7	------	------	
2	1	------	4	5	8	12	9	14	13	8	4	------	------	
1	9	5	8	5	4	8	4	9	7	3	------	------	------	
														010
------	------	------	------	------	------	1	------	------	------	------	------	------	------	
------	------	1	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	1	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	1	------	------	------	------	
														011
------	------	------	------	------	------	------	------	1	------	------	------	------	------	
														012,013
------	------	------	1	------	------	------	------	------	------	1	------	------	------	
------	------	------	1	------	------	------	------	------	------	------	------	------	------	
														014–019
------	------	------	------	------	------	------	1	1	1	1	3	------	------	
------	------	------	------	------	1	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	1	------	2	2	------	------	------	
------	------	1	1	------	------	------	1	------	------	1	------	------	------	
														020
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	

TABLE 9.—

International code number	Cause of death, color, and sex			Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
025	General paralysis of insane						
		White	Male	2	------	------	------
		Nonwhite	Female	1	------	------	------
022,023, 026–029	All other syphilis						
		White	Male	10	------	------	------
			Female	4	------	------	------
		Nonwhite	Male	31	------	------	------
			Female	8	------	------	------
040	Typhoid fever						
		Nonwhite	Male	1	------	------	------
045	Dysentery, bacillary						
		White	Male	2	1	1	------
			Female	1	------	------	------
		Nonwhite	Male	2	2	------	------
			Female	2	2	------	------
046	Amebiasis						
		White	Male	1	------	------	------
		Nonwhite	Female	2	------	------	------
047,048	Other forms of dysentery						
		Nonwhite	Female	1	------	1	------
050	Scarlet fever						
		White	Female	1	------	------	1
051	Streptococcal sore throat						
		White	Male	3	1	1	------
			Female	1	------	------	------
		Nonwhite	Female	1	------	------	------
052	Erysipelas						
		White	Male	1	------	------	------
053	Septicemia and pyemia						
		White	Male	3	1	------	------
			Female	12	4	2	1
		Nonwhite	Male	7	3	1	------
			Female	5	------	------	2
055	Diphtheria						
		White	Male	2	------	2	------
			Female	2	------	1	1
		Nonwhite	Male	2	------	2	------
			Female	1	1	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														025
						1	1							
									1					
														022,023,
					1			2	3	3	1			026-029
						1	1	1		1				
		1		1	1	2	5	5	11	4	1			
			1		1	1	1		3	1				
														040
	1													
														045
											1			
														046
											1			
		1						1						
														047,048
														050
														051
						1								
		1												
	1													
														052
											1			
														053
						1					1			
1							1		1		1	1		
		1							2					
			1						1	1				
														055

TABLE 9.—

International code number	Cause of death, color, and sex			Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
056	Whooping cough						
		White	Male	1	1		
			Female	1			1
		Nonwhite	Male	6	3	3	
			Female	3	2	1	
057	Meningococcal infections						
		White	Male	18	6	5	4
			Female	8	1	4	2
		Nonwhite	Male	6	1	4	
			Female	9	3	3	1
061	Tetanus						
		White	Male	2			1
			Female	1			
		Nonwhite	Male	5	3		
			Female	4		1	1
080	Acute poliomyelitis						
		White	Male	10			1
			Female	6		1	
		Nonwhite	Male	4		1	2
081	Late effects of acute poliomyelitis						
		White	Male	2			
082	Acute infectious encephalitis						
		White	Male	3	1		
			Female	3		1	1
		Nonwhite	Male	1	1		
			Female	1		1	
083	Late effects of acute infectious encephalitis						
		White	Female	1			
085	Measles						
		White	Male	9	3	4	
			Female	9	2	1	4
		Nonwhite	Male	8	3	3	1
			Female	9	4	4	
087	Chickenpox						
		White	Male	1			
092	Infectious hepatitis						
		White	Male	6		1	1
			Female	1			
		Nonwhite	Male	3			
			Female	2			
094	Rabies						
		White	Male	1			
		Nonwhite	Male	1			1

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number.
														056
														057
1	1						1							
									1					
	1													
	1					1								
														061
1														
										1				
1										1				
1										1				
														080
2		2	2	2	1									
1	2	1			1									
			1											
														081
			2											
														082
									2					
									1					
														083
						1								
														085
1											1			
											2			
1														
1														
														087
		1												
														092
						1	1				1	1		
							1							
					1		1		1					
			2											
														094
											1			

TABLE 9.—

International code number	Cause of death, color, and sex			Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
124,126, 128,130	Other diseases due to helminths						
		White	Male	2	1	1	------
		Nonwhite	Female	1	------	1	------
131-134	Mycosis						
		White	Male	2	------	------	------
		Nonwhite	Male	2	------	------	------
			Female	1	1	------	------
049,054, 064,073, 074,088, 093,096, 120-122, 135-138	All other diseases classified as infective and parasitic						
		White	Male	10	1	------	2
			Female	8	------	------	------
		Nonwhite	Male	12	3	------	------
			Female	7	1	------	1
II.	NEOPLASMS						
		White	Total	2,954	6	30	26
			Male	1,435	4	15	15
			Female	1,519	2	15	11
		Nonwhite	Total	923	3	13	7
			Male	435	2	7	5
			Female	488	1	6	2
140-148	Malignant neoplasm of buccal cavity and pharynx						
		White	Male	56	------	------	1
			Female	19	------	------	------
		Nonwhite	Male	6	------	------	------
			Female	2	------	------	------
150	Malignant neoplasm of esophagus						
		White	Male	33	------	------	------
			Female	14	------	------	------
		Nonwhite	Male	22	------	------	------
			Female	4	------	------	------
151	Malignant neoplasm of stomach						
		White	Male	126	------	------	------
			Female	87	------	------	------
		Nonwhite	Male	65	------	------	------
			Female	43	------	------	------
152,153	Malignant neoplasm of intestines, except rectum						
		White	Male	91	------	------	------
			Female	136	------	------	------
		Nonwhite	Male	22	------	------	------
			Female	22	------	------	------
154	Malignant neoplasm of rectum						
		White	Male	44	------	------	------
			Female	42	------	------	------
		Nonwhite	Male	9	------	------	------
			Female	16	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														124,126,
------	------	------	------	------	------	------	------	------	------	------	------	------	------	128,130
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
														131–134
------	------	------	------	------	------	------	------	1	------	1	------	------	------	
------	------	------	------	------	1	------	------	------	1	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
														049,054,
------	------	------	------	------	------	3	1	1	1	1	------	------	------	064,073,
------	------	------	------	------	1	------	------	------	1	2	4	------	------	074,088,
------	1	1	1	1	------	1	------	------	2	1	1	------	------	093,096,
------	1	------	------	------	------	1	1	2	------	------	------	------	------	120–122,
														135–138
														II.
12	16	21	34	46	99	161	206	275	671	753	505	93	------	
9	8	13	23	14	31	62	85	126	351	370	263	46	------	
3	8	8	11	32	68	99	121	149	320	383	242	47	------	
5	9	8	11	31	38	74	83	128	223	195	71	24	------	
4	5	5	4	10	8	24	38	46	120	112	38	7	------	
1	4	3	7	21	30	50	45	82	103	83	33	17	------	
														140–148
------	------	1	------	------	1	4	6	8	12	14	8	1	------	
------	------	------	------	------	------	------	3	2	3	4	7	------	------	
------	------	------	------	------	------	------	2	1	2	------	1	------	------	
------	------	------	------	------	------	------	------	------	1	1	------	------	------	
														150
------	------	------	------	------	1	1	4	6	6	6	7	2	------	
------	------	------	------	------	------	1	1	2	------	5	4	1	------	
------	------	------	------	------	------	------	4	2	10	4	2	------	------	
------	------	------	------	1	------	------	1	1	------	1	------	------	------	
														151
------	------	------	1	1	4	4	10	5	38	39	22	2	------	
------	------	------	------	1	2	3	3	3	13	34	20	8	------	
------	------	------	------	------	1	4	3	10	14	27	6	------	------	
------	------	------	------	1	------	2	4	6	13	11	4	2	------	
														152,153
------	------	------	------	------	4	6	4	10	22	17	26	2	------	
------	1	1	2	1	1	7	2	14	26	40	36	5	------	
------	------	------	------	------	------	1	3	3	8	6	1	------	------	
------	------	------	------	------	2	3	2	2	4	5	4	------	------	
														154
------	------	------	------	1	------	1	3	3	11	15	8	2	------	
------	1	------	------	------	1	3	4	4	10	10	5	4	------	
------	------	------	------	1	------	------	1	1	3	3	------	------	------	
------	------	------	------	1	2	1	------	2	4	3	2	1	------	

TABLE 9.—

International code number	Cause of death, color, and sex		Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
155	Malignant neoplasm of biliary passage and of liver (stated to be primary)					
	White	Male	31	2	------	------
		Female	64	------	------	------
	Nonwhite	Male	15	------	------	------
		Female	7	------	------	------
156.1	Malignant neoplasm of liver not specified whether primary or secondary					
	White	Male	8	------	------	------
		Female	8	------	------	------
	Nonwhite	Male	6	------	------	------
		Female	3	------	------	------
157	Malignant neoplasm of pancreas					
	White	Male	95	------	1	------
		Female	68	------	------	------
	Nonwhite	Male	28	------	------	------
		Female	19	------	------	------
158, 159	Malignant neoplasm of peritoneum and of unspecified digestive organs					
	White	Male	9	------	------	1
		Female	10	------	------	------
	Nonwhite	Male	5	------	------	------
		Female	10	------	------	------
161	Malignant neoplasm of larynx					
	White	Male	19	------	------	------
		Female	1	------	------	------
	Nonwhite	Male	3	------	------	------
162	Malignant neoplasm of trachea, and of bronchus and of lung specified as primary					
	White	Male	188	------	------	------
		Female	46	------	------	------
	Nonwhite	Male	30	------	------	------
		Female	10	------	------	------
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary					
	White	Male	24	------	------	------
		Female	4	------	------	------
	Nonwhite	Male	6	------	------	1
		Female	4	------	------	------
160, 164	Malignant neoplasm of other parts of respiratory system					
	White	Male	11	------	------	------
		Female	6	------	------	------
	Nonwhite	Male	4	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														155
------	------	------	------	------	------	------	------	4	7	10	7	1	------	
------	------	------	------	------	2	2	3	4	11	23	13	6	------	
------	------	------	------	------	------	1	1	------	6	5	2	------	------	
------	------	------	------	------	------	------	2	1	2	2	------	------	------	
														156.1
------	------	------	------	------	------	------	------	1	2	1	3	1	------	
------	------	------	------	------	------	------	------	1	2	3	1	1	------	
------	------	------	------	------	------	1	------	------	3	1	1	------	------	
------	------	------	------	------	------	------	1	------	------	1	1	------	------	
														157
------	------	------	------	------	------	5	5	7	30	28	16	3	------	
------	------	------	------	------	2	3	1	4	12	27	14	5	------	
------	------	------	------	------	------	2	1	8	5	9	3	------	------	
------	------	------	------	------	------	------	1	2	7	6	2	1	------	
														158,159
------	------	------	------	------	------	------	1	------	1	2	4	------	------	
------	------	------	------	------	------	------	3	------	2	2	2	1	------	
------	------	------	------	------	------	1	1	------	1	1	1	------	------	
------	------	------	------	------	------	1	------	2	5	1	1	------	------	
														161
------	------	------	------	------	------	1	1	2	5	3	7	------	------	
------	------	------	------	------	------	------	------	------	------	1	------	------	------	
------	------	------	------	------	------	1	------	------	2	------	------	------	------	
														162
------	------	1	------	------	3	14	17	22	64	50	15	2	------	
------	------	1	------	1	2	5	2	4	11	12	7	1	------	
------	------	------	------	1	------	3	4	7	10	3	1	1	------	
------	------	------	------	------	1	1	4	1	1	2	------	------	------	
														163
------	------	------	------	------	------	2	2	3	8	8	1	------	------	
------	------	------	------	------	------	------	------	------	------	2	2	------	------	
------	------	------	------	------	------	------	1	2	2	------	------	------	------	
------	------	------	------	------	1	------	1	2	------	------	------	------	------	
														160,164
------	------	1	------	------	1	------	1	1	2	2	2	1	------	
------	------	------	------	------	------	------	------	1	------	3	2	------	------	
------	------	------	1	------	1	1	------	------	------	1	------	------	------	

TABLE 9.—

International code number	Cause of death, color, and sex		Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
170	Malignant neoplasm of breast					
	White	Male	3			
		Female	259			
	Nonwhite	Female	75			
171	Malignant neoplasm of cervix uteri					
	White	Female	156			
	Nonwhite	Female	85			
172–174	Malignant neoplasm of other and unspecified parts of uterus					
	White	Female	81			
	Nonwhite	Female	57			
175	Malignant neoplasm of ovary, Fallopian tube, and broad ligament					
	White	Female	85			
	Nonwhite	Female	14			
176	Malignant neoplasm of other and unspecified female genital organs					
	White	Female	9			
	Nonwhite	Female	6			
177	Malignant neoplasm of prostate					
	White	Male	179			
	Nonwhite	Male	77			
178, 179	Malignant neoplasm of testis, and other and unspecified male genital organs					
	White	Male	14			
	Nonwhite	Male	5			
180	Malignant neoplasm of kidney					
	White	Male	29		1	
		Female	28	1	4	
	Nonwhite	Male	9		2	
		Female	1			
181	Malignant neoplasm of bladder and other urinary organs					
	White	Male	43			
		Female	21			
	Nonwhite	Male	11			
		Female	9			
190, 191	Malignant neoplasm of skin					
	White	Male	50			
		Female	40			
	Nonwhite	Male	9			
		Female	8			
192	Malignant neoplasm of eye					
	White	Male	7			1
		Female	6		2	
	Nonwhite	Male	2		2	

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														170
										3				
				7	15	23	33	36	65	51	26	3		
				5	5	14	7	13	11	14	3	3		
														171
			2	5	19	24	18	21	28	28	11			
			3	4	4	9	8	23	17	11	5	1		
														172–174
				4	4	2	10	7	21	20	11	2		
		1		3	1	4	3	11	14	13	4	3		
														175
				1	2	5	13	13	22	17	12			
			1		2	1	4	1	3		1	1		
														176
						1		1	3	3	1			
						2		3	1					
														177
								3	18	70	73	15		
							2	4	25	31	11	4		
														178, 179
		1	2	2	2		1	1	3	2				
				1					1	3				
														180
					1	1	1	5	9	6	3	2		
				1		1		1	6	7	5	2		
		1					1		2	2	1			
					1									
														181
					1		3	2	12	10	12	3		
						1	1		5	2	12			
							1		4	6				
							1	2	2	2	1	1		
														190, 191
			1	1	2	4	5	3	12	5	14	3		
		1		1	4	2	3	1	6	11	8	3		
	1			1	1			1	4	1				
		1				1	1	2	1	1		1		
														192
					2					1	3			
									1		3			

TABLE 9.—

International code number	Cause of death, color, and sex		Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
193	Malignant neoplasm of brain and other parts of nervous system					
	White	Male	62	1	1	3
		Female	47		4	3
	Nonwhite	Male	12	1		1
		Female	6		1	2
194	Malignant nepolasm of thyroid gland					
	White	Male	4			
		Female	12			
	Nonwhite	Male	2			
		Female	2			
196	Malignant neoplasm of bone (including jaw bone)					
	White	Male	23		1	
		Female	18			
	Nonwhite	Male	8			
		Female	9			
197	Malignant neoplasm of connective tissue					
	White	Male	8			1
		Female	5			
	Nonwhite	Male	3			
		Female	1			
195, 198.1 199.1	Malignant neoplasm of other specified sites, not stated to be secondary					
	White	Male	22		1	
		Female	29		1	
	Nonwhite	Male	4			
		Female	12			
156.2, 165, 198.2, 199.2–199.9	Malignant neoplasm of unspecified site					
	White	Male	58		1	
		Female	44			
	Nonwhite	Male	13			
		Female	16			
204	Leukemia and aleukemia					
	White	Male	94		8	5
		Female	75		2	6
	Nonwhite	Male	24	1	2	1
		Female	10		4	
200–203, 205	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues					
	White	Male	75			1
		Female	59		1	
	Nonwhite	Male	20			
		Female	12			

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														193
2	------	2	3	2	4	5	3	13	14	8	1	------	------	
------	------	1	1	2	2	4	5	8	12	5	------	------	------	
1	1	2	------	1	------	1	------	1	3	------	------	------	------	
------	1	------	------	------	------	------	------	------	2	------	------	------	------	
														194
------	------	------	------	------	------	------	------	------	2	1	1	------	------	
------	------	------	------	------	------	------	------	1	5	2	3	1	------	
------	------	------	------	------	------	------	------	1	------	------	1	------	------	
------	------	------	------	------	------	------	------	------	------	1	1	------	------	
														196
2	2	1	1	1	------	------	4	3	4	2	1	1	------	
------	1	------	1	------	1	------	1	------	5	6	2	1	------	
1	------	------	1	------	------	------	2	1	1	1	1	------	------	
1	2	------	------	2	------	1	------	------	2	------	------	1	------	
														197
------	1	------	------	------	2	------	------	------	2	2	------	------	------	
------	------	------	------	------	------	------	------	------	2	2	1	------	------	
------	1	------	------	------	1	------	1	------	------	------	------	------	------	
------	------	------	------	------	1	------	------	------	------	------	------	------	------	
														195, 198.1, 199.1
------	------	------	------	------	1	------	1	1	8	4	5	1	------	
------	------	1	1	1	1	2	1	1	9	8	3	------	------	
------	------	------	------	------	1	------	------	------	2	------	1	------	------	
------	------	1	------	------	1	2	------	1	4	------	3	------	------	
														156.2, 165, 198.2
------	------	1	3	------	------	2	5	5	13	19	7	2	------	
------	------	------	------	------	------	2	1	2	8	21	9	1	------	199.2,–
------	------	------	------	------	------	------	4	------	6	2	1	------	------	199.9
------	------	------	------	1	1	3	1	3	4	1	------	2	------	
														204
4	3	3	4	2	1	4	2	3	20	22	12	1	------	
3	4	1	3	4	2	5	5	6	10	14	10	------	------	
------	1	1	------	3	1	3	1	1	4	2	1	2	------	
------	------	------	------	1	1	1	1	1	------	1	------	------	------	
														200–203, 205
1	2	------	4	4	------	5	3	13	17	19	5	1	------	
------	1	2	1	3	3	2	1	5	17	13	9	1	------	
1	------	------	------	1	2	4	3	2	1	4	2	------	------	
------	1	------	------	------	3	1	------	1	2	3	1	------	------	

TABLE 9.—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
210–239	Benign neoplasms and neoplasms of unspecified nature				
	White—Male	29	1	1	2
	Female	40	1	1	2
	Nonwhite—Male	15	------	1	2
	Female	25	1	1	------
III. AND IV.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES; DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS				
	White—Total	517	15	8	2
	Male	246	9	3	1
	Female	271	6	5	1
	Nonwhite—Total	226	13	15	6
	Male	107	11	12	4
	Female	119	2	3	2
241	Asthma				
	White—Male	57	1	1	------
	Female	33	------	------	------
	Nonwhite—Male	21	3	3	------
	Female	14	1	------	------
250,251	Nontoxic goiter				
	White—Male	1	------	------	------
	Female	2	------	------	------
	Nonwhite—Female	2	------	------	------
252	Thyrotoxicosis with or without goiter				
	White—Male	2	------	------	------
	Female	7	------	------	------
	Nonwhite—Male	1	------	------	------
	Female	3	------	------	------
253,254	Myxedema, cretinism, and other diseases of thyroid gland				
	White—Male	1	------	------	------
	Female	1	1	------	------
	Nonwhite—Female	1	------	------	------
260	Diabetes mellitus				
	White—Male	136	------	------	------
	Female	166	------	------	1
	Nonwhite—Male	44	------	------	1
	Female	76	------	------	------
271	Diseases of parathyroid gland				
	White—Male	1	------	------	------
	Female	1	------	------	------
	Nonwhite—Male	1	------	------	------
273	Diseases of thymus gland				
	White—Male	3	2	1	------
	Female	1	1	------	------
	Nonwhite—Male	4	2	1	1
	Female	1	------	1	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														210–239
------	------	2	4	------	1	3	3	2	9	1	------	------	------	
------	------	------	------	------	5	1	7	7	5	7	3	1	------	
1	1	1	2	1	------	1	2	1	1	------	1	------	------	
------	------	------	3	2	4	3	3	2	3	3	------	------	------	
														III. AND IV.
3	3	6	6	10	14	14	23	30	105	159	98	21	------	
------	1	2	3	8	9	8	11	13	58	69	39	12	------	
3	2	4	3	2	5	6	12	17	47	90	59	9	------	
3	4	5	4	7	12	9	12	27	44	35	20	10	------	
1	1	5	2	4	7	6	3	10	17	15	8	1	------	
2	3	------	2	3	5	3	9	17	27	20	12	9	------	
														241
------	------	------	1	2	3	1	------	7	14	20	4	3	------	
1	------	2	------	------	1	4	5	4	4	7	5	------	------	
------	------	1	------	------	1	1	------	4	5	1	2	------	------	
------	1	------	------	------	1	------	1	2	2	3	2	1	------	
														250,251
------	------	------	------	------	------	------	------	1	------	------	------	------	------	
------	------	------	------	------	------	1	------	1	------	------	------	------	------	
------	1	------	------	------	------	------	------	------	------	1	------	------	------	
														252
------	------	------	------	------	------	------	------	------	------	1	1	------	------	
------	------	------	------	------	------	------	------	1	1	5	------	------	------	
------	------	------	------	------	1	------	------	------	------	------	------	------	------	
------	------	------	------	------	1	------	------	1	------	------	------	1	------	
														253,254
------	------	------	------	------	------	------	------	------	1	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	1	------	------	
														260
------	------	1	2	5	4	4	10	3	36	38	25	8	------	
------	------	------	------	2	2	1	6	9	36	60	44	5	------	
1	------	2	------	1	4	3	1	6	9	11	4	1	------	
1	1	------	1	3	2	3	8	11	21	14	7	4	------	
														271
------	------	------	------	------	------	------	------	------	------	1	------	------	------	
------	------	------	------	------	------	------	------	------	1	------	------	------	------	
------	------	------	------	------	------	------	1	------	------	------	------	------	------	
														273
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	

TABLE 9.—

International code number	Cause of death, color, and sex			Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
274	Diseases of adrenal gland						
		White	Male	5	------	------	1
			Female	2	------	------	------
280	Beriberi						
		White	Male	1	------	------	------
			Female	1	------	------	------
281	Pellagra						
		White	Female	5	------	------	------
		Nonwhite	Female	1	------	------	------
283,284	Rickets (active and late effects)						
		Nonwhite	Male	2	1	1	------
285,286	Avitaminosis and other deficiency states						
		White	Male	4	------	------	------
			Female	10	------	1	------
		Nonwhite	Male	9	1	3	------
			Female	9	------	2	------
290–293	Anemias						
		White	Male	18	3	------	------
			Female	16	------	1	------
		Nonwhite	Male	17	3	2	1
			Female	10	1	------	2
295,296	Hemorrhagic conditions						
		White	Male	4	1	------	------
			Female	12	2	1	------
		Nonwhite	Male	1	------	------	1
			Female	1	------	------	------
240, 242–245, 270,275–277,287–289,294, 297–299	Allergic disorders; all other endocrine, metabolic and blood diseases						
		White	Male	13	2	1	------
			Female	14	2	2	------
		Nonwhite	Male	7	1	2	------
			Female	1	------	------	------
V.	MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS						
		White	Total	84	5	------	------
			Male	62	1	------	------
			Female	22	4	------	------
		Nonwhite	Total	63	1	1	1
			Male	45	------	------	1
			Female	18	1	1	------
300–309	Psychoses						
		White	Male	15	------	------	------
			Female	6	------	------	------
		Nonwhite	Male	15	------	------	------
			Female	7	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														274
	1					1			1	1				
1					1									
														280
									1					
										1				
														281
								1	1		3			
										1				
														283,284
														285,286
											3	1		
1										3	2	3		
	1			1						2	1			
								1	3	1	1	1		
														290-293
					1			1	1	7	5			
							1	1	2	7	3	1		
		1	2			2	1		3	1	1			
1			1		1			1	1		1	1		
														295,296
		1							1	1				
	1	1	2		1				1	3				
												1		
														240, 242-245,
				1	1	2	1	1	3		1			270,275-
	1	1	1						1	4	2			277,287-
		1		2	1									289,294,
								1						297-299
														V.
2	2	2	5	7	5	13	6	11	14	6	5	1		
1	1	1	5	6	5	11	5	7	12	5	2			
1	1	1		1		2	1	4	2	1	3	1		
		3	4	7	14	5	4	9	6	6	2			
		2	4	4	11	4	3	6	4	5	1			
		1		3	3	1	1	3	2	1	1			
														300-309
			2	2	1			3	3	2	2			
								1	2		2	1		
		1	3	1	2	1		2	2	2	1			
		1		1				1	2	1	1			

TABLE 9.—

International code number	Cause of death, color, and sex			Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
322	Alcoholism						
		White	Male	45	------	------	------
			Female	7	------	------	------
		Nonwhite	Male	28	------	------	------
			Female	7	------	------	------
310–321, 323,324, 326	Psychoneurosis and disorders of personality						
		White	Male	1	1	------	------
			Female	3	------	------	------
		Nonwhite	Male	1	------	------	------
			Female	2	------	------	------
325	Mental deficiency						
		White	Male	1	------	------	------
			Female	6	4	------	------
		Nonwhite	Male	1	------	------	1
			Female	2	1	1	------
VI.	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS						
		White	Total	3,063	21	22	16
			Male	1,582	10	7	10
			Female	1,481	11	15	6
		Nonwhite	Total	1,486	22	12	6
			Male	765	9	7	3
			Female	721	13	5	3
330–334	Vascular lesions affecting central nervous system						
		White	Male	1,474	1	2	1
			Female	1,385	1	2	------
		Nonwhite	Male	701	1	------	------
			Female	681	3	------	1
340	Meningitis, except meningococcal and tuberculous						
		White	Male	7	4	------	2
			Female	8	3	2	------
		Nonwhite	Male	18	7	3	------
			Female	21	9	3	2
345	Multiple sclerosis						
		White	Male	7	------	------	------
			Female	7	------	------	------
		Nonwhite	Male	1	------	------	------
			Female	1	------	------	------
350	Paralysis agitans						
		White	Male	18	------	------	------
			Female	9	------	------	------
		Nonwhite	Male	3	------	------	------
353	Epilepsy						
		White	Male	18	1	------	------
			Female	14	------	------	2
		Nonwhite	Male	21	------	1	------
			Female	7	------	2	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														322
------	1	1	3	4	4	11	5	4	9	3	------	------	------	
------	------	1	------	1	------	1	1	3	------	------	------	------	------	
------	------	1	1	3	9	3	3	4	2	2	------	------	------	
------	------	------	------	2	3	1	------	1	------	------	------	------	------	
														310–321,
------	------	------	------	------	------	------	------	------	------	------	------	------	------	323,324,
------	------	------	------	------	------	1	------	------	------	1	1	------	------	326
------	------	------	------	------	------	------	------	------	------	1	------	------	------	
------	------	------	------	------	------	------	1	1	------	------	------	------	------	
														325
1	------	------	------	------	------	------	------	------	------	------	------	------	------	
1	1	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
														VI.
8	9	14	16	21	32	57	93	128	444	915	975	292	------	
4	4	7	6	13	18	28	56	74	253	500	466	126	------	
4	5	7	10	8	14	29	37	54	191	415	509	166	------	
4	9	8	16	24	44	68	90	154	359	413	191	65	1	
2	6	5	7	13	29	37	47	83	184	219	91	22	1	
2	3	3	9	11	15	31	43	71	175	194	100	43	------	
														330–334
1	1	4	2	11	15	19	47	69	243	477	458	123	------	
------	1	1	5	5	13	27	34	51	177	407	499	162	------	
------	4	1	6	8	21	35	44	77	177	216	88	22	1	
1	2	2	7	8	15	30	41	69	170	191	98	43	------	
														340
------	------	------	------	------	------	1	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	1	1	1	------	------	
------	------	------	------	1	2	1	------	2	1	------	1	------	------	
1	------	------	2	------	------	------	1	1	------	2	------	------	------	
														345
------	------	------	------	------	1	------	1	1	2	2	------	------	------	
------	------	------	------	1	------	1	------	1	1	------	3	------	------	
------	------	------	------	------	------	------	------	------	1	------	------	------	------	
------	------	1	------	------	------	------	------	------	------	------	------	------	------	
														350
------	------	------	------	------	------	------	------	1	2	13	2	------	------	
------	------	------	------	------	------	------	------	------	1	2	5	1	------	
------	------	------	------	------	------	------	1	------	1	1	------	------	------	
														353
2	------	2	3	1	1	4	------	------	1	2	------	1	------	
------	------	2	3	2	------	------	------	2	2	1	------	------	------	
1	2	4	1	4	4	------	1	2	1	------	------	------	------	
------	------	------	------	3	------	1	1	------	------	------	------	------	------	

TABLE 9.—

International code number	Cause of death, color, and sex			Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
385	Cataract						
		White	Female	1	------	------	------
391–393	Otitis media and mastoiditis						
		White	Male	3	2	------	------
			Female	4	2	1	------
		Nonwhite	Female	3	1	------	------
341–344, 351,352, 354–369, 380–384, 386,388–390,394–398	Other diseases of nervous system and sense organs						
		White	Male	55	2	5	7
			Female	53	5	10	4
		Nonwhite	Male	21	1	3	3
			Female	8	------	------	------
VII.	DISEASES OF THE CIRCULATORY SYSTEM						
		White	Total	8,470	5	3	5
			Male	5,190	4	2	3
			Female	3,280	1	1	2
		Nonwhite	Total	3,326	7	3	4
			Male	1,788	3	1	2
			Female	1,538	4	2	2
400–402	Rheumatic fever						
		White	Male	8	------	------	1
			Female	7	------	1	2
		Nonwhite	Male	9	------	------	2
			Female	9	------	------	2
410–416	Chronic rheumatic heart disease						
		White	Male	117	------	------	------
			Female	113	------	------	------
		Nonwhite	Male	52	------	------	------
			Female	42	------	------	------
420	Arteriosclerotic heart disease, including coronary disease						
		White	Male	3,310	3	------	------
			Female	1,672	------	------	------
		Nonwhite	Male	656	1	------	------
			Female	483	------	------	------
421	Chronic endocarditis not specified as rheumatic						
		White	Male	48	------	------	------
			Female	37	------	------	------
		Nonwhite	Male	44	------	------	------
			Female	22	------	------	------
422	Other myocardial degeneration						
		White	Male	350	------	1	------
			Female	355	------	------	------
		Nonwhite	Male	163	------	1	------
			Female	154	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														385
------	------	------	------	------	------	------	------	------	------	------	------	1	------	
														391–393
1	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	1	------	------	------	
------	------	------	------	------	------	------	------	------	2	------	------	------	------	
														341–344,
------	3	1	1	1	1	4	8	3	5	6	6	2	------	351,352,
4	4	4	2	------	1	1	3	------	9	3	1	2	------	354–369,
1	------	------	------	------	2	1	1	2	3	2	2	------	------	380–384,
------	1	------	------	------	------	------	------	1	3	1	2	------	------	386,388–
														390,394–
														398
														VII.
3	10	16	28	53	123	230	364	494	1,533	2,452	2,310	841	------	
1	10	10	19	37	94	181	291	396	1,124	1,481	1,177	360	------	
2	------	6	9	16	29	49	73	98	409	971	1,133	481	------	
8	17	20	32	79	135	218	238	318	774	850	433	188	2	
4	9	8	20	38	81	108	132	168	428	459	252	75	------	
4	8	12	12	41	54	110	106	150	346	391	181	113	2	
														400–402
------	3	1	2	------	------	1	------	------	------	------	------	------	------	
2	------	------	------	1	------	------	1	------	------	------	------	------	------	
1	1	------	------	2	1	1	------	------	1	------	------	------	------	
1	2	1	------	------	2	------	------	------	------	1	------	------	------	
														410–416
1	3	5	9	5	10	7	11	9	18	20	16	3	------	
------	------	3	3	3	12	14	9	7	21	21	16	4	------	
2	4	4	3	3	5	1	3	3	11	6	5	2	------	
2	1	3	1	3	4	4	------	3	8	5	7	1	------	
														420
------	1	------	5	18	66	128	215	287	848	952	634	153	------	
------	------	1	1	4	8	15	34	52	247	565	562	183	------	
------	3	------	5	9	30	43	48	64	181	176	75	21	------	
------	1	3	3	13	24	39	35	54	113	111	53	33	1	
														421
------	------	------	------	1	1	2	1	4	3	11	22	3	------	
------	------	------	------	------	------	------	1	------	4	7	14	11	------	
------	------	------	------	------	1	3	4	5	7	12	9	3	------	
------	------	------	------	1	------	1	------	------	6	5	7	2	------	
														422
------	1	1	------	------	------	7	6	11	38	84	126	75	------	
------	------	------	1	2	------	3	2	6	27	72	139	103	------	
------	------	------	1	2	5	3	9	8	45	54	24	11	------	
------	1	------	------	3	1	7	4	11	35	49	22	20	1	

TABLE 9.—

International code number	Cause of death, color, and sex		Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
430–434	Other diseases of heart					
	White	Male	344	1	1	1
		Female	148	1	------	------
	Nonwhite	Male	179	------	------	------
		Female	130	2	2	------
440–443	Hypertension with heart disease					
	White	Male	608	------	------	------
		Female	644	------	------	------
	Nonwhite	Male	520	------	------	------
		Female	559	------	------	------
444–447	Hypertension without mention of heart disease					
	White	Male	90	------	------	------
		Female	60	------	------	------
	Nonwhite	Male	67	------	------	------
		Female	54	------	------	------
450	Generalized arteriosclerosis					
	White	Male	209	------	------	------
		Female	182	------	------	------
	Nonwhite	Male	63	------	------	------
		Female	52	------	------	------
451	Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm					
	White	Male	46	------	------	------
		Female	15	------	------	------
	Nonwhite	Male	8	------	------	------
		Female	12	------	------	------
455	Gangrene of unspecified cause					
	White	Male	2	------	------	------
	Nonwhite	Male	2	------	------	------
		Female	1	------	------	------
452–454, 456	Other arterial diseases					
	White	Male	17	------	------	------
		Female	16	------	------	------
	Nonwhite	Male	3	------	------	------
		Female	3	------	------	------
460–468	Diseases of veins and other diseases of circulatory system					
	White	Male	41	------	------	1
		Female	31	------	------	------
	Nonwhite	Male	22	2	------	------
		Female	17	2	------	------
VIII.	DISEASES OF THE RESPIRATORY SYSTEM					
	White	Total	793	175	43	12
		Male	460	102	23	7
		Female	333	73	20	5
	Nonwhite	Total	667	307	82	10
		Male	358	165	45	5
		Female	309	142	37	5

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														430–434
------	2	3	3	7	10	13	25	30	82	99	49	18	------	
------	------	1	1	------	4	6	8	7	18	40	48	14	------	
1	1	2	7	6	8	16	19	19	35	39	18	8	------	
------	2	1	2	5	4	17	11	8	29	23	17	7	------	
														440–443
------	------	------	------	2	2	10	16	31	84	222	202	39	------	
------	------	------	------	4	1	7	13	16	72	203	243	85	------	
------	------	1	1	10	17	29	40	54	123	138	92	15	------	
------	1	1	3	10	12	36	48	62	136	161	57	32	------	
														444–447
------	------	------	------	1	2	6	6	11	15	17	23	9	------	
------	------	------	------	------	1	2	2	4	9	10	23	9	------	
------	------	1	2	5	9	11	5	4	8	11	9	2	------	
------	------	3	2	4	2	5	4	4	8	14	7	1	------	
														450
------	------	------	------	------	------	------	2	2	12	49	88	56	------	
------	------	------	------	------	------	------	------	------	5	33	78	66	------	
------	------	------	------	------	------	------	1	5	7	19	19	12	------	
------	------	------	------	1	------	------	1	1	5	19	9	16	------	
														451
------	------	------	------	1	1	1	3	6	13	14	6	1	------	
------	------	------	------	------	------	1	1	1	1	9	------	2	------	
------	------	------	------	------	1	------	------	4	2	1	------	------	------	
------	------	------	------	------	------	------	------	5	4	------	2	1	------	
														455
------	------	------	------	------	------	------	------	1	------	------	------	1	------	
------	------	------	------	------	1	------	------	1	------	------	------	------	------	
------	------	------	------	------	1	------	------	------	------	------	------	------	------	
														452–454, 456
------	------	------	------	1	------	3	2	1	5	3	1	1	------	
------	------	------	2	1	2	1	1	2	2	3	1	1	------	
------	------	------	------	------	------	------	------	------	1	2	------	------	------	
------	------	------	------	------	2	------	------	1	------	------	------	------	------	
														460–468
------	------	------	------	1	2	3	4	3	6	10	10	1	------	
------	------	1	1	1	1	------	1	3	3	8	9	3	------	
------	------	------	1	1	3	1	3	1	7	1	1	1	------	
1	------	------	1	1	2	1	3	1	2	3	------	------	------	
														VIII.
7	10	3	3	6	3	10	15	32	78	156	140	100	------	
5	4	1	2	2	1	6	8	26	58	92	81	42	------	
2	6	2	1	4	2	4	7	6	20	64	59	58	------	
9	4	6	4	16	13	13	8	25	55	67	34	14	------	
6	2	3	4	7	5	11	3	16	26	36	19	5	------	
3	2	3	------	9	8	2	5	9	29	31	15	9	------	

TABLE 9.—

International code number	Cause of death, color, and sex			Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
470–475	Acute upper respiratory infections						
		White	Male	12	4	3	2
			Female	11	5	1	------
		Nonwhite	Male	12	5	3	------
			Female	10	7	1	------
480–483	Influenza						
		White	Male	24	2	1	------
			Female	20	2	1	1
		Nonwhite	Male	25	11	1	------
			Female	32	11	3	------
490	Lobar pneumonia						
		White	Male	72	10	2	3
			Female	55	7	1	1
		Nonwhite	Male	81	22	7	1
			Female	50	19	3	1
491	Bronchopneumonia						
		White	Male	116	29	6	------
			Female	99	21	6	2
		Nonwhite	Male	106	60	8	1
			Female	96	49	13	1
492,493	Primary atypical, other and unspecified pneumonia						
		White	Male	99	30	9	2
			Female	67	23	5	------
		Nonwhite	Male	95	53	16	1
			Female	93	45	14	2
500	Acute bronchitis						
		White	Male	5	2	1	------
			Female	5	1	4	------
		Nonwhite	Male	4	1	2	------
			Female	2	1	------	1
501,502	Bronchitis, chronic and unqualified						
		White	Male	11	1	------	------
			Female	6	1	------	1
		Nonwhite	Male	5	3	1	------
			Female	2	1	------	------
510	Hypertrophy of tonsils and adenoids						
		White	Male	1	------	1	------
			Female	3	------	1	------
		Nonwhite	Male	1	------	------	1
			Female	1	------	------	------
518,521	Empyema and abscess of lung						
		White	Male	5	------	------	------
			Female	4	------	------	------
		Nonwhite	Male	1	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														470–475
1								1				1		
									1	1	1	2		
2							1				1			
					1							1		
														480–483
								1	1	5	11	3		
	1								2	2	5	6		
	1				1			1	3	5	2			
				1				2	6	5	2	2		
														490
1			2	1	1	2	1	2	9	18	15	5		
		1	1	1	1	2	2	3	1	12	9	13		
3		2	2	4	1	8	1	7	6	10	6	1		
				1	2	1	1	3	6	9	3	1		
														491
1		1		1			1	7	7	23	24	16		
1	1			2			2		3	15	22	24		
1			1		2	1		5	6	13	5	3		
1	1			7	1		1	1	6	8	5	2		
														492.493
	3					1	2	6	9	10	17	10		
	1			1	1	1	1		3	13	11	7		
	1		1	1		2		2	8	5	5			
1	1	1			3		3	3	5	8	5	2		
														500
												2		
												1		
														501,502
									3	3	3	1		
								1		1	2			
									1					
												1		
														510
	1	1												
		1												
														518,521
						1		2	1	1				
1									1		2			
							1							

TABLE 9.—

International code number	Cause of death, color, and sex			Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
519	Pleurisy						
		White	Male	3	------	------	------
		Nonwhite	Male	1	------	------	------
			Female	1	------	------	------
511–517, 520, 522–527	All other respiratory diseases						
		White	Male	112	24	------	------
			Female	63	13	1	------
		Nonwhite	Male	27	10	7	1
			Female	22	9	3	------
IX.	DISEASES OF THE DIGESTIVE SYSTEM						
		White	Total	636	54	9	8
			Male	375	27	7	6
			Female	261	27	2	2
		Nonwhite	Total	347	142	15	1
			Male	207	78	10	1
			Female	140	64	5	------
530–535	Diseases of teeth and supporting structures						
		White	Female	1	------	------	------
		Nonwhite	Male	1	------	------	------
540	Ulcer of stomach						
		White	Male	33	------	------	------
			Female	15	------	------	------
		Nonwhite	Male	20	------	------	------
			Female	2	1	------	------
541	Ulcer of duodenum						
		White	Male	40	------	------	------
			Female	15	------	------	------
		Nonwhite	Male	11	------	------	------
			Female	3	------	------	------
543	Gastritis and duodenitis						
		White	Male	2	------	------	------
		Nonwhite	Male	1	------	------	------
			Female	1	------	------	------
550–553	Appendicitis						
		White	Male	13	1	------	------
			Female	10	------	------	------
		Nonwhite	Male	12	------	------	1
			Female	1	------	------	------
560, 561, 570	Hernia and intestinal obstruction						
		White	Male	51	5	1	------
			Female	44	5	1	------
		Nonwhite	Male	29	5	------	------
			Female	19	4	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														519
------	------	------	------	------	------	------	1	------	1	------	1	------	------	
------	------	------	------	1	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	1	------	------	------	
														511–517,
2	1	------	------	------	------	2	3	7	27	32	10	4	------	520,
------	2	------	------	------	------	1	2	2	9	20	7	6	------	522–527
------	------	1	------	1	1	------	------	1	2	3	------	------	------	
1	------	1	------	------	1	1	------	------	6	------	------	------	------	
														IX.
2	8	2	5	7	22	29	48	58	121	134	104	25	------	
1	5	------	3	3	18	20	30	40	82	70	54	9	------	
1	3	2	2	4	4	9	18	18	39	64	50	16	------	
1	7	4	9	7	15	22	19	15	32	40	14	4	------	
------	7	2	4	5	7	14	9	11	22	26	7	4	------	
1	------	2	5	2	8	8	10	4	10	14	7	------	------	
														530–535
------	------	------	1	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	1	------	------	------	
														540
------	------	------	1	------	2	1	5	7	9	5	3	------	------	
------	------	------	------	------	------	1	------	------	4	10	------	------	------	
------	------	------	------	2	1	3	3	2	3	5	------	1	------	
------	------	------	------	------	1	------	------	------	------	------	------	------	------	
														541
------	2	------	------	------	2	4	3	4	6	10	9	------	------	
------	------	------	------	2	------	2	2	1	2	2	4	------	------	
------	------	------	1	------	2	1	------	------	6	1	------	------	------	
------	------	------	------	------	------	------	------	------	3	------	------	------	------	
														543
------	------	------	------	------	1	------	------	------	------	------	------	1	------	
------	------	------	------	------	------	------	------	------	------	1	------	------	------	
------	------	------	------	------	------	------	------	------	1	------	------	------	------	
														550–553
------	------	------	------	------	------	4	1	1	1	3	1	1	------	
------	1	1	------	1	------	------	1	------	2	1	1	2	------	
------	3	1	1	------	------	1	------	------	2	2	1	------	------	
------	------	------	------	------	------	------	------	1	------	------	------	------	------	
														560, 561,
------	------	------	------	------	2	------	------	4	11	12	10	6	------	570
------	------	------	1	------	1	1	1	3	7	10	9	5	------	
------	1	1	------	1	1	3	2	3	4	4	2	2	------	
------	------	2	2	------	2	1	2	1	3	1	1	------	------	

TABLE 9.—

International code number	Cause of death, color, and sex		Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
571.0	Gastro-enteritis and colitis, except ulcerative, ages between 4 weeks and 2 years					
	White	Male	20	17	3	------
		Female	16	16	------	------
	Nonwhite	Male	77	70	7	------
		Female	55	51	4	------
571.1	Gastro-enteritis and colitis, except ulcerative, ages 2 years and over					
	White	Male	8	------	1	1
		Female	6	------	------	------
	Nonwhite	Male	10	------	3	------
		Female	4	------	------	------
572	Chronic enteritis and ulcerative colitis					
	White	Male	9	------	------	------
		Female	7	------	------	------
	Nonwhite	Female	3	------	1	------
581	Cirrhosis of liver					
	White	Male	113	------	------	2
		Female	58	2	------	------
	Nonwhite	Male	23	------	------	------
		Female	21	1	------	------
584,585	Cholelithiasis and cholecystitis					
	White	Male	26	------	------	------
		Female	31	------	------	------
	Nonwhite	Male	3	------	------	------
		Female	4	------	------	------
536–539, 542,544, 545,573–580,582, 583,586, 587	Other diseases of digestive system					
	White	Male	60	4	2	3
		Female	58	4	1	2
	Nonwhite	Male	20	3	------	------
		Female	27	7	------	------
X.	DISEASES OF THE GENITO-URINARY SYSTEM					
	White	Total	508	2	2	5
		Male	299	1	1	1
		Female	209	1	1	4
	Nonwhite	Total	338	------	4	2
		Male	192	------	2	2
		Female	146	------	2	------
590	Acute nephritis					
	White	Male	12	------	------	------
		Female	10	------	------	1
	Nonwhite	Male	7	------	1	------
		Female	12	------	1	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														571.0
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
														571.1
------	------	------	------	------	------	------	------	------	1	2	2	1	------	
------	------	------	------	------	------	------	------	------	1	1	3	1	------	
------	1	------	------	------	1	------	------	1	------	3	------	1	------	
------	------	------	------	------	------	1	------	------	------	2	1	------	------	
														572
------	1	------	------	------	2	------	1	1	3	------	1	------	------	
------	------	------	------	------	------	------	------	------	1	3	3	------	------	
------	------	------	------	------	------	------	1	------	------	------	1	------	------	
														581
1	1	------	------	2	7	9	11	15	37	21	7	------	------	
1	2	------	------	------	1	4	7	10	8	10	11	2	------	
------	1	------	1	1	------	5	1	4	4	5	1	------	------	
------	------	------	2	------	4	4	2	1	1	4	2	------	------	
														584,585
------	------	------	------	------	1	------	1	3	1	9	11	------	------	
------	------	------	------	------	------	------	2	1	3	15	9	1	------	
------	------	------	------	------	------	------	------	------	1	2	------	------	------	
------	------	------	------	------	------	------	2	------	1	1	------	------	------	
														536-539,
------	1	------	2	1	1	2	8	5	13	8	10	------	------	542,544,
------	------	1	------	1	2	1	5	3	11	12	10	5	------	545,573,
------	1	------	1	1	2	1	3	1	2	2	3	------	------	580,582,
1	------	------	1	2	1	2	3	1	1	6	2	------	------	583,586,
														587
														X.
3	8	6	10	20	16	23	24	30	76	105	123	55	------	
------	4	3	6	10	11	11	19	17	42	68	79	26	------	
3	4	3	4	10	5	12	5	13	34	37	44	29	------	
------	3	7	10	12	25	25	28	27	70	71	34	20	------	
------	------	2	2	7	9	10	13	18	37	51	26	13	------	
------	3	5	8	5	16	15	15	9	33	20	8	7	------	
														590
------	------	2	------	1	1	2	2	------	------	1	3	------	------	
------	------	1	------	1	------	------	1	1	1	2	2	------	------	
------	------	------	------	2	1	2	------	------	1	------	------	------	------	
------	------	2	2	1	2	------	------	------	1	2	1	------	------	

TABLE 9.—

International code number	Cause of death, color, and sex			Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
591	Nephritis with edema, including nephrosis						
		White	Male	5			
			Female	3			
		Nonwhite	Male	7		1	
			Female	4		1	
592-594	Chronic and unspecified nephritis and other renal sclerosis						
		White	Male	152		1	1
			Female	127	1		3
		Nonwhite	Male	120			2
			Female	93			
600	Infections of kidney						
		White	Male	26			
			Female	43		1	
		Nonwhite	Male	8			
			Female	15			
602, 604	Calculi of urinary system						
		White	Male	19			
			Female	16			
		Nonwhite	Male	3			
			Female	1			
610	Hyperplasia of prostate						
		White	Male	64			
		Nonwhite	Male	33			
601, 603, 605–609, 611–617, 622–637	Other diseases of genito-urinary system						
		White	Male	21	1		
			Female	10			
		Nonwhite	Male	14			
			Female	21			
XI.	DELIVERIES AND COMPLICATIONS OF PREGANNCY, CHILDBIRTH, AND THE PUERPERIUM						
		White		31			
		Nonwhite		60			
640, 641, 681, 682, 684	Sepsis of pregnancy, childbirth, and the puerperium						
		White		5			
		Nonwhite		7			
642, 685, 686	Toxemias of pregnancy and puerperium, except abortion with toxemia						
		White		12			
		Nonwhite		20			
643, 644, 670–672	Hemorrhage of pregnancy and childbirth						
		White		5			
		Nonwhite		13			

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														591
------	------	------	------	------	1	1	1	------	1	------	------	1	------	
------	------	------	------	1	------	------	------	------	------	------	------	2	------	
------	------	1	1	------	------	------	1	------	------	1	1	1	------	
------	------	------	------	------	1	------	------	------	1	1	------	------	------	
														592–594
------	4	1	5	5	8	5	14	11	23	32	32	10	------	
1	4	2	3	4	3	7	2	7	18	18	34	20	------	
------	------	1	1	4	8	4	11	14	21	31	16	7	------	
------	2	1	6	------	6	9	9	6	26	16	5	7	------	
														600
------	------	------	------	------	------	1	------	------	3	8	11	3	------	
2	------	------	------	1	1	3	1	5	7	9	7	6	------	
------	------	------	------	------	------	2	------	2	2	1	------	1	------	
------	------	------	------	2	2	4	2	1	3	------	1	------	------	
														602, 604
------	------	------	------	2	------	2	------	3	4	4	3	1	------	
------	------	------	------	2	1	2	1	------	6	4	------	------	------	
------	------	------	------	------	------	------	------	------	2	------	1	------	------	
------	------	------	------	------	------	------	------	1	------	------	------	------	------	
														601
------	------	------	------	------	------	------	1	------	9	20	24	10	------	
------	------	------	------	------	------	------	------	1	8	15	8	1	------	
														601, 603,
------	------	------	1	2	1	------	1	3	2	3	6	1	------	605–609,
------	------	------	1	1	------	------	------	------	2	4	1	1	------	611–617,
------	------	------	------	1	------	2	1	1	3	3	------	3	------	622–637
------	1	2	------	2	5	2	4	1	2	1	1	------	------	
														XI.
------	2	5	6	8	7	2	1	------	------	------	------	------	------	
------	7	11	6	16	13	7	------	------	------	------	------	------	------	
														640, 641,
------	------	1	1	------	2	------	1	------	------	------	------	------	------	681, 682,
------	1	1	------	2	2	1	------	------	------	------	------	------	------	684
														642, 685, 686
------	1	3	------	2	4	2	------	------	------	------	------	------	------	
------	5	4	------	5	3	3	------	------	------	------	------	------	------	
														643, 644,
------	------	------	3	2	------	------	------	------	------	------	------	------	------	670–672
------	------	3	2	5	3	------	------	------	------	------	------	------	------	

TABLE 9.—

International code number	Cause of death, color, and sex	Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
645	Ectopic pregnancy				
	White	1	------	------	------
	Nonwhite	5	------	------	------
650	Abortion without mention of sepsis or toxemia				
	White	2	------	------	------
	Nonwhite	4	------	------	------
651	Abortion with sepsis				
	Nonwhite	2	------	------	------
652	Abortion with toxemia, without mention of sepsis				
	Nonwhite	1	------	------	------
646–649, 660, 673–680, 683, 687–689	Other complications of pregnancy, childbirth and puerperium				
	White	6	------	------	------
	Nonwhite	8	------	------	------
XII. AND XIII.	DISEASES OF THE SKIN AND CELLULAR TISSUE; DISEASES OF THE BONES AND ORGANS OF MOVEMENT				
	White—Total	77	4	1	2
	Male	29	3	1	------
	Female	48	1	------	2
	Nonwhite—Total	32	1	1	------
	Male	13	------	------	------
	Female	19	1	1	------
690–698	Infections of skin and subcutaneous tissue				
	White—Male	2	------	------	------
	Female	2	------	------	------
	Nonwhite—Female	1	------	------	------
720–725	Arthritis and spondylitis				
	White—Male	9	------	------	------
	Female	26	------	------	------
	Nonwhite—Male	3	------	------	------
	Female	11	------	------	------
726, 727	Muscular rheumatism and rheumatism, unspecified				
	White—Female	1	------	------	------
730	Osteomyelitis and periostitis				
	White—Male	1	------	------	------
	Nonwhite—Male	1	------	------	------
700–716, 731–736, 738–744	All other diseases of skin and musculoskeletal system				
	White—Male	17	3	1	------
	Female	19	1	------	2
	Nonwhite—Male	9	------	------	------
	Female	7	1	1	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														645
					1									
	1	2	2											
														650
			1	1										
		1		2	1									
														651
			1		1									
														652
						1								
														646–649,
	1	1	1	3										660, 673–
			1	2	3	2								680, 683,
														687–689
														XII. AND XIII.
1	2	2	2	1	1	2	3		13	21	18	4		
1	1	1			1	2	1		6	7	5			
	1	1	2	1			2		7	14	13	4		
		1	1	1	1	2	1	3	5	9	4	2		
				1	1			2	3	4	1	1		
		1	1			2	1	1	2	5	3	1		
														690–698
						1			1					
												2		
							1							
														720–725
							1		4	2	2			
			1						5	11	7	2		
									1	2				
		1						1	1	5	2	1		
														726, 727
											1			
														730
										1				
										1				
														700–716,
1	1	1			1	1			1	4	3			731–736,
	1	1	1	1			2		2	3	5			738–744
				1	1			2	2	1	1	1		
			1			2			1		1			

TABLE 9.—

International code number	Cause of death, color, and sex			Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
XIV.	CONGENITAL MALFORMATIONS						
		White	Total	349	272	31	10
			Male	189	149	18	5
			Female	160	123	13	5
		Nonwhite	Total	160	122	16	5
			Male	100	77	8	4
			Female	60	45	8	1
751	Spina bifida and meningocele						
		White	Male	12	12	------	------
			Female	11	11	------	------
		Nonwhite	Male	7	6	1	------
			Female	5	3	2	------
754	Congenital malformations of circulatory system						
		White	Male	90	65	9	3
			Female	70	52	6	1
		Nonwhite	Male	31	19	2	3
			Female	31	23	2	1
750, 752, 753, 755-759	All other congenital malformations						
		White	Male	87	72	9	2
			Female	79	60	7	4
		Nonwhite	Male	62	52	4	1
			Female	24	19	4	------
XV.	CERTAIN DISEASES OF EARLY INFANCY						
		White	Total	975	975	------	------
			Male	587	587	------	------
			Female	388	388	------	------
		Nonwhite	Total	880	880	------	------
			Male	486	486	------	------
			Female	394	394	------	------
760, 761	Birth injuries						
		White	Male	111	111	------	------
			Female	69	69	------	------
		Nonwhite	Male	76	76	------	------
			Female	54	54	------	------
762	Postnatal asphyxia and atelectasis						
		White	Male	152	152	------	------
			Female	94	94	------	------
		Nonwhite	Male	102	102	------	------
			Female	84	84	------	------
763	Pneumonia of newborn						
		White	Male	16	16	------	------
			Female	9	9	------	------
		Nonwhite	Male	30	30	------	------
			Female	26	26	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														XIV.
4	6	5	3	1	2	7	------	1	4	2	------	1	------	
1	5	2	2	------	1	2	------	------	3	1	------	------	------	
3	1	3	1	1	1	5	------	1	1	1	------	1	------	
2	4	------	1	4	2	------	2	1	1	------	------	------	------	
1	3	------	1	2	1	------	1	1	1	------	------	------	------	
1	1	------	------	2	1	------	1	------	------	------	------	------	------	
														751
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
														754
1	5	2	2	------	1	1	------	------	1	------	------	------	------	
3	1	2	------	1	------	3	------	------	------	1	------	------	------	
1	2	------	1	2	------	------	------	------	------	------	------	------	------	
1	1	------	------	1	1	------	1	------	------	------	------	------	------	
														750,752,
------	------	------	------	------	------	1	------	------	2	1	------	------	------	753,
------	------	1	1	------	1	2	------	1	1	------	------	1	------	755–759
------	1	------	------	------	1	------	1	1	1	------	------	------	------	
------	------	------	------	1	------	------	------	------	------	------	------	------	------	
														XV.
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
														760,761
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
														762
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
														763
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	

TABLE 9.—

International code number	Cause of death, color, and sex		Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
764	Diarrhea of newborn					
	White	Male	2	2	------	------
		Female	2	2	------	------
	Nonwhite	Male	12	12	------	------
		Female	8	8	------	------
765–768	All other infections of newborn					
	White	Male	9	9	------	------
		Female	4	4	------	------
	Nonwhite	Male	9	9	------	------
		Female	1	1	------	------
770	Hemolytic disease of newborn (erythroblastosis)					
	White	Male	24	24	------	------
		Female	15	15	------	------
	Nonwhite	Male	3	3	------	------
		Female	6	6	------	------
769, 771, 772	All other defined diseases of early infancy					
	White	Male	18	18	------	------
		Female	8	8	------	------
	Nonwhite	Male	31	31	------	------
		Female	20	20	------	------
773	Ill-defined diseases peculiar to early infancy					
	White	Male	23	23	------	------
		Female	13	13	------	------
	Nonwhite	Male	13	13	------	------
		Female	17	17	------	------
774	Immaturity with mention of any other subsidiary condition					
	White	Male	9	9	------	------
		Female	4	4	------	------
	Nonwhite	Male	7	7	------	------
		Female	5	5	------	------
776	Immaturity, unqualified					
	White	Male	223	223	------	------
		Female	170	170	------	------
	Nonwhite	Male	203	203	------	------
		Female	173	173	------	------
XVI.	SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS					
	White	Total	341	45	11	2
		Male	192	25	6	1
		Female	149	20	5	1
	Nonwhite	Total	339	114	7	3
		Male	180	59	2	2
		Female	159	55	5	1

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														764
														765–768
														770
														769, 771, 772
														773
														774
														776
														XVI.
		4	2	6	6	9	11	15	29	65	71	65		
		3	1	3	5	7	9	10	22	41	36	23		
		1	1	3	1	2	2	5	7	24	35	42		
3	4	3	3	14	11	10	11	17	44	40	35	20		
1	3	1	2	7	5	6	5	10	25	24	18	10		
2	1	2	1	7	6	4	6	7	19	16	17	10		

TABLE 9.—

International code number	Cause of death, color, and sex		Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
794	Senility without mention of psychosis					
	White	Male	23	------	------	------
		Female	40	------	------	------
	Nonwhite	Male	15	------	------	------
		Female	13	------	------	------
780–793, 795	Symptoms, ill-defined and unknown causes					
	White	Male	169	25	6	1
		Female	109	20	5	1
	Nonwhite	Male	165	59	2	2
		Female	146	55	5	1
XVII.	ACCIDENTS, POISONINGS, AND VIOLENCE					
	White	Total	2,084	71	103	75
		Male	1,593	34	64	44
		Female	491	37	39	31
	Nonwhite	Total	1,141	126	90	40
		Male	860	66	52	21
		Female	281	60	38	19
800–802	Railway accidents					
	White	Male	22	------	------	1
		Female	3	------	------	------
	Nonwhite	Male	10	------	------	------
810	Motor vehicle traffic accident involving collision with railway train					
	White	Male	14	------	1	------
		Female	6	------	------	1
	Nonwhite	Male	7	------	------	------
		Female	2	------	------	1
812	Motor vehicle traffic, accident to pedestrian					
	White	Male	99	------	15	13
		Female	36	------	5	14
	Nonwhite	Male	75	------	10	9
		Female	21	------	6	2
811, 813–819	Other motor vehicle traffic accidents involving collision					
	White	Male	165	------	3	7
		Female	65	1	1	4
	Nonwhite	Male	55	1	------	------
		Female	12	1	1	------
820–824	Motor vehicle noncollision traffic accidents					
	White	Male	246	1	5	1
		Female	30	------	2	1
	Nonwhite	Male	110	1	------	------
		Female	22	------	1	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														794
------	------	------	------	------	------	------	------	------	------	------	11	12	------	
------	------	------	------	------	------	------	------	------	------	7	9	24	------	
------	------	------	------	------	------	------	------	------	------	4	6	5	------	
------	------	------	------	------	------	------	------	------	1	3	3	6	------	
														780–793,
------	------	3	1	3	5	7	9	10	22	41	25	11	------	795
------	------	1	1	3	1	2	2	5	7	17	26	18	------	
1	3	1	2	7	5	6	5	10	25	20	12	5	------	
2	1	2	1	7	6	4	6	7	18	13	14	4	------	
														XVII.
73	144	181	177	166	157	168	139	126	175	155	122	52	------	
50	119	152	156	140	134	148	115	102	144	112	57	22	------	
23	25	29	21	26	23	20	24	24	31	43	65	30	------	
37	70	125	116	122	82	84	58	39	64	52	26	10	------	
32	58	110	94	101	59	73	56	26	52	37	18	5	------	
5	12	15	22	21	23	11	2	13	12	15	8	5	------	
														800–802
1	1	1	2	1	1	1	4	2	3	2	1	1	------	
------	------	------	------	------	1	------	1	------	------	1	------	------	------	
------	------	------	1	2	2	1	------	------	4	------	------	------	------	
														810
------	------	3	3	------	------	1	------	1	3	2	------	------	------	
2	------	1	------	------	------	------	------	------	2	------	------	------	------	
------	------	4	------	1	------	1	1	------	------	------	------	------	------	
------	------	------	1	------	------	------	------	------	------	------	------	------	------	
														812
4	6	4	3	6	2	5	5	6	6	19	5	------	------	
2	2	------	------	------	------	1	------	3	1	7	1	------	------	
2	5	3	2	2	5	8	2	2	9	9	6	1	------	
------	------	------	------	1	------	1	------	1	4	5	------	1	------	
														811,
8	19	23	20	11	15	16	9	8	16	8	2	------	------	813–819
5	8	6	4	3	2	3	7	7	8	4	------	2	------	
3	------	13	11	4	1	6	5	4	5	2	------	------	------	
1	1	------	3	------	1	------	------	3	1	------	------	------	------	
														820–824
2	41	47	43	28	19	19	15	11	7	6	1	------	------	
2	5	9	2	5	1	------	------	2	------	1	------	------	------	
3	18	28	15	18	6	8	5	3	3	2	------	------	------	
------	3	6	2	3	2	4	------	1	------	------	------	------	------	

TABLE 9.—

International code number	Cause of death, color, and sex			Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
825	Motor vehicle traffic accident of unspecified nature						
		White	Male	43	------	------	------
			Female	9	------	------	------
		Nonwhite	Male	11	------	1	------
			Female	1	------	------	------
830–835	Motor vehicle nontraffic accidents						
		White	Male	17	------	7	1
			Female	7	------	5	------
		Nonwhite	Male	4	------	3	------
			Female	4	------	3	1
840–845	Other road vehicle accidents						
		White	Male	5	------	1	------
			Female	1	------	------	------
		Nonwhite	Male	5	------	------	------
850–858	Water transport accidents						
		White	Male	51	------	------	1
			Female	3	------	1	------
		Nonwhite	Male	12	------	------	------
			Female	1	------	------	------
860–866	Aircraft accidents						
		White	Male	29	------	------	2
			Female	1	------	------	------
		Nonwhite	Male	1	------	------	------
870–888	Accidental poisoning by solid and liquid substances						
		White	Male	19	------	6	------
			Female	6	1	1	------
		Nonwhite	Male	20	------	9	------
			Female	4	------	1	------
890–895	Accidental poisoning by gases and vapours						
		White	Male	7	------	1	------
		Nonwhite	Male	2	2	------	------
900–902	Fall from one level to another						
		White	Male	66	------	3	1
			Female	28	3	1	1
		Nonwhite	Male	21	------	------	1
			Female	5	------	1	------
903	Fall on same level						
		White	Male	47	------	1	------
			Female	62	------	------	------
		Nonwhite	Male	6	------	1	------
			Female	5	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														825
1	2	9	10	7	8	1		4			1			
		2	1	2	1		1	1			1			
	1	2	3	1	1	1	1							
			1											
														830–835
1	2		3			2		1						
									2					
						1								
														840–845
1				1						1	1			
						1								
1				1				1		1	1			
														850–858
2	3	4	5	8	6	11	2	6	2	1				
	1		1											
1	2	1	5	2						1				
				1										
														860–866
	1	9	9	4	4									
									1					
							1							
														870–888
				1	4	3	1	2	1	1				
1				1	1		1							
		1	2		3	2	2		1					
			2					1						
														890–895
		1	1						2	1	1			
														900–902
2	2	3	2	5	5	5	6	2	5	11	12	2		
			1						3	4	10	5		
	2			2	2	5	2	1	1	2	3			
					1					3				
														903
	1			1	1	1	1	2	2	13	12	12		
								2		13	33	14		
	1								1	1	2			
									2		1	2		

TABLE 9.—

International code number	Cause of death, color, and sex			Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
904	Unspecified falls						
		White	Male	18	------	------	------
			Female	21	------	------	------
		Nonwhite	Male	4	------	1	------
			Female	5	1	------	------
910	Blow from falling object						
		White	Male	34	------	4	------
			Female	2	------	------	1
		Nonwhite	Male	19	------	1	------
			Female	1	------	------	------
912	Accident caused by machinery						
		White	Male	39	------	1	------
			Female	4	------	3	------
		Nonwhite	Male	6	------	------	1
914	Accident caused by electric current						
		White	Male	28	------	------	1
			Female	4	------	1	------
		Nonwhite	Male	6	------	------	1
			Female	2	------	1	------
916	Accident caused by fire and explosion of combustible material (except conflagration)						
		White	Male	29	------	1	------
			Female	26	------	5	4
		Nonwhite	Male	41	4	12	1
			Female	43	2	15	12
916	Accident caused by conflagration						
		White	Male	23	1	3	1
			Female	5	1	3	------
		Nonwhite	Male	24	3	5	3
			Female	17	1	4	2
917,918	Accident caused by hot substance, corrosive liquid, steam and radiation						
		White	Male	5	1	2	1
			Female	2	------	1	------
		Nonwhite	Male	2	------	1	------
			Female	5	------	3	1
919	Accident caused by firearm						
		White	Male	44	------	1	2
			Female	9	------	1	------
		Nonwhite	Male	24	------	------	3
			Female	5	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														904
			1		1	2	1		1	3	6	3		
					2				1	3	11	4		
				1		1						1		
									1	2	1			
														910
1		4	2	3	3	2	5		8		2			
								1						
			3	4	3	2	2	3		1				
1														
														912
4	1	4	3	5	3	4	3		5	5	1			
							1							
		2	1	1				1						
														914
	2	3	5	5	3	4	1	2	1	1				
		1					1		1					
				4	1									
				1										
														916
1	1			2	3	4	3	5	6	2		1		
1		2	2	2	1		1	2		4		2		
		2	2	1	2	2	6	1	3	3	2			
2					2			2	2	2	3	1		
														916
		1		2	3	3		1	2	2	3	1		
		1												
1					1	3	1	2	1	2	1	1		
		2	1		3			1		1	1	1		
														917,918
									1					
												1		
			1											
								1						
														919
4	6	4	5	6	4	1	3	4	2	2				
3				1	1	1			2					
5	2	3	2	2	1	2	2		1	1				
1			1	1	1			1						

TABLE 9.—

International code number	Cause of death, color, and sex			Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
921,922	Inhalation and ingestion of food and other object causing obstruction or suffocation						
		White	Male	20	12	3	------
			Female	15	10	1	1
		Nonwhite	Male	18	14	2	------
			Female	17	15	1	------
924	Accidental mechanical suffocation in bed and cradle						
		White	Male	12	12	------	------
			Female	18	18	------	------
		Nonwhite	Male	30	29	1	------
			Female	30	30	------	------
929	Accidental drowning						
		White	Male	84	1	3	8
			Female	22	1	5	2
		Nonwhite	Male	64	2	3	2
			Female	2	------	1	------
931	Excessive heat and insolation						
		White	Male	6	------	------	------
			Female	1	------	------	------
		Nonwhite	Male	2	1	------	------
935	Lightning						
		White	Male	7	------	------	------
			Female	2	------	------	------
		Nonwhite	Male	1	------	------	------
			Female	1	------	------	------
940–959	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures						
		White	Male	5	------	1	------
			Female	5	------	------	------
		Nonwhite	Male	7	1	------	------
			Female	7	------	------	------
911,913, 915,920, 923,925, 926,928, 930,932–934,936, 960–962	All other accidents						
		White	Male	59	5	1	4
			Female	14	1	1	------
		Nonwhite	Male	37	8	1	------
			Female	16	9	------	------
970–973	Suicide by poisoning						
		White	Male	17	------	------	------
			Female	14	------	------	------
		Nonwhite	Male	2	------	------	------
			Female	2	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														921,922
						1	1	1			1	1		
	1		1								1			
		1				1								
				1										
														924
														929
8	23	8	7	6	4	8		3	4		1			
5	3	2	1	1			2							
11	17	10	6	4	3	2	3	1						
											1			
														931
					1		2	2		1				
											1			
						1								
														935
4					1	1				1				
1								1						
						1								
	1													
														940–959
								1	1	2				
			1					1	1		2			
		1							2	3				
			1		3				2	1				
														911,913,
3	2	2	2	4	4	6	4	4	9	6	3			915,920,
					3					3	4	2		923,925,
2	2	2	2	3	5	1	1	2	2	4		2		926,928,
	2		1	2	1						1			930,932–
														934,936,
														960–962
														970–973
		2	1	1	2	3	2	2	3	1				
			1	1	4	4	2			2				
		1					1							
	2													

TABLE 9.—

International code number	Cause of death, color, and sex			Total deaths	Under 1 Year	1 to 4 Years	5 to 9 Years
974	Suicide by hanging and strangulation						
		White	Male	27	------	------	------
			Female	7	------	------	------
		Nonwhite	Male	4	------	------	------
976	Suicide by firearms and explosives						
		White	Male	203	------	------	------
			Female	21	------	------	------
		Nonwhite	Male	28	------	------	------
963, 975, 977–979	Suicide by all other means						
		White	Male	15	------	------	------
			Female	8	------	------	------
		Nonwhite	Male	7	------	------	------
981	Assault by firearms and explosives						
		White	Male	67	------	------	------
			Female	25	1	2	------
		Nonwhite	Male	127	------	------	------
			Female	31	------	------	------
982	Assault by cutting and piercing instruments						
		White	Male	8	------	1	------
			Female	5	------	------	2
		Nonwhite	Male	47	------	1	------
			Female	11	------	------	------
964, 980, 983	Assault by other means						
		White	Male	6	1	------	------
			Female	4	------	------	------
		Nonwhite	Male	18	------	------	------
			Female	9	1	------	------
984	Injury by intervention of police						
		White	Male	4	------	------	------
		Nonwhite	Male	2	------	------	------
985	Legal execution						
		White	Male	1	------	------	------
965, 990–999	Injury resulting from operations of war						
		White	Male	2	------	------	------
		Nonwhite	Male	1	------	------	------

Continued

10 to 14 Years	15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 and over	Not stated	International code number
														974
2	1	1	1	1	4	4	3	3	5	1	1	------	------	
------	------	------	------	1	------	------	2	2	2	------	------	------	------	
1	------	1	------	------	------	------	------	1	1	------	------	------	------	
														976
------	2	9	15	14	21	24	34	21	40	19	3	1	------	
------	1	2	2	5	1	5	1	------	4	------	------	------	------	
------	------	2	1	5	5	4	3	2	3	3	------	------	------	
														963,975,
------	------	------	1	3	------	2	2	4	2	1	------	------	------	977-979
------	1	------	1	1	------	------	1	1	2	1	------	------	------	
------	------	1	1	1	1	------	1	------	2	------	------	------	------	
														981
------	2	7	9	12	9	11	6	4	7	------	------	------	------	
1	2	3	2	2	3	4	3	1	1	------	------	------	------	
2	6	23	23	24	10	16	12	2	5	2	2	------	------	
------	1	6	5	10	2	2	2	2	------	1	------	------	------	
														982
1	1	2	------	------	------	2	1	------	------	------	------	------	------	
------	------	------	1	1	1	------	------	------	------	------	------	------	------	
------	2	7	12	13	4	3	3	------	2	------	------	------	------	
------	2	1	1	------	6	1	------	------	------	------	------	------	------	
														964,980,
------	------	1	------	2	1	------	1	------	------	------	------	------	------	983
------	1	------	------	------	1	1	------	------	------	------	1	------	------	
------	------	2	1	3	3	1	2	------	5	------	1	------	------	
------	------	------	3	1	1	3	------	------	------	------	------	------	------	
														984
------	------	------	3	------	------	1	------	------	------	------	------	------	------	
------	------	------	------	1	------	------	------	------	1	------	------	------	------	
														985
------	------	------	------	1	------	------	------	------	------	------	------	------	------	
														965
------	------	------	------	------	2	------	------	------	------	------	------	------	------	990-999
------	------	------	------	1	------	------	------	------	------	------	------	------	------	

TABLE 10.—DEATHS (EXCLUDING STILLBIRTHS) BY COLOR WITH CRUDE RATES PER 1,000 POPULATION: NORTH CAROLINA, 1954

Area	Place of death			Place of residence					
	Total	White	Non-white	Total		White		Nonwhite	
				Number	Rate	Number	Rate	Number	Rate
NORTH CAROLINA	31,516	21,216	10,300	31,482	7.4	21,179	6.7	10,303	9.3
Alamance	384	301	83	464	6.0	359	5.7	105	7.4
Alexander	84	73	11	108	7.2	94	6.7	14	13.1
Alleghany	69	65	4	69	8.5	65	8.3	4	16.0
Anson	213	104	109	244	9.4	124	9.2	120	9.5
Ashe	135	133	2	149	6.9	145	6.8	4	20.6
Avery	88	86	2	74	5.6	72	5.5	2	11.2
Beaufort	377	205	172	385	10.3	201	8.5	184	13.2
Bertie	202	83	119	235	8.9	101	9.8	134	8.3
Bladen	186	101	85	242	7.9	130	7.2	112	8.8
Brunswick	140	90	50	162	8.0	96	7.6	66	8.7
Buncombe	1,309	1,098	211	976	7.4	813	7.0	163	10.9
Burke	375	349	26	274	5.7	241	5.4	33	9.4
Cabarrus	425	350	75	446	6.8	364	6.5	82	8.4
Caldwell	250	209	41	294	6.3	253	5.8	41	13.1
Camden	31	17	14	51	9.9	30	9.4	21	10.9
Carteret	195	160	35	207	8.3	170	7.7	37	12.4
Caswell	110	54	56	157	7.4	83	7.6	74	7.2
Catawba	384	328	56	391	5.9	333	5.5	58	10.0
Chatham	180	124	56	204	7.9	140	8.0	64	7.8
Cherokee	127	125	2	134	7.4	132	7.5	2	5.6
Chowan	118	62	56	115	8.9	61	8.2	54	9.8
Clay	28	28	-------	36	6.2	36	6.2	-------	-------
Cleveland	412	314	98	422	6.3	317	6.0	105	7.2
Columbus	360	210	150	407	7.7	246	7.1	161	8.8
Craven	433	246	187	447	7.9	250	6.3	197	11.9
Cumberland	823	509	314	686	6.1	418	5.1	268	9.0
Currituck	47	27	20	63	10.5	39	9.4	24	13.1
Dare	47	41	6	58	11.3	49	10.2	9	26.4
Davidson	391	328	63	448	6.8	378	6.4	70	10.6
Davie	93	74	19	119	7.6	94	7.0	25	11.7
Duplin	226	126	100	329	7.9	201	7.7	128	8.2
Durham	1,346	825	521	793	7.2	474	6.3	319	8.8
Edgecombe	399	163	236	428	8.1	192	7.4	236	8.8
Forsyth	1,511	1,032	479	1,198	7.8	727	6.4	471	11.3
Franklin	227	122	105	271	8.5	147	8.7	124	8.4

TABLE 10.—*Continued*

Area	Place of death			Place of residence					
	Total	White	Non-white	Total		White		Nonwhite	
				Number	Rate	Number	Rate	Number	Rate
Gaston	581	468	113	716	5.9	588	5.6	128	8.1
Gates	54	29	25	91	9.7	45	10.5	46	9.1
Graham	29	28	1	36	5.1	35	5.1	1	4.1
Granville	329	214	115	239	7.3	106	5.9	133	9.0
Greene	74	28	46	120	6.7	53	5.7	67	7.9
Guilford	1,427	1,051	376	1,414	6.8	1,033	6.2	381	9.6
Halifax	465	187	278	485	8.2	204	7.9	281	8.4
Harnett	299	199	100	323	6.6	219	6.0	104	8.3
Haywood	180	175	5	216	5.6	211	5.5	5	6.2
Henderson	269	238	31	264	8.0	232	7.5	32	15.7
Hertford	212	94	118	181	8.1	72	8.1	109	8.1
Hoke	84	28	56	95	5.9	31	4.8	64	6.6
Hyde	52	33	19	69	11.7	47	13.9	22	8.7
Iredell	500	377	123	460	7.8	341	7.0	119	11.7
Jackson	122	114	8	140	7.3	132	7.4	8	5.3
Johnston	367	292	75	478	7.2	383	7.3	95	6.5
Jones	49	26	23	75	6.8	47	7.9	28	5.5
Lee	205	138	67	206	8.1	135	7.1	71	11.0
Lenoir	480	267	213	447	9.3	234	8.6	213	10.3
Lincoln	163	145	18	197	6.8	179	7.1	18	5.1
McDowell	149	134	15	160	6.0	145	5.7	15	11.8
Macon	113	111	2	119	7.3	116	7.3	3	9.6
Madison	72	70	2	110	5.6	107	5.5	3	16.7
Martin	182	79	103	210	7.3	97	6.9	113	7.7
Mecklenburg	1,761	1,204	557	1,671	7.7	1,113	6.8	558	10.6
Mitchell	79	78	1	111	7.5	107	7.3	4	100.0
Montgomery	106	71	35	124	7.0	89	6.5	35	8.6
Moore	274	203	71	270	7.9	187	7.4	83	9.5
Nash	538	308	230	529	8.6	293	8.3	236	9.0
New Hanover	752	452	300	668	9.6	414	8.5	254	12.1
Northampton	163	69	94	226	7.9	101	10.2	125	6.7
Onslow	259	199	60	248	4.7	188	4.2	60	8.0
Orange	354	217	137	219	5.6	145	4.8	74	8.0
Pamlico	64	39	25	88	8.7	59	8.9	29	8.3
Pasquotank	261	156	105	228	8.8	132	8.0	96	10.1
Pender	124	65	59	142	7.6	76	8.0	66	7.2
Perquimans	67	33	34	86	9.0	43	8.6	43	9.5
Person	152	76	76	185	7.7	99	6.4	86	10.0
Pitt	514	232	282	550	8.5	262	7.4	288	9.7
Polk	79	69	10	84	7.3	74	7.3	10	6.9

TABLE 10.—*Continued*

Area	Place of death			Place of residence					
	Total	White	Non-white	Total		White		Nonwhite	
				Number	Rate	Number	Rate	Number	Rate
Randolph	292	259	33	387	7.2	349	7.1	38	8.8
Richmond	329	179	150	372	9.1	212	7.4	160	13.3
Robeson	722	321	401	706	7.6	290	7.5	416	7.7
Rockingham	458	340	118	478	7.1	360	6.6	118	8.8
Rowan	517	384	133	570	7.3	433	6.6	137	10.7
Rutherford	295	256	39	322	6.9	276	6.7	46	8.4
Sampson	340	194	146	387	7.6	226	7.1	161	8.5
Scotland	284	134	150	226	8.2	108	7.2	118	9.3
Stanly	247	204	43	260	6.7	217	6.3	43	9.8
Stokes	79	69	10	133	6.3	114	5.9	19	10.7
Surry	242	230	12	317	6.7	304	6.8	13	4.9
Swain	72	63	9	75	8.4	66	8.9	9	5.8
Transylvania	78	73	5	90	5.5	83	5.3	7	9.8
Tyrrell	35	15	20	35	7.2	17	6.3	18	8.5
Union	334	251	83	354	8.2	268	8.0	86	8.9
Vance	293	146	147	310	9.4	146	8.1	164	11.0
Wake	1,121	728	393	1,097	7.4	692	6.5	405	9.8
Warren	161	56	105	182	7.7	67	8.5	115	7.2
Washington	120	55	65	132	9.7	61	8.0	71	12.1
Watauga	124	120	4	121	6.6	117	6.4	4	23.3
Wayne	645	278	367	534	8.0	282	7.3	252	9.0
Wilkes	241	221	20	288	6.2	262	6.0	26	9.7
Wilson	565	299	266	493	8.8	242	7.1	251	11.2
Yadkin	108	99	9	138	6.1	130	6.0	8	7.5
Yancey	85	84	1	109	6.8	108	6.9	1	5.2

TABLE 11.—DEATHS (EXCLUDING STILLBIRTHS) BY COLOR WITH CRUDE RATES PER 1,000 POPULATION: EACH INCORPORATED PLACE HAVING A POPULATION OF 10,000 OR MORE, 1954

Area	Place of death			Place of residence					
	Total	White	Non-white	Total		White		Nonwhite	
				Number	Rate	Number	Rate	Number	Rate
TOTAL	12,399	8,259	4,140	8,685	8.4	5,277	7.2	3,408	11.2
Albemarle	160	130	30	98	6.5	79	5.9	19	11.0
Asheville	817	664	153	511	9.5	368	8.8	143	11.9
Burlington	116	97	19	153	5.1	127	4.9	26	6.9
Charlotte	1,535	1,058	477	1,216	8.2	764	7.1	452	11.3
Concord	269	218	51	152	9.0	116	8.5	36	11.3
Durham	1,049	626	423	569	7.5	312	6.4	257	9.4
Elizabeth City	205	130	75	159	12.1	97	10.7	62	15.2
Fayetteville	479	262	217	320	7.6	173	6.5	147	9.5
Gastonia	310	249	61	220	9.2	169	9.0	51	10.2
Goldsboro	287	152	135	211	9.1	96	7.5	115	11.1
Greensboro	749	529	220	609	7.5	399	6.6	210	10.3
Greenville	95	35	60	168	9.1	80	7.0	88	12.4
Henderson	192	100	92	141	11.4	67	9.7	74	13.5
Hickory	171	137	34	119	7.8	88	6.7	31	14.1
High Point	356	273	83	308	7.6	224	7.0	84	9.9
Kinston	313	177	136	207	10.6	105	9.8	102	11.4
Lexington	133	104	29	116	7.8	88	7.0	28	12.6
Monroe	210	163	47	92	7.9	63	7.4	29	9.2
New Bern	245	122	123	189	10.8	81	7.8	108	15.1
Raleigh	822	545	277	538	7.3	341	6.2	197	10.5
Reidsville	209	138	71	109	8.9	65	8.1	44	10.4
Rocky Mount	405	234	171	283	9.9	163	9.2	120	11.1
Salisbury	308	224	84	196	9.5	127	8.2	69	13.5
Sanford	137	94	43	76	6.3	43	4.6	33	11.7
Shelby	220	158	62	129	8.0	97	7.5	32	9.8
Statesville	215	174	41	155	8.1	110	7.4	45	10.5
Thomasville	117	97	20	92	8.2	70	7.6	22	11.0
Wilmington	637	366	271	482	9.6	271	8.3	211	12.2
Wilson	417	220	197	254	10.3	105	7.1	149	15.1
Winston-Salem	1,221	783	438	813	8.9	389	7.2	424	11.4

TABLE 12.—RESIDENT DEATHS (EXCLUDING STILLBIRTHS) BY CAUSE AND EACH

List number	CAUSE OF DEATH (Abbreviated list of selected causes with code number opposite each cause)	NORTH CAROLINA Total	White	Non-white
	TOTAL—ALL CAUSES	31,482	21,180	10,302
1.	Tuberculosis of respiratory system (001-008)	282	138	144
2.	Tuberculosis, other forms (010-019)	29	10	19
3.	Syphilis (020-029)	58	16	42
4.	Typhoid fever (040)	1		1
5.	Paratyphoid fever (041)			
6.	Amebic dysentery (046)	3	1	2
7.	Other forms of dysentery (045, 047, 048)	8	3	5
8.	Scarlet fever (050)	1	1	
9.	Diphtheria (055)	7	4	3
10.	Whooping cough (056)	11	2	9
11.	Meningococcal infections (057)	41	26	15
12.	Acute poliomyelitis (080)	20	16	4
13.	Smallpox (084)			
14.	Measles (085)	35	18	17
15.	Typhus fever, murine (101)			
16.	Rocky Mountain spotted fever (104)			
17.	Malaria (110-117)			
18.	Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	3,768	2,885	883
19.	Benign and unspecified neoplasms (210-239)	109	69	40
20.	Diabetes mellitus (260)	422	302	120
21.	Pellagra (281)	6	5	1
22.	Vascular lesions affecting central nervous system (330-334)	4,241	2,859	1,382
23.	Meningitis, except meningococcal and tuberculous (340)	54	15	39
24.	Rheumatic fever (400-402)	33	15	18
25.	Chronic rheumatic heart disease (410-416)	324	230	94
26.	Arteriosclerotic heart disease, including coronary disease (420)	6,121	4,982	1,139
27.	Nonrheumatic chronic endocarditis and other myocardial degeneration (421, 422)	1,173	790	383
28.	Other diseases of heart (430-434)	801	492	309
29.	Hypertension with heart disease (440-443)	2,331	1,252	1,079
30.	Hypertension without mention of heart (444-447)	271	150	121
31.	Influenza (480-483)	101	44	57
32.	Pneumonia (490-493)	1,029	508	521
33.	Bronchitis (500-502)	40	27	13
34.	Ulcer of stomach and duodenum (540, 541)	139	103	36
35.	Appendicitis (550-553)	36	23	13
36.	Hernia and intestinal obstruction (560, 561, 570)	143	95	48
37.	Gastritis, duodenitis, enteritis, and colitis (under 2 years) (543, 571.0, 572, 764)	192	40	152
38.	Gastritis, duodenitis, enteritis, and colitis (2 years and over) (543, 571.1, 572)	51	32	19
39.	Cirrhosis of liver (581)	215	171	44
40.	Nephritis and nephrosis (590-594)	552	309	243
41.	Sepsis of pregnancy, childbirth, and the puerperium (640, 641, 651, 681, 682, 684)	14	5	9
42.	Other diseases of pregnancy, childbirth, and the puerperium (642-650, 652-660, 670-680, 683, 685-689)	77	26	51
43.	Congenital malformations (750-759)	509	349	160
44.	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	742	426	316
45.	Infections of newborn, except diarrhea of newborn (763, 765-768)	104	38	66
46.	Other diseases peculiar to early infancy (769-773)	191	101	90
47.	Immaturity with other subsidiary condition and immaturity unqualified (774-776)	794	406	388
48.	All other diseases (residual)	3,178	2,112	1,066
49.	Motor vehicle accidents (810-835)	1,061	737	324
50.	All other accidents (800-802, 840-962)	1,441	913	528
51.	Suicide (963, 970-979)	355	312	43
52.	Homicide and injury resulting from operations of war (964, 965, 980-999)	368	122	246

(ABBREVIATED LIST OF 52 CAUSES), BY COLOR: NORTH CAROLINA COUNTY, 1954

Alamance		Alexander		Alleghany		Anson		Ashe		Avery		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
359	105	94	14	65	4	124	120	145	4	72	2	Total
2	1	2					2			1		1.
	1						1					2.
1	1											3.
												4.
												5.
						1						6.
	1											7.
												8.
												9.
	1											10.
												11.
												12.
												13.
1												14.
												15.
												16.
												17.
48	12	13	1	6		22	9	17		8		18.
	1						2	1				19.
16	2	2		2		1	1	3				20.
												21.
49	9	16	1	8		14	14	20	1	13		22.
	1											23.
												24.
3	2			2	1	2	1	1		1		25.
106	8	14	1	13		31	15	15		9		26.
15	4	2	1	8	1	9	3	8				27.
7	3			2		1		4	1	1		28.
11	13	4	2	2		6	12	10		2		29.
3	2					3	1					30.
4	1	2	1	1				1				31.
15	3	2		3		4	2	5	1	5		32.
								1				33.
1										1		34.
	1											35.
1												36.
	1					1	1					37.
												38.
1				2			1	1				39.
1	5	4		3	2	3	3	3		1		40.
							1					41.
												42.
7	2			2		2	4	2	1	1		43.
8	2					2	6	4		1	1	44.
							1	1				45.
1	2					2	2	2				46.
3	5	3	1			1	1	1		2		47.
26	7	19	4	8		8	32	26		16		48.
11	4	3				2	2	5		1		49.
17	7	7	2	2		7	2	8		3		50.
1	1	1				1		5		1		51.
	2			1		1	1	1		5	1	52.

TABLE 12.—

List number	Beaufort		Bertie		Bladen		Brunswick		Buncombe		Burke	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	201	184	101	134	130	112	96	66	813	163	241	33
1.	2	2		2		3	2		11	6	1	1
2.										2		
3.				1		1	1					
4.												
5.												
6.												
7.												
8.												
9.												
10.									1			
11.			1								1	
12.			1									
13.												
14.												
15.												
16.												
17.												
18.	33	13	16	16	9	9	14	2	139	21	35	6
19.	1	1			1			1	1		3	
20.	2	1	1		3	1	1	1	8	2	2	1
21.			1									
22.	29	35	19	19	18	11	9	6	95	24	32	6
23.		2		1	1							
24.											1	
25.		3					1	1	19	1	3	
26.	45	17	14	14	31	11	18	4	236	26	47	2
27.	10	11	4	3	7	3	3	1	22	7	5	
28.	6	1	6	5	6	2	5	5	10	3	15	1
29.	7	18	7	9	15	19	5	5	41	14	17	2
30.	2	1	1		1	2	2	1	8	5	2	
31.		5		1		3		1	2		1	
32.	13	15	3	3	2	6	3	3	14	8	4	1
33.				1					1			
34.		1	1	1		1			3		1	
35.			1									
36.		2			2				8		1	
37.		7	1	1				2	1		3	
38.		1				1			1	1	1	
39.	2		2	4					9	2	1	
40.	3	5	2	1	1	1		4	4	3	1	1
41.				1								
42.		1		1	1						1	
43.	1		1		2	3		2	6	3	7	
44.	6	6	1	2	1	7	3	2	10	2	4	1
45.	1	2		1		1					1	
46.		2			2	3		1	3		2	
47.	2	9		4	2	4	1	6	15	8	3	
48.	18	11	14	27	9	13	15	11	72	13	26	6
49.	12	1	1	7	7	2	5	2	24	4	8	1
50.	4	6	3	6	8	3	8	3	25	3	6	4
51.	1	1							20	2	1	
52.	1	4		3	1	2		2	4	3	5	

Continued

Cabarrus		Caldwell		Camden		Carteret		Caswel		Catawba		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
364	82	253	41	30	21	170	37	83	74	333	58	Total
5	1	2				2					1	1.
						1				1		2.
			1							1		3.
												4.
												5.
											1	6.
												7.
												8.
		1										9.
												10.
						1						11.
1										1		12.
												13.
												14.
												15.
												16.
												17.
50	4	36	3	1		20	6	9	5	38	5	18.
		1		1		2	1	1				19.
5		2		1		1		1	2	6		20.
												21.
42	23	41	6	4	2	28	4	11	12	40	8	22.
									1			23.
	1					1	1			1		24.
1	3	4		2	1	3		2	1	1	1	25.
115	10	51	5	7	5	44	4	13	4	69	5	26.
9	1	5		1	1	11		1	3	28	4	27.
3	4	4		4	1	4	1	2	3	10	3	28.
35	9	12	4	1	3	4	2	7	3	17	6	29.
4	1	2	1					1		1		30.
												31.
6	3	8	2	1	1	2	1	2	5	13	1	32.
		1							1			33.
1		2	2			2		1		4		34.
	1									1		35.
2		1							1	2		36.
					1				1		1	37.
		1				2				1		38.
3		1				1		2		3		39.
3		4				4	1	4	3	5		40.
												41.
2		1				1						42.
5		6			1	2	1	1	2	8	1	43.
6		6	1			5	1	2	1	8	2	44.
1	2	2						1		1		45.
1		1								2	2	46.
3		9			2	2	3		5	7		47.
27	9	27	6	1	1	15	7	13	10	31	10	48.
14	3	7	3	1		3	3	6	2	14	2	49.
9	4	11	5	4	2	6		1	8	12	1	50.
9		4	2	1		2		1		7		51.
2	3					1	1	1	1		4	52.

TABLE 12.—

List number	Chatham		Cherokee		Chowan		Clay		Cleveland		Columbus	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	140	64	132	2	61	54	36		317	105	246	161
1.			3			1			3	2	1	4
2.												
3.		1							1	1		
4.												
5.												
6.												
7.												
8.												
9.												
10.												
11.												
12.												
13.												
14.	1					1						
15.												
16.												
17.												
18.	22	5	20		4	5	3		40	6	26	7
19.		1	1						4			
20.		2				2	1		5	1	3	
21.												
22.	18	12	12		14	9	9		47	10	33	15
23.									2	1	1	2
24.	1											2
25.	2		1	1					4	1		2
26.	39	9	23		15	5	7		74	16	34	9
27.	1	1	7		3	7	4		12	6	11	4
28.	3		3		1	1			2	2	19	9
29.	8	4	13			3	2		20	10	15	12
30.	2	1				2			2	1	2	
31.						1						
32.	1	3	4		2	7	2		7	3	15	20
33.												
34.		1	3						1		2	
35.			1									
36.	1	1	1						1			1
37.			1						1	2	1	2
38.			1								1	1
39.									1		3	
40.									6	2	6	3
41.							1					
42.	1									1		1
43.	1		2		3				4	2		1
44.	3	3	3		1				6	7	5	6
45.		1							1	1	3	1
46.	1					1			2	2	3	1
47.	3	1	7	1					6	6	9	11
48.	11	8	13		15	6	4		30	5	27	27
49.	11	4	4		1		1		11	4	14	6
50.	9	5	7		2	3	2		24	11	8	10
51.	1		1								2	
52.		1	1							2	2	4

Continued

Craven		Cumberland		Currituck		Dare		Davidson		Davie		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
250	197	418	268	39	24	49	9	378	70	94	25	Total
	8		4	1			1	4			1	1.
												2.
	1	1			1				2			3.
												4.
												5.
												6.
												7.
												8.
												9.
	1										1	10.
1		2						1				11.
	1	1										12.
												13.
	1		1									14.
												15.
												16.
												17.
29	12	51	19	10	3	8		53	8	9	2	18.
2						1		2				19.
3	2	5	4	1		2		4	1	3		20.
						1						21.
26	24	40	22	4		7		56	12	22	3	22.
		1	1									23.
	1	1						1	1			24.
3	4	4	1		1			8	1			25.
56	25	72	18	8	4	12		103	9	28	5	26.
8	14	8	11	3	4	5	1	13	1	1	2	27.
1	4	19	15	1	3	2	1	3				28.
11	32	12	23	3	1	2	1	25	6	2		29.
1	3	1	3	1				2	1	1		30.
							1	1		1		31.
8	13	13	7	2	2	2		4	4	2	2	32.
1		1	1						1			33.
		2						1		2		34.
1		1	1									35.
	1		2					2				36.
	6	3	4		1							37.
1	1							1				38.
2	2	5	1					2	2			39.
2	1	7	5				1	4	2	2		40.
1												41.
1	1	1	5			1		1				42.
9	1	19	6			1		10	1			43.
10	2	17	10		1	1		8	1		4	44.
	4							1	2			45.
2		6	2					2	1			46.
6	5	30	16	1	1			9	3	3		47.
16	12	52	51	2	2		1	22	6	10	3	48.
17	5	17	15	1			1	10	2			49.
24	7	23	12	1		3	1	18	2	6	2	50.
5		2	1					6		2		51.
3	3	1	7			1		1	1			52.

TABLE 12.—

List number	Duplin		Durham		Edgecombe		Forsyth		Franklin		Gaston	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	201	128	474	319	192	236	727	471	147	124	588	128
1.		1	4	6	4	3		8	1		3	1
2.						2	1	1			1	
3.		1		1		1	1					2
4.												
5.												
6.												
7.		1										
8.												
9.					1							
10.								1				
11.						1					3	
12.											1	
13.												
14.								1				
15.												
16.												
17.												
18.	17	21	78	45	20	15	106	43	20	9	82	14
19.	1	1	2	6	1		3	2			2	
20.	1	2	10	1	3	3	11	11	3	3	8	1
21.												
22.	40	26	59	29	33	31	84	54	10	16	70	13
23.			1			3		3				
24.							1	1				1
25.	2	1	3	1	2	2	7	9		1	10	3
26.	43	11	135	51	43	27	186	71	46	19	137	17
27.	6	5	14	9	16	11	19	9	3	2	30	8
28.	13	8	3	4	1	3	7	3	3	9	10	1
29.	11	4	26	50	8	25	40	57	11	9	31	18
30.	3	2	4	6	1		6	8		2	4	2
31.				2			4	4	1			
32.	3	5	10	12	5	12	9	13	3	8	6	9
33.			1				1			1	2	
34.	1		4		2	1	3	5			8	1
35.								2			3	
36.			2	1		1	3	2	1		3	1
37.	1			1		7		6	1	2		1
38.		1					1				1	2
39.	3		7	2	3	1	5	4		1	2	
40.	5	2	7	9	5	7	15	21	3	1	6	1
41.									1			
42.	2	2	1	1				2		3		1
43.	4	2	7	3	4	4	22	5	1	1	18	3
44.	3	3	5	5	3	10	16	7	2	7	13	4
45.		1				1	2	2		2	1	1
46.		2	1	1		3	2	6		2	1	2
47.	3	3	9	16	4	10	15	15	2	3	17	6
48.	15	6	47	35	17	22	85	51	20	7	57	3
49.	9	6	8	6	6	12	28	13	4	3	21	2
50.	9	7	17	10	5	13	30	11	7	10	26	9
51.	5		7		3		10	3	2		7	
52.	1	4	2	6	2	5	4	17	2	3	4	1

Continued

Gates		Graham		Granville		Greene		Guilford		Halifax		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
45	46	35	1	106	133	53	67	1,033	381	204	281	Total
	1					1		4	7	2	5	1.
									1		1	2.
								1			1	3.
												4.
												5.
												6.
							1					7.
												8.
												9.
					1							10.
				1			1	2			4	11.
										1		12.
												13.
					1				1		1	14.
												15.
												16.
												17.
4	2	7		12	9	6	3	134	36	19	20	18.
				1				3	5	1		19.
				3	1		2	20	8	3	2	20.
		1										21.
7	6	3	1	13	15	10	13	154	63	38	58	22.
						1		1	1		1	23.
1	1											24.
					1			12	1	2	3	25.
14	4	7		18	12	13	1	279	43	37	23	26.
3	1	3		7	7		2	23	10	6	12	27.
	1			2	7		2	9	6	3	10	28.
2	3	2		12	15	5	9	45	35	19	38	29.
	2			1	1		1	6	5	2	3	30.
	1				2	1	1	2	1			31.
2	2	1		1	2	3	2	20	21	2	13	32.
								1	1			33.
	1							9	6			34.
									2	1		35.
	1						1	6	2		1	36.
					1			1	2	1	8	37.
								3	1			38.
				3	2			7	3	5		39.
1	2			9	9		1	8	7	7	5	40.
											1	41.
							2		2		1	42.
	2			3	3	2	3	15	4	2	3	43.
2	1			1	8		6	16	15	1	7	44.
							1	3	1		4	45.
					1			7	3		4	46.
	3	1		1	7		5	27	9	4	7	47.
5	3	7		11	13	6	6	108	41	18	20	48.
2	5				3	3	1	29	11	13	9	49.
1	3	1		5	8	1	3	53	16	11	14	50.
1	1			2		1		20	3	6		51.
		2			4			5	8		2	52.

TABLE 12.—

List number	Harnett		Haywood		Henderson		Hertford		Hoke		Hyde	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	219	104	211	5	232	32	72	109	31	64	47	22
1.	2	1			1			3		2	1	
2.												
3.						2		1				
4.												
5.												
6.												
7.	1							1				
8.												
9.												
10.												
11.										1		
12.			1									
13.												
14.							1					
15.												
16.												
17.												
18.	32	8	24		48	4	8	15	3	4	9	
19.	1		1		1		1					
20.	5		5		3		1	1	1	2		1
21.			1		1							
22.	24	13	32		32	6	16	13	5	7	9	1
23.							1					
24.		2										
25.		1	5		1		1	2				
26.	61	6	50		59	5	21	8	8	2	9	3
27.	4	8	13		10	1	4	1	1	2	3	
28.	8	5	2		6		1	3		3	3	1
29.	12	7	13		4	1	2	13	2	5	1	
30.	1		2	2	1		1	1		3		
31.						1				1		
32.	7	9	7		9	3		7		5	6	1
33.												
34.												
35.								1				
36.			2		2					1		
37.		1							1	2		
38.												
39.	1	1					1					
40.	7	2	3		3	1	3	2		1		1
41.												
42.	1							1				
43.	2	1	5		4		1	2	1	1		
44.	6	6	5	1	3			4		2	1	
45.					1			2		1		1
46.	1	3			2	1				2		
47.	3	5	2	1	2	3		7		2		
48.	14	10	21		18	2	9	11	4	9	2	4
49.	13	4	3	1	4			3	3	2		1
50.	6	8	9		12	1		4		3	2	7
51.	5		3		5	1			2		1	
52.	2	3	2					3		1		1

Continued

Iredell		Jackson		Johnston		Jones		Lee		Lenoir		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
341	119	132	8	383	95	47	28	135	71	234	213	Total
1				4	2		1		1	1	3	1.
												2.
	1		1						1			3.
												4.
												5.
												6.
											1	7.
												8.
												9.
												10.
				2	1	1						11.
2	1											12.
												13.
												14.
												15.
												16.
												17.
52	11	18	1	46	4	6	1	21	7	32	19	18.
2				2	1			1		2	3	19.
5	1	2		6	1			1	1	1	1	20.
												21.
51	16	14	2	47	11	7	6	12	11	35	44	22.
											2	23.
				1							1	24.
2	1	1		1	1	1		2		1	1	25.
73	13	36	1	88	12	15	1	41	10	49	20	26.
24	12	3		14	6	2		5	1	7	6	27.
3	2	4		17	10	1		3	1	9	10	28.
24	5	6		36	8	2	5	3	12	16	15	29.
4	2	1		1						3	1	30.
	1	1		1	1				1			31.
5	5	4		9	3	2	1	3	4	2	6	32.
1				2			1			2		33.
1		3	1						1	2	1	34.
				2			1					35.
1		1		3						2		36.
1	1	1			4			1			3	37.
		1		1								38.
3				2				2		1	1	39.
10	4	3		5	1	1	1	3	1	3	9	40.
												41.
	1			1			1		1		1	42.
5	1	4		6	3		1	5	2	2	5	43.
5	1	2		6	3		1	1		7	9	44.
		2			1			1			1	45.
3		2		1	1					2		46.
6	6	1		7	3			6	5	7	14	47.
29	14	9	2	38	9	6	2	11	5	20	18	48.
10	5	6		6	2	1	2	4	1	10	8	49.
11	10	5		13	4		1	5	1	8	5	50.
6	2	1		9		1	2	2		7	1	51.
1	3	1		6	3	1		2	4	3	4	52.

TABLE 12.—

List number	Lincoln		McDowell		Macon		Madison		Martin		Mecklenburg	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	179	18	145	15	116	3	107	3	97	113	1,113	558
1.			1				1		2	1	4	10
2.										1		
3.											1	3
4.												
5.												
6.												
7.												
8.												
9.												
10.												1
11.											2	
12.											2	1
13.												
14.			1							1		
15.												
16.												
17.												
18.	18	1	18	4	11		10		11	8	196	55
19.							1				6	1
20.	2	1			1				1	2	11	6
21.												
22.	21	1	21	2	13		20	2	6	11	127	50
23.											1	
24.												
25.	6		1		1		4				10	9
26.	48	3	30	1	28	1	19		22	18	339	99
27.	5	1	3	1	4		5		5	7	24	25
28.	6	1	4		2		3		1		13	12
29.	7	1	9	2	16	2	8		15	13	51	81
30.			3								7	11
31.	1		2		1					1	4	3
32.	4	2	3		2		3		1	7	16	30
33.									1			
34.										1	6	
35.												2
36.		1		1	1		2		3		5	3
37.							1					
38.											2	1
39.	2		2							1	15	
40.	1		1				2		2		5	12
41.											1	
42.			1						1			1
43.	2								1	1	18	9
44.	4	1			1				3	6	36	14
45.		1	1							2	1	5
46.	1				2		2			3	8	2
47.	5		3		6		2			5	22	18
48.	23	2	23	2	15		14		15	12	108	39
49.	11	1	9		2		3		3	2	32	19
50.	9	1	9	1	8		4	1	3	6	30	19
51.	1				2		2			1	10	2
52.	2			1			1		1	3		15

Continued

Mitchell		Montgomery		Moore		Nash		New Hanover		Northampton		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
107	4	89	35	187	83	293	236	414	254	101	125	Total
4		1		1	1	3	6	3	3	2	2	1.
							1	1				2.
								1	1			3.
												4.
												5.
					1							6.
												7.
												8.
												9.
												10.
		2					1					11.
	1											12.
												13.
											2	14.
												15.
												16.
												17.
15		11	3	22	8	29	17	60	14	11	11	18.
			1	1	1		1		1			19.
				5	3	5		3	1	2	3	20.
												21.
20	1	8	6	23	17	50	34	71	46	22	16	22.
			1				2	1	3			23.
1												24.
4				1		4	2	2		1	1	25.
11	1	21	6	53	9	75	32	111	39	22	7	26.
		3	1	9	2	11	5	17	3	5	4	27.
1		2		3	1	5	2	4	8	4	3	28.
12		4	4	8	11	16	23	11	14	9	13	29.
		6	1	2	1	3	7	1	3		1	30.
		1							2		1	31.
7		1	1	2	3	5	13	6	18		6	32.
						1		1				33.
						1		1	2	1		34.
1						2		1				35.
1						1		1	1	1		36.
					1		9		1		1	37.
1						1				1		38.
		1		4		3		7	3	1		39.
1		3	1	2	1	5	6	6	7	2	3	40.
												41.
				1					3		1	42.
1		2	1	2	6	2	4	8	1		3	43.
		1		1	1	8	12	8	18	2	4	44.
							3					45.
		1				3	3	1			4	46.
		1	2	1	1	3	7	6	8		1	47.
18	1	10	4	22	4	24	20	45	28	7	16	48.
3		3		12	1	7	6	16	7	1	8	49.
4		6	3	11	6	15	10	15	13	5	9	50.
		1		1	1	11	2	2	1	2	1	51.
2					3		8	4	5		4	52.

TABLE 12.—

List number	Onslow		Orange		Pamlico		Pasquotank		Pender		Perquimans	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	188	60	145	74	59	29	132	96	76	66	43	43
1.	1	1	1				1					
2.								1				
3.								1				
4.												
5.												
6.												
7.												
8.												
9.												
10.												
11.												
12.	1											
13.												
14.												
15.												
16.												
17.												
18.	16	5	21	8	5	1	18	8	6	4	6	4
19.		1		1								1
20.	5	1	1		1	1			1	1		
21.												
22.	20	11	19	7	6	2	12	15	16	16	11	9
23.				1				1				
24.	1											
25.	3	1	1			1	2	2		1		
26.	21	5	40	9	13	3	34	20	15	1	7	6
27.	11	2	2	2	4	2	8	5	2	4	5	2
28.	1	2	7	6	5	3	1		3			
29.	7	1	10	7	3		10	12	3		4	3
30.	1				1	1	2	2	2			3
31.										1		
32.	5	7	4	4	2	1	4	5	2	2		
33.	1						2					
34.	1				1				1			
35.												
36.	1			1								1
37.						1		1		2		
38.	1											
39.	1								2	1		
40.	4	1	3	1	4	1	1	5	2	1		1
41.												
42.										1		1
43.	7	2	2			1	2		2	2		
44.	22	1	1	1	2	2	4	2		2		1
45.		1	2			1	1		1			
46.			1				1	1		1	1	1
47.	10	2	3	6			1	1	1	5		
48.	15	5	17	11	9	1	12	4	10	11	3	3
49.	12	4	1	2	1	5	7	1	5	4	2	2
50.	15	4	4	6	1	2	5	6		4	3	1
51.	2	2	3		1		2	1	2		1	1
52.	3	1	2	1			2	2		2		3

Continued

Person		Pitt		Polk		Randolph		Richmond		Robeson		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
100	85	262	288	74	10	349	38	212	160	290	416	Total
2		3	5	2		2		1		4	4	1.
			1					1		1	2	2.
1			2						1		3	3.
												4.
												5.
												6.
												7.
										1		8.
												9.
			1									10.
								1			2	11.
										1		12.
												13.
				1				1		1		14.
												15.
												16.
												17.
15	5	29	16	8	2	50	3	27	8	31	31	18.
1		1	2			1		1		1	2	19.
1	1	5	4			5	1	2	4	4	4	20.
												21.
11	12	39	38	8	1	43	4	43	26	43	33	22.
			1			1						23.
			1								2	24.
		2	1	2		6		4	2	3	5	25.
25	10	71	27	12	1	71	5	36	11	55	42	26.
5	3	7	7	2		17		14	11	9	9	27.
4	6	14	20			13	4	5	4	6	6	28.
5	10	22	58	6	1	26	8	12	17	17	39	29.
			3			4	1		1	2	4	30.
	1				1	2		1			6	31.
4	7	2	9	1		9	1	9	13	12	25	32.
			1	1				1	1			33.
	1					2		1	1		1	34.
								1				35.
	1		1	1		1	1	2		3	3	36.
2			6	1		2		3		3	16	37.
			1						1	3		38.
1		6		1		3		1	1	5		39.
1	1	3	3	2		7	1	4	5	1	4	40.
	1	1					1					41.
	1		1			1				1	4	42.
2	2	3	8	1	1	4	1	1	2	1	6	43.
3	3	5	8	4		9		1	2	6	17	44.
1	1							1	1		1	45.
		4	1	1		2		1	1	1	3	46.
	1	2	9	2		9	1	5	8	2	15	47.
7	9	21	22	13	1	33	1	11	21	34	69	48.
5	2	5	4	1		13	2	7	6	14	14	49.
2	4	12	17	3	1	10	1	11	10	19	30	50.
2		5	2			3		1	1	2	3	51.
	3		8	1	1		2	2	1	4	11	52.

TABLE 12.—

List number	Rockingham		Rowan		Rutherford		Sampson		Scotland		Stanly	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	360	118	433	137	276	46	226	161	108	118	217	43
1.	2	3		2	2	1	1	2	1		1	
2.			2									
3.		3	1									
4.												
5.												
6.												
7.												
8.												
9.							1					
10.												
11.	1							1	1			1
12.												
13.												
14.			1		1		1	1		2	1	
15.												
16.												
17.												
18.	51	12	62	21	44	5	29	10	13	14	35	3
19.	1		1				1					
20.	6		8		2		4	2	1	1	2	
21.												
22.	43	22	55	19	49	5	30	24	9	10	38	6
23.		1	2	2				1		2		
24.			1							1		
25.	5	1	6		3	1	1	1				
26.	86	8	108	16	53	2	44	22	27	11	54	10
27.	15	2	24	6	11	4	12	6	2	4	8	1
28.	14	10	5	1	8		2	3	2	3	1	
29.	21	18	25	21	13	2	28	17	12	19	6	
30.	3	1	1		1		1	1	2	1		
31.	4		1	3								
32.	5	3	5	9	13	5	5	8	1	7	3	2
33.			1				1			1		
34.	3		1		3		3	1				1
35.		1	1			1						
36.	4	2	2		2		1	1		1	1	
37.		1	1	1		3	2	3	1	4		
38.			1	3	1					1	1	
39.	1		3				2		1		3	
40.	4	4	9	2		1	2	6			1	1
41.		2		1								
42.					1			1		1	2	
43.	5	1	3	1	3		5	3	2	1	5	
44.	7	3	6	1	2			2	3	2	3	5
45.			1	2	2			1		1	1	1
46.	2		2		2			2		4		
47.	4	3	4	4	7	1	2	4	1	2	6	1
48.	32	7	45	6	26	4	13	12	16	14	26	3
49.	13	1	12	9	10	1	16	2	7	4	8	1
50.	21	5	25	4	12	4	11	19	6	6	7	5
51.	7		8		4	1	5				2	
52.		4		3	1	5	3	5		1	2	2

Continued

Stokes		Surry		Swain		Transylvania		Tyrrell		Union		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
114	19	304	13	66	9	83	7	17	18	268	86	Total
		2		2		2				3	2	1.
		1										2.
1		1				1		1			1	3.
												4.
												5.
												6.
		1										7.
												8.
		1										9.
												10.
												11.
										1		12.
												13.
		2								1		14.
												15.
												16.
												17.
16	1	52	1	8	2	18	1	1		30	5	18.
1										1		19.
1		2				3				4	2	20.
												21.
18	3	37	1	15	1	3	2	3		33	11	22.
		1										23.
		1										24.
1	1	6		1		2		1		1		25.
19	5	43		18	1	13		3	2	68	8	26.
1		12	1	1		4		4		6	6	27.
3		12	1	2		1				2	4	28.
13	1	17	1	1		8		1	7	20	2	29.
2	1	4								2		30.
	1	1									3	31.
6	1	8		2	1	4	1		1	5	2	32.
												33.
		3		1		1				1	1	34.
		3								2		35.
2		3								1	2	36.
1			1		1					1	1	37.
		1										38.
2		2		2	1							39.
3	1	4				2				15	3	40.
	1											41.
										1		42.
1	1	7		1		1			1	3	1	43.
2		5			1	3				12	2	44.
												45.
		1							1	2		46.
		6		1		3			1	6	8	47.
14		37	4	5	1	6	1	1	4	26	12	48.
4	1	13	1	2		2	1			11	2	49.
1	1	11	2	3		4	1	2	1	6	2	50.
2		2				2				3	1	51.
		2		1						1	5	52.

TABLE 12.—

List number	Vance		Wake		Warren		Washington		Watauga	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	146	164	692	405	67	115	61	71	117	4
1.	1	2	3	4	1			3		
2.				1						
3.				1		1	1			
4.						1				
5.										
6.										
7.									1	
8.										
9.		1		1						
10.									1	
11.				1						
12.			1							
13.										
14.			1	2	1	2				
15.										
16.										
17.										
18.	35	19	119	33	13	6	6	5	12	
19.		1	2	1						
20.	4	2	13	6		2		2	4	
21.										
22.	16	31	89	56	10	20	10	10	17	1
23.		1		3						
24.										
25.	1		5	2	3	4			4	
26.	21	10	181	33	13	5	4	5	22	2
27.	6	6	16	19	3	3	6	6	6	
28.	9	2	27	24	1	3	1	1	1	
29.	10	9	29	47	3	12	4	11	13	
30.		1	4	2	2	1				1
31.				1		1	1	2		
32.	3	14	15	19		6	3	2	5	
33.			1					1		
34.			4							
35.							1			
36.	1	1	3	4	1			1		
37.	1	5		4		4			1	
38.		1	1							
39.	2	1	5	3	1	1			1	
40.	2	3	7	8		5	1	2	2	
41.										
42.		1		2				1		
43.	1	4	14	6						
44.	3	3	13	14			1	2	3	
45.		1		4		1		1	1	
46.		6	1	4		1	1	1		
47.	1	6	14	16		10	3		1	
48.	15	17	65	37	8	18	8	8	14	
49.	3	7	19	15	3	3		2	1	
50.	3	5	27	18	2	4	7	3	5	
51.	8		10	2	2		1		2	
52.		4	3	12		1	2	2		

Continued

Wayne		Wilkes		Wilson		Yadkin		Yancey		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
282	252	262	26	242	251	130	8	108	1	Total
2	6	2	1	2				1		1.
	1				2					2.
					3					3.
										4.
										5.
										6.
										7.
										8.
					1					9.
					2					10.
1	1			1				1		11.
		1								12.
										13.
				1		1				14.
										15.
										16.
										17.
22	29	19	3	31	26	21	1	11		18.
	1	1						1		19.
5	2	6	1	2	2	3		1		20.
					1					21.
31	28	29	5	34	22	13	2	23		22.
			1							23.
	2			1				1		24.
	5	4				7		2		25.
67	27	39	2	55	21	31	2	17		26.
6	4	12	1	8	11	4		2		27.
18	17	18	3	4	2	2				28.
28	22	36	5	12	17	10		2	1	29.
4	4	1		5	3	1				30.
1		1								31.
12	17	11		6	10	4		2		32.
			1	1	1					33.
	2	3		2	2			2		34.
										35.
1		1		1	3					36.
	5		1		11					37.
	1				1			1		38.
1	1			2	4			2		39.
3	3	3		8	19	1				40.
										41.
	1	1			2					42.
11	4	3		6	7	2				43.
6	7	3		6	11	5		3		44.
1	3					1				45.
1		1		3	1			1		46.
6	6	5		3	13	3	1	1		47.
19	26	26		26	24	12	1	13		48.
9	5	16	1	9	5	2		8		49.
20	13	14	1	4	22	5		8		50.
4	1	3		8		1		2		51.
3	8	3		1	2	1	1	3		52.

TABLE 13.—RESIDENT DEATHS (EXCLUDING STILLBIRTHS) BY CAUSE PLACE HAVING A POPULATION

List number	CAUSE OF DEATH (Abbreviated list of selected causes with code number opposite each cause)	Total deaths		
		Total	White	Non-white
	TOTAL—ALL CAUSES	8,685	5,277	3,408
1.	Tuberculosis of respiratory system (001-008)	78	30	48
2.	Tuberculosis, other forms (010-019)	12	3	9
3.	Syphilis (020-029)	17	4	13
4.	Typhoid fever (040)			
5.	Paratyphoid fever (041)			
6.	Amebic dysentery (046)			
7.	Other forms of dysentery (045, 047, 048)	2		2
8.	Scarlet fever (050)			
9.	Diphtheria (055)	1	1	
10.	Whooping cough (056)	3		3
11.	Meningococcal infections (057)	10	8	2
12.	Acute poliomyelitis (080)	8	6	2
13.	Smallpox (084)			
14.	Measles (085)	4	1	3
15.	Typhus fever, murine (101)			
16.	Rocky Mountain spotted fever (104)			
17.	Malaria (110-117)			
18.	Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	1,139	803	336
19.	Benign and unspecified neoplasms (210-239)	41	24	17
20.	Diabetes mellitus (260)	117	71	46
21.	Pellagra (281)			
22.	Vascular lesions affecting central nervous system (330-334)	1,102	665	437
23.	Meningitis, except meningococcal and tuberculous (340)	20	8	12
24.	Rheumatic fever (400-402)	7	1	6
25.	Chronic rheumatic heart disease (410-416)	81	49	32
26.	Arteriosclerotic heart disease, including coronary disease (420)	1,939	1,467	472
27.	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	271	142	129
28.	Other diseases of heart (430-434)	178	87	91
29.	Hypertension with heart disease (440-443)	670	272	398
30.	Hypertension without mention of heart (444-447)	90	35	55
31.	Influenza (480-483)	18	6	12
32.	Pneumonia (490-493)	234	88	146
33.	Bronchitis (500-502)	10	8	2
34.	Ulcer of stomach and duodenum (540, 541)	49	32	17
35.	Appendicitis (550-553)	8	2	6
36.	Hernia and intestinal obstruction (560, 561, 570)	45	26	19
37.	Gastritis, duodenitis, enteritis, and colitis (under 2 years) (543,571.0, 572, 764)	34	1	33
38.	Gastritis, duodenitis, enteritis, and colitis (2 years and over) (543, 571.1, 572)	13	6	7
39.	Cirrhosis of liver (581)	79	55	24
40.	Nephritis and nephrosis (590-594)	162	63	99
41.	Sepsis of pregnancy, childbirth, and the puerperium (640, 641, 651, 681, 682, 684)	3	1	2
42.	Other diseases of pregnancy, childbirth, and the puerperium (642-650, 652-660, 670-680, 683, 685-689)	18	4	14
43.	Congenital malformations (750-759)	129	96	33
44.	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	215	122	93
45.	Infections of newborn, except diarrhea of newborn (763, 765-768)	18	6	12
46.	Other diseases peculiar to early infancy (769-773)	39	25	14
47.	Immaturity with other subsidiary condition and immaturity unqualified (774, 776)	255	126	129
48.	All other diseases (residual)	809	488	321
49.	Motor vehicle accidents (810-835)	227	134	93
50.	All other accidents (800-802, 840-962)	323	203	120
51.	Suicide (963, 970-979)	103	88	15
52.	Homicide and injury resulting from operations of war (964, 965, 980-999)	104	20	84

(ABBREVIATED LIST OF 52 CAUSES), BY COLOR: EACH INCORPORATED OF 10,000 OR MORE, 1954

Albemarle		Asheville		Burlington		Charlotte		Concord		Durham		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
79	19	368	143	127	26	764	452	116	36	312	257	Total
1		6	5			3	6	2		3	4	1.
			2									2.
				1		1	3					3.
												4.
												5.
												6.
					1							7.
												8.
												9.
					1		1					10.
	1					1						11.
						2	1					12.
												13.
												14.
												15.
												16.
												17.
16	1	60	18	15	7	134	46	17	2	49	36	18.
		1				5	1			2	5	19.
		4	2	6		8	6			8	1	20.
												21.
13	2	38	21	14	3	84	40	16	11	43	20	22.
						1				1		23.
												24.
		9	1	1	1	4	7	1	3	3	1	25.
18	5	115	24	40	1	235	77	30	2	92	43	26.
2		8	4	9	1	18	22	3		7	8	27.
1		3	2	3	1	8	8		3	2	4	28.
2		23	13	3	3	37	66	12	4	17	38	29.
		3	4		1	7	10	1		2	6	30.
		1				3	3				1	31.
	1	5	4	2	1	8	27	3	1	5	11	32.
										1		33.
		1		1		5		1		4		34.
							2					35.
		5		1		5	3	1		2	1	36.
					1						1	37.
			1			2						38.
1		6	2			11				7	1	39.
	1	2	3			5	11	1		3	9	40.
						1						41.
1								1		1	1	42.
1		1	3	4	1	13	6	3		4	3	43.
2	3	4	2	3		25	12	2		4	5	44.
						1	3					45.
		1		1		6	1					46.
1		4	7	2	1	15	16	2		7	15	47.
11	2	35	13	12	2	74	32	8	6	27	25	48.
4		9	4	3		17	14	5	2	3	6	49.
3	2	14	3	5		18	15	4	1	8	7	50.
1		9	2	1		7	2	3		6		51.
1	1	1	3				11		1	1	5	52.

TABLE 13.—

List number	Elizabeth City		Fayetteville		Gastonia		Goldsboro		Greensboro		Greenville	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	97	62	173	147	169	51	96	115	399	210	80	88
1.				3				3	1	4	1	
2.		1								1		1
3.		1				1			1			
4.												
5.												
6.												
7.												
8.												
9.												
10.												
11.			2		2			1	1			
12.			1									
13.												
14.				1								
15.												
16.												
17.												
18.	13	5	18	8	30	6	10	11	59	21	8	6
19.					1			1	1	5	1	1
20.			1	3	3	1	2	2	9	3	1	3
21.												
22.	5	6	17	13	16	2	16	13	60	32	11	12
23.		1	1	1						1		1
24.						1		1				
25.	1	2	1	1	6			1	5			
26.	29	15	34	11	37	9	24	13	121	26	31	10
27.	6	4	2	3	2	2	2	1	6	9	2	1
28.	1		10	10	8	1	2	7		1	2	3
29.	7	10	3	11	5	11	4	13	11	15	5	20
30.	1	2	1	1	1	2	2	2		4		1
31.							1					
32.	3	2	6	4	2	4	3	8	7	10		4
33.	2			1						1		
34.					2			2	5	5		
35.			1	1								
36.				2	1	1			2	2		1
37.		1		3				2				1
38.								1	3			1
39.			2		1			1	2	2	2	
40.	1	2	4	4	2	1	1	2	2	3	1	1
41.												
42.				3						1		1
43.	2		8	1	3	1	7		4	2		
44.	4	1	10	3	2		2	4	9	7		5
45.	1						1	1				
46.			2	1					1	2	1	
47.	1		18	11	7	3	1	5	14	8	1	1
48.	9	3	20	24	17	1	7	15	43	26	6	5
49.	3	1	3	11	8	1	2	2	7	8	2	2
50.	4	2	6	7	11	3	7	2	17	6	3	2
51.	2	1	1	1	1		1		7	1	2	1
52.	2	2	1	4	1		1	1	1	4		4

Continued

Henderson		Hickory		High Point		Kinston		Lexington		Monroe		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
67	74	88	31	224	84	105	102	88	28	63	29	Total
	1			1	3		1	2			1	1.
		1										2.
									1			3.
												4.
												5.
												6.
							1					7.
												8.
												9.
												10.
				1								11.
		1										12.
												13.
												14.
												15.
												16.
												17.
19	15	5	3	26	6	14	9	16	3	6	2	18.
	1			1				1				19.
2	1	1		1	4		1			2		20.
												21.
7	13	15	5	32	14	15	28	13	6	7	6	22.
	1			1								23.
							1		1			24.
1			1	2	1	1		2	1			25.
12	3	16	1	59	8	22	17	29	4	19	5	26.
2	2	5	2	4	1	1	2			1	4	27.
2	1	2	2	3	2	6	7			1	2	28.
2	4	1	4	14	12	6	7	5		6		29.
	1			3	1	2			1			30.
												31.
1		5	1	2	4		3	1	1			32.
				1		1						33.
		2		2		1				1	1	34.
					1							35.
1		2				1						36.
	3		1	1	1		1					37.
												38.
2	1	1			1	1	1	1	1			39.
2		3		3	3	2	6	2	1	3		40.
												41.
							1					42.
	2	2	1	3	2	2		5		2	1	43.
	1	2		2	2	5		2		4	1	44.
				2	1				1			45.
	3		2	2		1						46.
1	4	5		3	1	4	5		1	1	1	47.
7	10	12	6	28	9	11	7		4	5		48.
2	3	2		8	2	2	1	2			2	49.
1	2	3		17	2	3	1	3	1	4		50.
3		2		1	1	3	1	4		1		51.
	2		2	1	2	1	1		1		3	52.

TABLE 13.—

List number	New Bern		Raleigh		Reidsville		Rocky Mount		Salisbury		Sanford	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	81	108	341	197	65	44	163	120	127	69	43	33
1.		3	2	1			2	1		1		
2.				1				1	1			
3.		1		1								1
4.												
5.												
6.												
7.												
8.												
9.							1					
10.												
11.	1											
12.		1	1									
13.												
14.				1								
15.												
16.												
17.												
18.	10	10	76	19	11	3	24	9	13	11	8	3
19.	2		2	1							1	
20.	2	1	7	2	1		3	2				1
21.												
22.	7	12	37	26	7	8	26	20	19	11	3	5
23.								1	2			
24.		1										
25.	1	1	1		1		2					
26.	27	18	101	15	11	3	44	25	35	7	15	5
27.	3	10	4	12	6	2	3	7	8	2		
28.			11	16	7	9	1	1			1	1
29.	4	18	13	33	4	8	8	16	11	12	3	4
30.		2	1	1			1	3	1			
31.										2		1
32.	5	7	3	6		1	6	4	2	4	1	2
33.									1			
34.			2				1					
35.												
36.			1	3	1				1			
37.		1		1				2				
38.							1			3		
39.	1	2	1	2			3		2		1	
40.		1	3	3		2	2	3	2		2	1
41.						1				1		
42.	1	1										1
43.	1	1	6	1	1			1	1	1		
44.	3		6	5	2	1	7	8	1	1		
45.		2		3							1	
46.			1	1	2		1					
47.	2	3	7	7		1	1	1	3	1	2	2
48.	1	6	26	19	4	4	10	7	14	4	1	2
49.	4	1	6	2	1		5	3	2	5	1	1
50.	3	3	14	10	2	1	6	3	8	2	1	1
51.	3		6		4		5				1	
52.		2	3	5				2		1	1	2

Continued

Shelby		Statesville		Thomasville		Wilmington		Wilson		Winston-Salem		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
97	32	110	45	70	22	271	211	105	149	389	424	Total
2						3	3	1			8	1.
									1	1	1	2.
1			1		1		1		1			3.
												4.
												5.
												6.
												7.
												8.
												9.
											1	10.
												11.
		1										12.
												13.
								1			1	14.
												15.
												16.
												17.
16	1	19	3	7	4	33	12	14	17	57	39	18.
2		1					1			3	1	19.
	1		1	2		2	1	2	2	4	8	20.
												21.
9	2	16	4	11	4	49	40	13	10	46	48	22.
1						1	3				3	23.
										1	1	24.
1	1	1	1	2		2				1	9	25.
25	8	24	6	21	1	67	33	31	12	103	65	26.
5	4	4	6	1	1	12	2	2	8	14	9	27.
2		2	2			3	5	1	1	5	2	28.
8	4	10	1	8	3	9	7	3	11	28	50	29.
2						1	2	2	3	4	8	30.
							1			1	4	31.
2		5	3		2	5	16	3	4	3	11	32.
						1				1		33.
						1	2	1	2	2	5	34.
						1					2	35.
						1	1		3	1	2	36.
			1				1		7		5	37.
									1			38.
1					1	5	3	2	2	2	4	39.
4		1	3			5	6	1	14	6	19	40.
												41.
							2		1		2	42.
		4				4	1	3	1	12	4	43.
	3	1	1	3		5	16	1	5	11	7	44.
											1	45.
1		1		1		1		2			4	46.
2	1	3	2	5	2	4	7	2	8	8	15	47.
8	2	9	5	4	2	31	23	10	13	38	44	48.
2	1	3	1	3	1	9	4	4	3	12	12	49.
3	3	2	1	1		11	12	4	17	17	11	50.
		3	1	1		2	1	2		6	3	51.
	1		2			3	5		2	2	15	52.

TABLE 14.—DEATHS (EXCLUDING STILLBIRTHS) FROM

Year	Total deaths	Typhoid and paratyphoid fever	Undulant fever	Meningococcal infections	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Tetanus	Tuberculosis, respiratory	Tuberculosis, all other	Gonorrhea
1916	31,389	702	------	60	62	402	410	42	69	3,129	448	15
1917	33,969	728	------	22	41	562	315	68	55	2,975	424	12
1918	42,274	568	------	45	23	705	251	68	72	3,029	383	15
1919	30,947	444	------	17	24	218	271	36	59	2,753	357	8
1920	32,654	322	------	35	39	357	299	55	59	2,660	344	16
1921	29,454	314	------	35	45	385	372	51	53	2,492	247	24
1922	30,821	298	------	24	77	203	513	62	47	2,451	265	11
1923	32,142	260	------	30	30	492	350	58	51	2,428	239	16
1924	33,238	270	------	21	36	497	330	47	58	2,497	276	14
1925	32,548	279	------	24	30	153	303	51	38	2,539	255	36
1926	34,562	277	------	29	35	298	262	55	39	2,521	273	27
1927	32,917	234	------	28	34	624	277	39	21	2,319	259	18
1928	36,160	191	1	21	41	188	369	53	37	2,238	217	27
1929	36,919	166	2	35	55	280	343	51	36	2,392	244	28
1930	35,782	163	1	68	44	305	282	68	40	2,236	252	34
1931	33,116	162	2	44	64	199	244	52	35	2,143	206	29
1932	31,051	163	2	26	34	242	166	34	30	2,030	194	35
1933	30,547	128	3	32	50	205	216	45	28	1,935	183	34
1934	35,180	90	2	35	39	424	199	54	26	1,956	202	42
1935	33,485	82	------	39	22	307	162	45	28	1,764	173	39
1936	35,630	71	1	65	21	36	188	30	37	1,902	190	16
1937	33,981	78	2	45	20	168	160	34	22	1,765	159	8
1938	33,599	74	3	32	22	265	168	20	39	1,710	159	6
1939	31,652	51	5	30	12	229	164	16	21	1,463	151	7
1940	31,904	38	4	22	10	90	107	10	10	1,492	116	7
1941	31,752	29	------	20	12	199	83	11	16	1,415	156	1
1942	29,414	19	2	32	8	104	76	8	15	1,326	135	2
1943	29,971	16	1	73	12	116	53	5	16	1,257	109	8
1944	29,390	10	1	61	5	145	40	5	15	1,145	94	8
1945	28,897	13	------	53	6	97	96	4	14	1,159	103	9
1946	28,724	8	1	30	3	59	46	7	10	1,096	86	6
1947	30,187	7	------	31	2	54	32	1	18	1,047	81	7
1948	30,161	8	------	20	1	44	30	2	18	882	67	5
1949***	31,009	5	1	32	1	34	25	2	14	889	83	1
1950***	31,130	1	2	28	3	60	26	------	8	706	52	1
1951***	31,371	3	2	41	1	53	19	1	17	577	50	6
1952***	32,259	3	1	42	4	5	9	------	20	500	48	2
1953***	31,640	4	------	34	6	7	9	1	13	362	40	------
1954***	31,482	1	------	41	1	11	7	1	12	282	29	------

*1916-1952 data from NOVS reports; 1953, 1954 from N. C. reports. Data by place of occurrence, 1916-1938; by place of residence, 1939-1954.

**Includes all accidents except motor vehicle; legal executions included 1916-1929.

***Coded by the 6th Revision of the International Classification.

SELECTED CAUSES: NORTH CAROLINA, 1916-1954*

Year	Dysentery	Malaria	Syphilis	Influenza	Smallpox	Measles	Poliomyelitis	Cancer	Acute rheumatic fever	Diabetes mellitus	Pellagra	Alcoholism
1916	457	337	305	634	13	171	49	1,083	103	160	485	32
1917	610	268	273	403	13	1,042	34	1,046	103	159	620	20
1918	556	189	243	7,948	3	308	21	1,072	108	179	696	12
1919	291	201	173	3,802	9	125	18	1,003	92	158	400	21
1920	324	210	223	2,995	28	62	22	1,017	79	198	318	27
1921	261	180	228	378	20	147	26	1,120	85	195	338	35
1922	232	183	217	1,362	8	25	20	1,228	77	231	330	26
1923	217	169	249	1,653	13	588	25	1,220	75	232	239	24
1924	184	145	273	748	29	456	27	1,304	96	245	281	41
1925	187	141	241	1,089	5	16	25	1,328	76	222	382	45
1926	186	102	301	1,619	14	96	52	1,405	84	265	455	51
1927	164	60	299	1,088	15	246	18	1,458	77	243	671	37
1928	189	64	327	1,567	17	515	28	1,520	89	280	851	57
1929	153	64	325	2,304	2	20	21	1,602	107	308	950	54
1930	156	47	379	789	6	5	18	1,525	82	318	1,031	72
1931	111	46	334	1,150	2	113	37	1,549	71	341	695	82
1932	84	53	280	819	------	61	24	1,639	80	396	479	66
1933	92	51	316	1,027	------	90	18	1,728	67	368	392	92
1934	128	66	403	822	------	334	17	1,763	74	384	438	127
1935	98	91	380	1,028	------	70	72	1,780	47	366	383	130
1936	124	150	430	1,179	------	9	18	1,784	57	412	351	92
1937	110	87	434	857	1	39	27	1,898	50	388	332	104
1938	110	70	445	500	1	251	15	1,914	74	381	254	79
1939	80	53	454	629	------	62	14	2,007	50	494	205	94
1940	60	60	442	691	------	11	16	2,092	67	503	167	73
1941	88	28	379	823	------	104	17	2,089	56	472	144	68
1942	53	33	328	299	------	55	12	2,249	60	455	116	61
1943	57	22	312	498	1	24	16	2,391	54	485	105	43
1944	36	25	292	515	------	59	40	2,328	44	509	70	61
1945	38	24	293	386	------	7	13	2,504	43	465	72	57
1946	13	8	245	269	------	43	16	2,523	35	498	73	67
1947	18	2	266	272	------	25	21	2,766	36	575	57	94
1948	17	1	194	159	------	6	143	2,855	30	564	40	99
1949***	36	3	193	170	------	91	16	3,261	107	402	22	82
1950***	29	2	165	252	------	16	24	3,187	55	400	26	82
1951***	22	3	122	179	------	6	11	3,305	59	385	12	103
1952***	29	3	106	247	------	22	24	3,370	55	388	12	95
1953***	18	------	66	363	------	19	35	3,548	63	446	11	100
1954***	11	------	58	101	------	35	22	3,768	33	422	6	87

TABLE 14.—

Year	Intracranial vascular lesions	Diseases of the heart	Pneumonia	Diarrhea and enteritis (under 2 years)	Diarrhea and enteritis (2 years and over)	Appendicitis	Nephritis	* Premature birth	Senility	Suicide	Homicide
1916	1,882	2,372	2,517	1,871	474	183	1,745	1,243	633	82	203
1917	2,053	2,574	2,595	2,364	684	203	2,049	1,255	750	76	179
1918	2,033	2,617	4,210	1,997	631	201	2,043	1,272	616	99	187
1919	1,906	2,227	2,155	1,410	374	219	1,745	1,220	537	83	217
1920	2,132	2,634	2,626	1,398	352	222	1,926	1,413	598	100	252
1921	2,071	2,853	1,958	1,708	402	246	2,038	1,361	540	113	224
1922	2,343	2,918	2,331	1,437	313	249	2,216	1,405	597	110	244
1923	2,410	3,014	2,439	1,456	375	278	2,230	1,476	586	101	267
1924	2,646	3,465	2,804	1,481	331	335	2,478	1,598	525	111	284
1925	2,582	3,574	2,414	1,472	250	318	2,821	1,560	562	128	260
1926	2,628	3,869	2,677	1,442	306	327	2,879	1,500	516	159	287
1927	2,573	3,858	2,186	1,155	275	297	2,735	1,523	434	132	280
1928	2,778	4,356	2,795	1,284	270	321	2,968	1,687	431	188	306
1929	3,081	4,717	2,714	973	279	301	3,194	1,463	433	234	329
1930	3,030	4,922	2,703	1,091	277	318	3,285	1,491	620	275	349
1931	2,717	4,520	2,503	831	201	301	3,005	1,309	438	319	339
1932	2,691	4,593	2,545	650	172	302	3,006	1,395	355	286	394
1933	2,569	4,709	2,081	805	195	304	2,906	1,376	329	267	434
1934	2,928	5,446	3,173	996	230	332	3,325	1,625	374	238	468
1935	2,937	5,399	2,803	828	145	313	3,094	1,519	296	272	391
1936	3,331	6,053	3,290	805	198	312	3,391	1,391	354	296	392
1937	2,989	5,905	2,988	838	173	321	3,011	1,514	332	300	393
1938	3,144	6,184	2,745	1,009	175	285	3,004	1,438	291	336	349
1939	3,091	5,455	2,164	637	165	278	3,445	1,380	257	286	356
1940	3,164	5,413	2,003	490	130	224	3,433	1,329	301	291	388
1941	2,991	5,978	1,900	692	116	230	3,273	1,284	276	286	374
1942	3,055	5,830	1,617	446	76	212	2,983	1,285	300	245	362
1943	3,114	6,182	1,663	424	87	166	2,973	1,233	257	251	261
1944	3,103	6,390	1,477	494	71	147	2,952	1,146	262	221	299
1945	3,162	6,456	1,488	407	69	160	2,910	1,089	242	246	307
1946	3,052	6,682	1,312	189	58	113	2,734	1,359	208	290	362
1947	3,369	7,492	1,309	156	60	96	2,577	1,364	240	316	418
1948	3,355	8,048	1,313	176	53	92	2,431	1,309	202	322	419
1949***	3,810	9,567	1,126	272	68	79	888	958	163	290	377
1950***	3,924	10,139	1,159	291	71	84	852	879	124	348	380
1951***	4,152	10,338	1,067	250	51	65	705	910	113	292	336
1952***	4,186	10,813	1,085	348	79	53	712	905	105	338	393
1953***	4,078	10,595	1,193	257	62	37	621	850	102	322	358
1954***	4,241	10,750	1,029	192	51	36	552	794	91	355	364

*1916-1952 data from NOVS reports; 1953, 1954 from N. C. reports. Data by place of occurrence, 1916-1938; by place of residence, 1939-1954.

**Includes all accidents except motor vehicle; legal executions included 1916-1929.

***Coded by the 6th Revision of the International Classification.

Continued

Year	Motor vehicle accidents	All other accidents**	Conflagration	Lightning	Ill-defined and not specified	Infant deaths	Maternal deaths
1916	54	1,312	24	17	2,676	7,112	593
1917	65	1,378	42	24	2,931	7,601	629
1918	79	1,242	34	23	3,328	7,686	815
1919	104	1,210	18	18	2,593	6,223	684
1920	133	1,307	28	15	3,063	6,909	814
1921	139	1,245	12	18	2,880	6,633	650
1922	169	1,303	27	18	2,836	6,510	651
1923	258	1,350	27	32	2,607	6,813	670
1924	328	1,361	39	15	2,773	7,208	678
1925	410	1,348	36	30	2,590	6,595	725
1926	508	1,371	38	18	2,608	6,769	726
1927	538	1,301	27	20	2,760	6,588	547
1928	620	1,340	37	23	2,996	6,935	635
1929	636	1,307	21	18	2,875	6,106	651
1930	682	1,294	34	17	2,619	6,037	639
1931	696	1,290	53	36	2,381	5,455	596
1932	598	1,153	40	6	1,406	5,183	529
1933	776	1,226	41	16	1,035	4,977	514
1934	928	1,395	61	17	1,045	6,212	569
1935	1,015	1,386	49	16	1,100	5,422	511
1936	979	1,466	46	22	1,179	5,247	502
1937	1,045	1,391	44	23	1,142	5,180	429
1938	910	1,245	60	21	1,067	5,487	421
1939	903	1,312	61	21	1,056	4,676	371
1940	1,013	1,319	53	17	1,075	4,631	412
1941	1,261	1,260	69	17	1,108	5,053	336
1942	827	1,345	63	17	1,050	4,342	307
1943	729	1,472	70	22	878	4,416	306
1944	694	1,491	73	23	790	4,115	266
1945	767	1,318	74	11	652	3,782	248
1946	1,052	1,313	85	15	653	3,742	203
1947	879	1,424	93	15	722	3,938	192
1948	827	1,417	118	9	712	3,858	207
1949***	940	1,295	115	9	666	4,113	127
1950***	1,113	1,258	72	14	670	3,674	126
1951***	1,159	1,336	107	11	658	3,630	123
1952***	1,190	1,360	108	13	649	3,968	113
1953***	1,147	1,235	115	5	473	3,642	112
1954***	1,061	1,441	69	11	481	3,447	91

TABLE 15.—LEADING CAUSES OF RESIDENT DEATHS (EXCLUDING STILLBIRTHS) BY AGE, COLOR, AND SEX: NORTH CAROLINA, FIVE-YEAR AVERAGE, 1950-1954

Cause of death (International code number follows each cause)	Total*		White				Nonwhite			
			Male		Female		Male		Female	
	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.
ALL AGES (Ten leading causes) Total all causes	------	31,431	------	12,289	------	8,532	------	5,799	------	4,811
Diseases of heart (410-443)	1	10,504	1	4,700	1	2,802	1	1,616	1	1,387
Vascular lesions affecting central nervous system (330-334)	2	4,062	2	1,405	3	1,295	2	674	2	689
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	3	3,422	3	1,253	2	1,356	4	353	3	460
Influenza and pneumonia, including pneumonia of newborn (480-483, 490-493, 763)	4	1,403	6	361	4	331	3	366	4	346
All accidents (except motor vehicle) (800-802, 840-962)	5	1,282	5	565	5	246	5	327	7	145
Motor vehicle accidents (810-835)	6	1,126	4	651	8	170	6	247	------	------
Immaturity (774, 776)	7	859	7	265	6	187	7	214	5	193
Nephritis and nephrosis (590-594)	8	683	9	205	10	165	10	158	6	155
Tuberculosis, all forms (001-019)	9	527	------	------	------	------	9	171	8	141
Congenital malformations (750-759)	10	506	9	205	8	170	------	------	------	------
Suicide (970-979, 963)	------	329	8	238	------	------	------	------	------	------
Arteriosclerosis (450)	------	472	------	------	7	174	------	------	------	------
Diabetes mellitus (260)	------	416	------	------	10	165	------	------	10	73
Homicide and legal executions (980-985, 964)	------	366	------	------	------	------	8	209	------	------
Dysentery, gastritis, duodenitis, enteritis, colitis, and diarrhea of newborn (045-048, 543, 571, 572, 764)	------	351	------	------	------	------	------	------	9	105
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	------	111	------	------	------	------	------	------	10	73
UNDER 1 YEAR (Seven leading causes) Total all causes	------	3,654	------	1,066	------	756	------	1,011	------	821
Immaturity (774, 776)	1	859	1	265	1	187	1	214	1	193
Influenza and pneumonia, including pneumonia of newborn (480-483, 490-493, 763)	2	523	5	97	5	77	2	180	2	170
Congenital malformations (750-759)	3	395	2	161	2	131	6	65	7	39
Postnatal asphyxia and atelectasis (762)	4	374	3	141	3	85	4	87	4	60
Birth injuries (760, 761)	5	331	4	130	4	82	5	71	5	49
Dysentery, gastritis, duodenitis, enteritis, colitis, and diarrhea of newborn (045-048, 543, 571, 572, 764)	6	258	6	35	7	25	3	111	3	87
All accidents (except motor vehicle) (800-802, 840-962)	7	158	7	33	6	28	7	55	6	41

*Where the "total" does not equal the sum of the four classes it is due to rounding off or because a particular cause of death was not a leading cause in all classes.

TABLE 15.—*Continued*

Cause of death (International code number follows each cause)	Total*		White				Nonwhite			
			Male		Female		Male		Female	
	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.
1-4 YEARS (Six leading causes)										
Total all causes	------	600	------	173	------	141	------	161	------	126
Influenza and pneumonia (480-483, 490-493)	1	107	3	21	2	18	1	35	1	32
All accidents (except motor vehicle) (800-802, 840-962)	2	106	1	28	1	20	2	31	2	27
Motor vehicle accidents (810-835)	3	58	2	26	4	15	4	10	4	7
Congenital malformations (750-759)	4	45	4	15	2	18	6	5	4	7
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	5	38	4	15	5	13	5	7	6	4
Dysentery, gastritis, duodenitis, enteritis, and colitis (045-048, 543, 571, 572)	6	34	6	8	6	6	3	12	3	8
5-14 YEARS (Six leading causes)										
Total all causes	------	501	------	191	------	124	------	108	------	77
All accidents (except motor vehicle) (800-802, 840-962)	1	107	2	45	2	17	1	29	1	16
Motor vehicle accidents (810-835)	2	102	1	49	1	27	2	17	2	8
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	3	49	3	23	3	15	4	6	4	5
Influenza and pneumonia (480-483, 490-493)	4	30	5	7	4	8	3	8	3	7
Congenital malformations (750-759)	5	18	4	8	5	6	------	------	------	------
Rheumatic fever (400-402)	6	17	------	------	6	4	6	4	4	5
Acute poliomyelitis (080)	------	10	6	5	6	4	------	------	------	------
Diseases of heart (410-443)	------	15	------	------	------	------	5	5	6	4
Tuberculosis, all forms (001-019)	------	7	------	------	------	------	------	------	6	4
15-24 YEARS (Six leading causes)										
Total all causes	------	953	------	391	------	151	------	244	------	167
Motor vehicle accidents (810-835)	1	287	1	180	1	35	1	60	4	12
All accidents (except motor vehicle) (800-802, 840-962)	2	149	2	82	3	11	2	48	------	------
Homicide and legal executions (980-985, 964)	3	69	6	9	------	------	3	46	5	11
Diseases of heart (410-443)	4	58	4	18	3	11	5	11	3	18
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	5	53	3	21	2	16	6	9	------	------
Tuberculosis, all forms (001-019)	6	51	------	------	------	------	4	16	1	29
Suicide (970-979, 963)	------	28	5	17	------	------	------	------	------	------
Nephritis and nephrosis (590-594)	------	26	------	------	6	5	------	------	6	8
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	------	35	------	------	3	11	------	------	2	24

*Where the "total" does not equal the sum of the four classes it is due to rounding off or because a particular cause of death was not a leading cause in all classes.

TABLE 15.—*Continued*

Cause of death (International code number follows each cause)	Total*		White				Nonwhite			
			Male		Female		Male		Female	
	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.
25-44 YEARS (Eight leading causes)										
Total all causes	------	3,671	------	1,332	------	640	------	933	------	766
Diseases of heart (410-443)	1	805	1	313	2	99	1	201	1	191
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	2	416	4	112	1	175	7	33	2	95
Motor vehicle accidents (810-835)	3	388	2	234	4	42	3	95	------	------
All accidents (except motor vehicle) (800-802, 840-962)	4	302	3	172	7	23	4	88	------	------
Vascular lesions affecting central nervous system (330-334)	5	237	6	51	3	45	5	70	3	71
Homicide and legal executions (980-985, 964)	6	218	7	44	------	------	2	127	7	34
Tuberculosis, all forms (001-019)	7	180	8	34	8	21	6	64	4	61
Suicide (970-979, 963)	8	139	5	94	6	25	------	------	------	------
Nephritis and nephrosis (590-594)	------	117	8	34	------	------	------	------	6	40
Deliveries and complications of pregnancy, childbirth and the puerperium (640-689)	------	74	------	------	5	26	------	------	5	48
Influenza and pneumonia (480-483, 490-493)	------	83	------	------	------	------	8	27	8	25
45-64 YEARS (Eight leading causes)										
Total all causes	------	8,656	------	3,580	------	1,816	------	1,796	------	1,464
Diseases of heart (410-443)	1	3,556	1	1,714	1	561	1	723	1	557
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	2	1,409	2	476	2	542	3	166	3	225
Vascular lesions affecting central nervous system (330-334)	3	1,250	3	373	3	271	2	300	2	305
Nephritis and nephrosis (590-594)	4	210	8	58	5	33	5	63	4	55
All accidents (except motor vehicle) (800-802, 840-962)	5	199	4	106	8	23	7	52	------	------
Motor vehicle accidents (810-835)	6	191	5	101	5	33	6	48	------	------
Tuberculosis, all forms (001-019)	7	183	6	65	------	------	4	66	7	32
Influenza and pneumonia (480-483, 490-493)	8	168	------	------	7	27	7	50	5	45
Cirrhosis of liver (581)	------	94	7	59	------	------	------	------	------	------
Diabetes mellitus (260)	------	139	------	------	4	41	------	------	6	36
Hypertension without mention of heart (444-447)	------	101	------	------	------	------	------	------	8	25

*Where the "total" does not equal the sum of the four classes it is due to rounding off or because a particular cause of death was not a leading cause in all classes.

TABLE 15.—*Continued*

Cause of death (International code number follows each cause)	Total*		White				Nonwhite			
			Male		Female		Male		Female	
	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.
65 YEARS AND OVER (Eight leading causes)										
Total all causes	------	13,392	------	5,555	------	4,905	------	1,544	------	1,389
Diseases of heart (410-443)	1	6,056	1	2,647	1	2,125	1	672	1	612
Vascular lesions affecting central nervous system (330-334)	2	2,546	2	973	2	971	2	297	2	305
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	3	1,448	3	602	3	593	3	131	3	122
Influenza and pneumonia (480-483, 490-493)	4	468	5	166	4	182	5	60	4	60
Arteriosclerosis (450)	5	424	4	170	5	167	6	47	6	40
Nephritis and nephrosis (590-594)	6	312	6	100	8	101	4	62	5	48
All accidents (except motor vehicle) (800-802, 840-962)	7	265	7	99	6	123	8	23	------	------
Diabetes mellitus (260)	8	222	8	72	7	108	------	------	7	25
Hypertension without mention of heart (444-447)	------	154	------	------	------	------	8	23	8	23
Hyperplasia of prostate (610)	------	90	------	------	------	------	7	27	------	------

*Where the "total" does not equal the sum of the four classes it is due to rounding off or because a particular ause of death was not a leading cause in all classes.

TABLE 16.—MOTOR VEHICLE AND NONMOTOR VEHICLE ACCIDENTAL DEATHS BY PLACE OF OCCURRENCE: NORTH CAROLINA, EACH COUNTY AND EACH INCORPORATED PLACE HAVING A POPULATION OF 10,000 OR MORE, 1954

Area	All accidents	Motor vehicle		Nonmotor vehicle				
		Traffic	Non-traffic	Railway, water transport, and other road vehicle	Aircraft	All other 870-936, 940-962		
International list number	800-962	810-825	830-835	800-802, 840-845, 850-858	860-866	Home .0	Farm .1	Other .2-.9
NORTH CAROLINA	2,486	1,034	33	101	39	692	105	482
Alamance	34	11			1	12	4	6
Burlington	5					2	1	2
Alexander	6	2				2	1	1
Alleghany	5	3				2		
Anson	9	2				6	1	
Ashe	9	4	1			3		1
Avery	5					2	3	
Beaufort	25	13		1		4	1	6
Bertie	19	8		1	2	5		3
Bladen	14	5	1	1		5		2
Brunswick	27	9		4		4		10
Buncombe	63	31		1		20	1	10
Asheville	48	24		1		15	1	7
Burke	29	9		1		5		14
Cabarrus	33	19	2			8		4
Concord	22	13	1			6		2
Caldwell	19	7				7	3	2
Camden	5			1		4		
Carteret	16	5		2		3		6
Caswell	9	4				2	1	2
Catawba	31	20				5		6
Hickory	10	6				3		1
Chatham	28	15		2		5	2	4
Cherokee	12	3		2		2		5
Chowan	11	3				2	2	4
Clay	2	1						1
Cleveland	49	14	1	1		22	5	6
Shelby	23	7	1			10	1	4
Columbus	36	18	1	2		9	1	5
Craven	52	23	1	3	5	10	3	7
New Bern	17	8	1	1		5	1	1
Cumberland	99	47	1	4	12	19	1	15
Fayetteville	31	15	1	1		10		4
Currituck	6	3					1	2
Dare	4	2			1			1
Davidson	29	11		2		6	4	6
Lexington	6	3				2		1
Thomasville	5	3		1		1		
Davie	8	3				3		2
Duplin	23	7	1		2	5	1	7

TABLE 16.—*Continued*

Area	All accidents	Motor vehicle		Nonmotor vehicle				
		Traffic	Non-traffic	Railway, water transport, and other road vehicle	Aircraft	All other 870-936, 940-962		
International list number	800-962	810-825	830-835	800-802, 840-845, 850-858	860-866	Home .0	Farm .1	Other .2-.9
Durham	67	23		2		20	3	19
Durham	51	18		2		15	3	13
Edgecombe	30	16		2		6	3	3
Rocky Mount	7	3		1		2		1
Forsyth	90	48	3	3	1	18	1	16
Winston-Salem	63	33	3			13		14
Franklin	26	11	1			7	2	5
Gaston	38	12	1	1		17		7
Gastonia	21	6	1	1		9		4
Gates	6	4				1		1
Graham	2	1						1
Granville	17	2				7	1	7
Greene	3					1		2
Guilford	97	38	2	3	1	33	4	16
Greensboro	46	17	1	3		12	3	10
High Point	16	5				9	1	1
Halifax	51	23	2			12	2	12
Harnett	28	11	1			10	2	4
Haywood	8	3				1	1	3
Henderson	19	8			1	7	1	2
Hertford	9	2		1	1	5		
Hoke	5	1				3		1
Hyde	10				1	9		
Iredell	43	18		2	2	8	3	10
Statesville	12	8		1		2		1
Jackson	7	2				4		1
Johnston	19	8				5	2	4
Jones	4	3				1		
Lee	26	20		1		3	1	1
Sanford	18	14		1		3		
Lenoir	34	18		1		8	1	6
Kinston	12	5				3		4
Lincoln	19	7	2			4	2	4
McDowell	13	5		3		3	1	1
Macon	9	3				4	1	1
Madison	4	1		1		1	1	
Martin	14	2	1	2		6	1	2
Mecklenburg	93	42	2	7		22	1	19
Charlotte	75	31	2	4		20	1	17
Mitchell	4		2				1	1
Montgomery	11			4		2	1	4
Moore	26	10	1	1	3	7		4
Nash	45	17		1	1	16		10
Rocky Mount	29	13		1		9		6
New Hanover	45	17		3		11		14

TABLE 16.—*Continued*

Area	All accidents	Motor vehicle		Nonmotor vehicle				
		Traffic	Non-traffic	Railway, water transport, and other road vehicle	Aircraft	All other		
						870-936, 940-962		
International list number	800-962	810-825	830-835	800-802, 840-845, 850-858	860-866	Home .0	Farm .1	Other .2-.9
Wilmington	36	13		1		11		11
Northampton	14	4		1		4	1	4
Onslow	46	16	1	3	1	9	2	14
Orange	24	8				12		4
Pamlico	9	6			1	1		1
Pasquotank	21	9	1	1		5		5
Elizabeth City	12	5	1			4		2
Pender	15	11		1		2		1
Perquimans	7	4				2	1	
Person	11	5				5		1
Pitt	30	6		1		14	2	7
Greenville	2	2						
Polk	5	1		1		2	1	
Randolph	23	15				3	2	3
Richmond	36	15		1		13		7
Robeson	75	30	1		1	26	6	11
Rockingham	37	13		1		11		12
Reidsville	16	3				7		6
Rowan	49	22		6		12	1	8
Salisbury	30	16		4		7	1	2
Rutherford	26	9		2		6		9
Sampson	41	16		1	2	20	1	1
Scotland	31	18		1		8		4
Stanly	19	8		2		3	1	5
Albemarle	14	8		1		2	1	2
Stokes	6	3				1	2	
Surry	20	12				5	3	
Swain	7	3	1	1				2
Transylvania	5					1	1	3
Tyrrell	2	2						
Union	17	8		1		7		1
Monroe	11	5				5		1
Vance	19	13				5		1
Henderson	12	7				4		1
Wake	83	31	1	3		20	3	25
Raleigh	47	19				15		13
Warren	14	8		1		3		2
Washington	12	2		3		5		2
Watauga	6	1				3		2
Wayne	47	14	1	1		14	3	14
Goldsboro	23	6	1	1		6		9
Wilkes	27	15				7	1	4
Wilson	45	22		1		14		8
Wilson	34	15				13		6
Yadkin	8	2		2		3		1
Yancey	10	4				2	3	1

TABLE 17.—ACCIDENTAL DEATHS BY CAUSE, COLOR, AND SEX WITH CRUDE RATES PER 100,000 ESTIMATED POPULATION: NORTH CAROLINA, 1954

Type of accident (International code number follows each cause)	Place of occurrence					
	Total		White		Nonwhite	
	Number	Rate	Male	Female	Male	Female
All accidents	2,486	58.2	1,230	407	618	231
Railway accidents (800-802)	32	0.7	22	2	8	--------
Motor vehicle traffic accidents (810-825)	1,034	24.2	564	149	261	60
Accident involving collision with railway train (810)	27	0.6	13	4	7	3
Accident to pedestrian (812)	226	5.3	95	36	72	23
Other accidents involving collision (811, 813-819)	324	7.6	177	74	60	13
Noncollision traffic accidents (820-824)	434	10.2	263	34	116	21
Accident of unspecified nature (825)	23	0.5	16	1	6	--------
Motor vehicle nontraffic accidents (830-835)	33	0.8	17	7	5	4
Other road vehicle accidents (840-845)	10	0.2	5	--------	5	--------
Water transport accidents (850-858)	59	1.4	46	2	10	1
Aircraft accidents (860-866)	39	0.9	38	1	--------	--------
Accidental poisoning by solid and liquid substances (870-888)	47	1.1	17	6	20	4
Accidental poisoning by gases and vapours (890-895)	7	0.2	5	--------	2	--------
Accidental falls (900-904)	289	6.8	131	112	31	15
From one level to another (900-902)	121	2.8	67	28	21	5
On same level (903)	120	2.8	46	63	6	5
Unspecified falls (904)	48	1.1	18	21	4	5
Blow from falling object (910)	55	1.3	31	2	21	1
Accident caused by machinery (912)	49	1.1	39	4	6	--------
Accident caused by electric current (914)	43	1.0	31	4	6	2
Accident caused by fire and explosion of combustible material (except conflagration) (916)	141	3.3	30	27	40	44
Conflagration (916)	69	1.6	23	5	24	17
Accident caused by hot substance, corrosive liquid, steam, and radiation (917, 918)	14	0.3	5	2	2	5
Accident caused by firearm (919)	83	1.9	45	9	24	5
Inhalation and ingestion of food or other object causing obstruction or suffocation (921, 922)	70	1.6	19	16	18	17
Accidental mechanical suffocation in bed and cradle (924)	90	2.1	12	18	30	30
Accidental drowning and submersion (929)	156	3.7	77	19	58	2
Excessive heat and insolation (931)	7	0.2	4	1	2	--------
Lightning (935)	12	0.3	8	2	1	1
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures (940-959)	24	0.6	5	5	7	7
All other accidents (911, 913, 915, 920, 923, 925, 926, 928, 930, 932-934, 936, 940-962)	123	2.9	56	14	37	16

TABLE 18.—RESIDENT INFANT DEATHS BY CAUSE AND AGE: NORTH CAROLINA, 1954

Cause of death (International code number follows each cause)	Under 1 day	1 day	2 days	Under 7 days	Under 28 days	Under 1 year
Total all causes	1,690	305	203	1,895	2,217	3,447
Tuberculosis, all forms (001-019)						1
Syphilis and its sequelae (020-029)			1	1	1	2
Whooping cough (056)						6
Typhoid and paratyphoid fever (040, 041)						
Scarlet fever (050)						
Streptococcal sore throat (051)						1
Septicemia and pyemia (053)					2	8
Diphtheria (055)						1
Meningococcal infections (057)						11
Tetanus (061)					3	3
Acute poliomyelitis (080)						
Acute infectious encephalitis (082)						2
Measles (085)						12
Rubella (German measles) (086)						
Leukemia and aleukemia (204)						1
Diseases of thymus gland (273)	1		1	2	2	5
Rickets (active and late effects) (283, 284)						1
Anemias (290-293)						7
Hemorrhagic conditions (295, 296)		1	1	2	3	3
Meningitis, except meningococcal and tuberculous (340)				1	2	23
Otitis media and mastoiditis (391-393)						5
Influenza and pneumonia, except pneumonia of newborn (480-483, 490-493)					2	394
Acute upper respiratory infections (470-475)					3	21
Hernia and intestinal obstruction (560, 561, 570)	3	2	1	7	13	19
Dysentery, gastritis, enteritis, and colitis, except diarrhea of newborn (045-048, 543, 571, 572)						159
Congenital malformations (750-759)						
Spina bifida and meningocele (751)	2			4	12	32
Congenital malformations of circulatory system (754)	24	10	17	69	93	159
All other congenital malformations (750, 752, 753, 755-759)	59	7	13	100	132	203
Birth injuries (760, 761)						
Without immaturity	86	21	14	145	153	154
With immaturity	111	18	11	152	155	156
Postnatal asphyxia and atelectasis (762)						
Without immaturity	109	37	22	188	195	199
With immaturity	130	40	31	224	231	233
Pneumonia of newborn (763)						
Without immaturity	2	5	3	25	64	64
With immaturity	2	2	2	12	17	17
Diarrhea of newborn (764)						
Without immaturity				1	16	16

TABLE 18.—*Continued*

Cause of death (International code number follows each cause)	Under 1 day	1 day	2 days	Under 7 days	Under 28 days	Under 1 year
With immaturity				1	8	8
Other infections of newborn (765-768)						
Without immaturity	1		1	8	13	16
With immaturity		1		3	6	7
Neonatal disorders arising from maternal toxemia (769)						
Without immaturity	2	3	2	10	10	11
With immaturity	2			2	2	2
Hemolytic disease of newborn (770)						
Without immaturity	18	6	7	39	41	41
With immaturity	3	2		6	7	7
Hemorrhagic disease of newborn (771)						
Without immaturity	3	2	1	12	12	12
With immaturity	2	1	1	5	8	8
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment (772, 773)						
Without immaturity	3	4	3	14	22	62
With immaturity	15	7	5	37	46	48
Immaturity with mention of any other subsidiary condition (774)	2	1	2	8	13	25
Immaturity, unqualified (776)	460	117	46	705	755	769
Symptoms and ill-defined conditions (780-793, 795)	28	7	5	51	71	159
All other diseases (residual)	17	7	8	39	55	160
All accidents (800-962)						
Accidental poisonings (870-888, 890-895)						
Accident caused by fire and explosion of combustible material, except conflagration (916)						6
Accident caused by conflagration (916)						6
Inhalation and ingestion of food or other object causing						
obstruction or suffocation (921, 922)	1	1	3	10	16	51
Accidental mechanical suffocation in bed and cradle (924)	1		2	5	21	89
All other accidental causes (800-866, 900-915, 917-920, 923, 925-962)	2	3		6	10	39
Homicide (964, 980-999)	1			1	2	3

TABLE 19.—RESIDENT INFANT AND MATERNAL DEATHS BY COLOR WITH RATES: NORTH CAROLINA AND EACH COUNTY, 1954 AND FIVE-YEAR AVERAGE, 1950-1954

Area	Infant mortality (Rates per 1,000 live births)									Maternal mortality (Rates per 10,000 live births)								
	Deaths (1954)						Average rate (1950-1954)			Deaths (1954)						Average rate (1950-1954)		
	Total		White		Nonwhite		Total	White	Non-white	Total		White		Nonwhite		Total	White	Non-white
	No.	Rate	No.	Rate	No.	Rate				No.	Rate	No.	Rate	No.	Rate			
NORTH CAROLINA	3,447	30.1	1,673	21,9	1,774	46.5	33.1	24.8	49.4	91	7.9	31	4.1	60	15.7	10.1	5.3	19.6
Alamance	38	20.1	24	16.2	14	34.8	22.2	18.2	36.4	----	----	----	----	----	----	8.6	6.9	14.5
Alexander	10	28.2	6	18.8	4	111.1	35.6	30.9	75.3	----	----	----	----	----	----	----	----	----
Alleghany	3	21.9	3	22.9	----	----	26.0	25.6	38.5	----	----	----	----	----	----	----	----	----
Anson	31	43.6	9	31.5	22	51.8	35.2	20.0	44.9	1	14.1	----	----	1	23.5	13.5	----	22.3
Ashe	18	36.8	17	35.1	1	200.0	29.3	28.9	64.5	----	----	----	----	----	----	11.9	12.0	----
Avery	8	25.7	7	22.7	1	333.3	18.5	18.0	76.9	----	----	----	----	----	----	----	----	----
Beaufort	46	47.4	12	24.9	34	69.7	53.3	32.7	74.7	1	10.3	----	----	1	20.5	28.2	27.6	28.7
Bertie	21	26.3	4	18.2	17	29.5	39.2	23.6	45.4	2	25.1	----	----	2	34.7	14.8	8.7	17.2
Bladen	36	41.8	9	21.0	27	62.4	42.3	26.4	58.1	1	11.6	1	23.4	----	----	19.7	8.8	30.6
Brunswick	25	46.6	6	20.4	19	78.2	38.0	25.1	51.4	----	----	----	----	----	----	14.6	----	29.8
Buncombe	57	21.2	43	18.5	14	38.8	27.8	26.0	39.5	----	----	----	----	----	----	1.5	0.8	5.5
Burke	25	25.6	23	26.0	2	21.5	21.2	20.1	30.8	1	10.2	1	11.3	----	----	11.7	13.0	----
Cabarrus	22	14.5	16	13.5	6	18.2	22.1	22.5	20.8	2	13.2	2	16.9	----	----	6.5	6.7	6.1
Caldwell	35	27.3	31	26.2	4	39.6	26.8	26.8	26.9	1	7.8	1	8.5	----	----	1.6	1.8	----
Camden	4	25.8	----	----	4	48.8	37.5	16.3	55.6	----	----	----	----	----	----	----	----	----
Carteret	20	28.4	12	20.7	8	64.0	28.2	21.6	63.6	1	14.2	1	17.2	----	----	8.4	10.0	----
Caswell	19	36.2	5	24.9	14	43.2	36.6	28.5	41.3	----	----	----	----	----	----	14.6	29.5	5.8
Catawba	43	24.4	34	22.4	9	37.2	27.3	25.6	38.9	----	----	----	----	----	----	1.2	----	9.3
Chatham	16	25.7	8	22.6	8	29.7	33.8	22.0	50.6	1	16.1	1	28.2	----	----	9.2	5.2	14.9
Cherokee	18	47.2	17	45.7	1	111.1	45.1	44.7	57.7	----	----	----	----	----	----	----	----	----

Chowan	16	26.7	4	23.5	6	29.4	33.8	25.3	40.4									
Clay							19.9	20.0		1	80.6	1	80.6			16.6	16.7	
Cleveland	54	30.9	30	25.6	24	41.5	25.8	22.4	33.4	1	5.7			1	17.3	8.1	5.0	15.2
Columbus	80	50.4	34	38.4	46	65.6	40.5	30.5	53.8	1	6.3			1	14.3	9.2	4.6	15.4
Craven	64	30.1	31	20.4	33	53.9	34.7	25.5	54.5	3	14.1	2	13.2	1	16.3	13.0	9.5	20.6
Cumberland	143	28.2	89	23.4	54	42.6	30.1	26.3	40.0	6	11.8	1	2.6	5	39.4	6.7	2.0	19.2
Currituck	6	36.4	1	11.9	5	61.7	32.0	16.9	50.6							13.4	24.2	
Dare	2	15.7	2	17.9			32.2	29.5	60.0	1	78.7	1	89.3			35.8	39.3	
Davidson	46	28.7	36	26.0	10	45.9	29.1	24.7	56.1	1	6.2	1	7.2			7.4	7.2	8.9
Davie	13	35.4	6	19.5	7	118.6	29.3	22.7	62.5							10.8	6.5	32.9
Duplin	30	25.6	12	19.7	18	31.9	36.8	24.5	51.0	4	34.1	2	32.8	2	35.5	27.7	9.7	48.7
Durham	65	26.3	28	18.8	37	37.8	25.8	16.4	40.3	2	8.1	1	6.7	1	10.2	7.4	1.4	16.8
Edgecombe	62	36.1	11	17.6	51	46.8	48.8	27.7	61.3							4.8		7.7
Forsyth	119	29.0	65	21.7	54	48.5	28.7	20.9	47.5	2	4.9			2	18.0	5.3	0.7	16.1
Franklin	30	36.0	6	17.6	24	48.8	39.7	25.4	49.3	4	48.0	1	29.3	3	61.0	24.2	12.1	32.3
Gaston	91	29.5	65	24.8	26	56.0	27.4	25.0	42.9	1	3.2			1	21.6	6.2	3.2	25.8
Gates	9	37.8	3	34.9	6	39.5	36.3	31.0	39.3									
Graham	3	17.2	3	18.1			25.6	25.4	33.3							11.7	12.1	
Granville	30	36.5	6	16.4	24	52.4	40.6	18.7	55.7							22.1	6.0	33.3
Greene	22	40.7	2	10.3	20	57.8	37.9	20.3	49.4	2	37.0			2	57.8	18.2		30.1
Guilford	141	27.2	88	22.3	53	42.9	27.6	23.8	40.7	2	3.9			2	16.2	8.0	4.7	19.3
Halifax	63	34.0	8	14.0	55	43.0	49.3	35.6	55.1	2	10.8			2	15.6	15.0		21.3
Harnett	38	30.5	15	19.0	23	50.3	28.9	21.8	42.2	1	8.0	1	12.7			11.2	7.3	18.4
Haywood	17	20.1	15	18.5	2	58.8	23.9	23.5	35.7							4.7	4.8	
Henderson	14	19.7	10	15.4	4	65.6	31.6	29.0	61.0							8.3	9.1	
Hertford	21	33.2			21	43.8	35.4	16.3	43.0	1	15.8			1	20.9	13.1		18.3
Hoke	19	41.3	2	13.7	17	54.1	34.0	20.6	40.5							12.6	12.9	12.5
Hyde	5	32.3	1	16.7	4	42.1	29.5	14.6	41.3							38.5	29.2	45.9
Iredell	37	25.8	21	19.1	16	47.6	36.7	26.5	69.1	1	7.0			1	29.8	9.7	3.7	29.0
Jackson	9	26.2	9	29.6			28.1	27.7	31.3							10.4		89.3

TABLE 19.—*Continued*

Area	Infant mortality (Rates per 1,000 live births)									Maternal mortality (Rates per 10,000 live births)								
	Deaths (1954)						Average rate (1950-1954)			Deaths (1954)						Average rate (1950-1954)		
	Total		White		Nonwhite		Total	White	Non-white	Total		White		Nonwhite		Total	White	Non-white
	No.	Rate	No.	Rate	No.	Rate				No.	Rate	No.	Rate	No.	Rate			
Johnston	40	25.8	25	23.0	15	32.3	30.8	23.9	47.6	1	6.4	1	9.2	------	------	9.7	6.8	16.6
Jones	4	12.3	2	16.0	2	10.1	29.7	22.5	35.2	1	30.9	------	------	1	50.3	18.2	------	32.0
Lee	25	33.8	14	28.2	11	45.5	35.7	31.3	44.8	1	13.5	------	------	1	41.3	10.6	------	32.5
Lenoir	62	37.3	21	24.4	41	51.1	42.6	31.8	52.8	1	6.0	------	------	1	12.5	18.8	5.5	31.2
Lincoln	16	24.5	12	21.7	4	40.8	27.7	24.4	43.6	------	------	------	------	------	------	12.0	3.6	52.4
McDowell	10	15.1	8	13.2	2	33.9	25.6	24.9	36.8	1	15.1	1	16.5	------	------	6.5	6.9	------
Macon	10	27.9	10	28.2	------	------	27.3	26.1	81.1	------	------	------	------	------	------	11.1	11.4	------
Madison	9	23.7	9	24.0	------	------	30.1	29.3	125.0	------	------	------	------	------	------	14.6	14.7	------
Martin	33	40.8	4	13.8	29	55.9	37.7	23.6	46.5	1	12.4	1	34.6	------	------	12.3	19.2	8.0
Mecklenburg	175	27.7	102	23.4	73	37.0	31.3	23.5	49.3	2	3.2	1	2.3	1	5.1	5.5	1.5	15.0
Mitchell	3	8.6	3	8.6	------	------	23.4	22.9	166.7	------	------	------	------	------	------	------	------	------
Montgomery	11	23.1	6	18.8	5	31.8	25.3	26.1	35.6	------	------	------	------	------	------	------	------	------
Moore	15	14.8	6	8.7	9	28.1	23.9	18.6	35.1	1	9.9	1	14.5	------	------	6.1	3.0	12.8
Nash	67	38.8	20	24.9	47	50.9	43.9	26.4	59.4	------	------	------	------	------	------	12.6	2.4	21.7
New Hanover	66	35.8	27	22.0	39	63.0	35.8	24.9	55.8	3	16.3	------	------	3	48.5	9.4	3.6	19.9
Northampton	21	25.9	2	10.8	19	30.4	36.1	17.4	41.4	1	12.3	------	------	1	16.0	7.3	------	9.4
Onslow	59	26.6	47	24.3	12	41.4	44.5	41.7	54.5	------	------	------	------	------	------	5.3	2.3	16.3
Orange	26	28.9	9	15.4	17	54.1	23.8	16.2	38.3	------	------	------	------	------	------	2.4	------	6.8
Pamlico	8	29.6	3	20.4	5	40.7	40.7	27.8	54.8	------	------	------	------	------	------	7.7	------	16.1
Pasquotank	23	28.7	11	21.7	12	40.7	35.1	23.5	53.0	------	------	------	------	------	------	11.3	4.7	21.5

Pender	18	35.4	3	14.2	15	50.5	38.6	28.5	45.5	1	19.7			1	33.7	16.3		27.1
Perquimans	5	17.9	1	8.5	4	24.8	30.1	22.1	35.6	1	35.8			1	62.1	32.6	40.2	27.4
Person	25	34.0	8	22.0	17	45.6	29.4	20.6	39.8	2	27.2			2	53.6	10.9	5.0	17.8
Pitt	58	28.2	12	14.3	46	37.8	34.6	19.1	46.0	2	9.7	1	11.9	1	8.2	13.1	9.4	15.8
Polk	12	44.1	9	40.4	3	61.2	44.6	45.5	40.9							8.6	10.6	
Randolph	36	25.9	34	27.1	2	14.4	25.7	24.7	33.4	2	14.4	1	8.0	1	71.9	8.0	7.2	14.5
Richmond	36	32.4	13	18.6	23	55.7	38.1	30.2	51.5							5.3	2.8	9.5
Robeson	128	41.2	24	24.1	104	49.3	48.5	31.3	57.1	5	16.1	1	10.0	4	19.0	14.5	11.9	15.9
Rockingham	36	22.8	24	20.9	12	28.1	29.7	25 1	42.7	2	12.7			2	46.8	13.4	6.6	32.9
Rowan	42	24.2	27	19.8	15	40.4	32.6	27.8	50.5	1	5.8			1	27.0	5.8	2.9	16.3
Rutherford	25	23.6	18	20.2	7	41.7	27.6	21.7	56.2	1	9.5	1	11.2			9.4	6.8	22.0
Sampson	51	36.2	13	18.1	38	55.2	35.4	28.4	43.0	1	7.1			1	14.5	19.6	21.4	17.5
Scotland	37	46.5	7	19.1	30	69.8	48.7	36.2	58.9	1	12.6			1	23.3	19.3		34.9
Stanly	23	27.3	16	22.9	7	48.6	24.9	21.5	43.5	2	23.7	2	28.6			11.6	11.0	15.0
Stokes	8	16.3	7	16.4	1	15.2	29.7	26.4	49.0	1	20.3			1	151.5	8.2	4.8	28.8
Surry	33	28.8	32	29.7	1	14.3	28.1	27.2	41.6							9.9	8.8	24.4
Swain	4	16.0	2	10.2	2	37.7	27.4	23.6	39.6									
Transylvania	10	26.9	8	22.6	2	111.1	20.8	19.7	34.7							5.2	5.6	
Tyrrell	5	41.7			5	82.0	36.3	21.1	49.8							49.5		93.5
Union	44	40.1	26	34.9	18	51.1	35.9	28.3	53.1	1	9.1	1	13.4			9.1	7.9	11.8
Vance	43	46.2	6	14.5	37	71.4	41.8	20.7	58.6	1	10.7			1	19.3	17.1	14.4	19.1
Wake	111	30.1	45	18.7	66	51.8	31.8	22.2	49.6	2	5.4			2	15.7	14.0	6.0	28.6
Warren	21	34.5			21	44.7	41.7	9.4	51.1							24.3		31.5
Washington	14	31.5	5	24.2	9	37.8	52.9	35.0	68.2	1	22.5			1	42.0	20.2		37.3
Watauga	13	30.8	13	31.2			29.7	29.7	27.0									
Wayne	64	37.4	25	27.7	39	48.2	37.9	25.4	52.2	1	5.8			1	12.4	11.6	2.2	22.4
Wilkes	25	24.1	23	23.6	2	31.7	27.0	26.8	29.2	1	9.6	1	10.3			7.4	7.9	
Wilson	76	46.4	20	25.3	56	66.0	49.8	25.3	72.8	2	12.2			2	23.6	16.3	5.2	26.9
Yadkin	14	29.9	13	29.7	1	31.3	20.0	19.5	26.7							8.3	8.9	
Yancey	9	23.3	9	23.7			18.7	18.3	45.5							16.5	16.7	

TABLE 20.—RESIDENT LIVE BIRTHS, ILLEGITIMATES, DEATHS, STILLBIRTHS, NONWHITE WITH NUMBER OCCURRING IN HOSPITALS: NORTH

Area	Live births						Deaths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
NORTH CAROLINA	76,374	38,189	73,554	21,200	1,614	8,306	21,180	10,302	9,012	3,581
Urban	25,776	12,009	25,561	8,735	569	3,008	7,021	4,200	3,412	1,782
Rural	50,598	26,180	47,993	12,465	1,045	5,298	14,159	6,102	5,600	1,799
Alamance	1,485	402	1,466	192	24	57	359	105	135	27
Burlington	359	77	352	20	7	16	127	26	59	6
Graham	90	2	90	------	1	------	40	8	11	1
Rural	1,036	323	1,024	172	16	41	192	71	65	20
Alexander	319	36	317	36	12	16	94	14	29	6
Alleghany	131	6	103	3	4	------	65	4	19	------
Anson	286	425	271	116	5	85	124	120	42	29
Wadesboro	68	35	65	14	2	8	31	24	16	5
Rural	218	390	206	102	3	77	93	96	26	24
Ashe	484	5	423	5	20	2	145	4	63	------
Avery	308	3	297	2	21	------	72	2	34	1
Beaufort	482	488	467	242	5	133	201	184	74	47
Belhaven	29	47	29	29	------	18	12	16	6	4
Washington	137	134	136	56	2	42	63	56	25	16
Rural	316	307	302	157	3	73	126	112	43	27
Bertie	220	577	211	248	2	105	101	134	40	31
Bladen	428	433	389	198	11	89	130	112	58	41
Brunswick	294	243	282	122	6	63	96	66	36	28
Buncombe	2,323	361	2,284	266	66	82	813	163	294	59
Asheville	860	304	856	216	27	72	368	143	131	55
Rural	1,463	57	1,428	50	39	10	445	20	163	4
Burke	883	93	845	91	33	22	241	33	127	10
Morganton	153	39	152	39	4	8	58	15	37	6
Valdese	60	2	60	2	2	1	14	------	9	------
Rural	670	52	633	50	27	13	169	18	81	4
Cabarrus	1,184	329	1,180	309	18	101	364	82	171	36
Concord	297	114	296	109	7	42	116	36	58	18
Rural	887	215	884	200	11	59	248	46	113	18
Caldwell	1,183	101	1,117	90	43	25	253	41	110	21
Lenoir	187	51	183	49	7	17	41	18	20	8
Rural	996	50	934	41	36	8	212	23	90	13
Camden	73	82	61	14	1	19	30	21	10	7
Carteret	580	125	573	90	9	35	170	37	66	15
Beaufort	65	39	64	35	------	7	32	9	14	3
Morehead City	148	28	147	27	3	9	41	14	20	6
Rural	367	58	362	28	6	19	97	14	32	6
Caswell	201	324	179	87	1	53	83	74	25	17
Catawba	1,521	242	1,503	196	42	63	333	58	153	21
Hickory	436	96	435	82	14	27	88	31	50	13
Newton	170	24	167	22	8	5	33	2	19	1

INFANT DEATHS, AND MATERNAL DEATHS BY COLOR (INDIANS INCLUDED IN CAROLINA AND EACH COUNTY, URBAN AND RURAL, 1954

Stillbirths				Infant deaths								Maternal deaths			
				Under one year				Under 28 days							
Total		Hospital		Total		Hospital		Total		Hospital		Total		Hospital	
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
1,163	1,190	1,112	743	1,673	1,774	1,356	863	1,207	1,010	1,132	627	31	60	26	38
392	370	384	278	565	564	489	356	444	350	427	278	9	18	7	14
771	820	728	465	1,108	1,210	867	507	763	660	705	349	22	42	19	24
8	12	8	3	24	14	18	7	17	8	17	5	------	------	------	------
2	3	2	1	9	3	8	1	8	1	8	------	------	------	------	------
2	------	2	------	1	------	1	------	1	------	1	------	------	------	------	------
4	9	4	2	14	11	9	6	8	7	8	5	------	------	------	------
3	3	3	3	6	4	4	2	3	2	3	2	------	------	------	------
4	------	2	------	3	------	2	------	2	------	1	------	------	------	------	------
5	23	5	9	9	22	5	9	6	16	5	9	------	1	------	------
2	------	2	------	2	4	------	3	------	4	------	3	------	------	------	------
3	23	3	9	7	18	5	6	6	12	5	6	------	1	------	------
10	------	9	------	17	1	13	------	9	------	8	------	------	------	------	------
8	------	8	------	7	1	4	1	3	1	3	1	------	------	------	------
14	19	14	12	12	34	9	15	9	21	9	13	------	1	------	1
1	4	1	2	------	7	------	4	------	5	------	4	------	1	------	1
5	3	5	2	3	6	1	1	1	3	1	1	------	------	------	------
8	12	8	8	9	21	8	10	8	13	8	8	------	------	------	------
4	10	4	6	4	17	3	5	2	14	2	4	------	2	------	1
5	12	4	8	9	27	5	12	5	17	4	10	1	------	1	------
5	9	5	6	6	19	4	12	4	9	4	7	------	------	------	------
26	10	26	7	43	14	37	13	35	12	34	12	------	------	------	------
13	9	13	6	14	12	11	12	11	11	10	11	------	------	------	------
13	1	13	1	29	2	26	1	24	1	24	1	------	------	------	------
14	------	13	------	23	2	18	1	13	1	12	1	1	------	1	------
3	------	3	------	6	2	6	1	5	1	5	1	------	------	------	------
------	------	------	------	1	------	1	------	------	------	------	------	------	------	------	------
11	------	10	------	16	------	11	------	8	------	7	------	1	------	1	------
22	11	22	11	16	6	15	------	15	2	14	------	2	------	2	------
8	5	8	5	6	------	5	------	5	------	4	------	1	------	1	------
14	6	14	6	10	6	10	------	10	2	10	------	1	------	1	------
20	3	19	3	31	4	27	2	20	1	20	1	1	------	1	------
3	2	3	2	3	------	3	------	1	------	1	------	------	------	------	------
17	1	16	1	28	4	24	2	19	1	19	1	1	------	1	------
------	4	------	------	------	4	------	1	------	3	------	1	------	------	------	------
11	5	11	3	12	8	9	5	9	4	7	4	1	------	1	------
------	2	------	1	1	1	1	1	1	------	1	------	1	------	1	------
4	------	4	------	6	1	5	1	5	1	4	1	------	------	------	------
7	3	7	2	5	6	3	3	3	3	2	3	------	------	------	------
5	13	2	8	5	14	4	4	3	6	3	2	------	------	------	------
16	7	16	5	34	9	27	7	22	5	21	4	------	------	------	------
3	3	3	2	13	5	10	4	9	2	9	2	------	------	------	------
3	------	3	------	6	------	4	------	5	------	4	------	------	------	------	------

TABLE 20.—

Area	Live births						Deaths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Rural	915	122	901	92	20	31	212	25	84	7
Chatham	354	269	348	237	10	36	140	64	64	21
Siler City	52	17	52	17	1	4	21	3	11	------
Rural	302	252	296	220	9	32	119	61	53	21
Cherokee	372	9	353	6	9	3	132	2	53	------
Chowan	176	204	162	89	1	58	61	54	11	13
Edenton	64	52	61	24	------	21	22	20	2	5
Rural	106	152	101	65	1	37	39	34	9	8
Clay	124	--------	78	--------	4	------	36	--------	6	------
Cleveland	1,171	578	1,133	405	24	124	317	105	152	61
Kings Mountain	144	38	144	36	6	5	42	8	20	4
Shelby	293	137	293	114	5	40	97	32	47	22
Rural	734	403	696	255	13	79	178	65	85	35
Columbus	885	701	820	349	15	158	246	161	110	52
Whiteville	89	44	88	25	------	13	20	24	9	12
Rural	796	657	732	324	15	145	226	137	101	40
Craven	1,516	612	1,505	272	10	181	250	197	117	45
New Bern	326	235	324	93	2	75	81	108	50	24
Rural	1,190	377	1,181	179	8	166	169	89	67	21
Cumberland	3,811	1,268	3,757	637	34	213	418	268	219	107
Fayetteville	1,892	683	1,876	374	13	98	173	147	106	66
Rural	1,919	585	1,881	263	21	115	245	121	113	41
Currituck	84	81	72	14	------	13	39	24	13	2
Dare	112	15	109	5	------	5	49	9	14	2
Davidson	1,386	218	1,373	198	30	65	378	70	173	30
Lexington	305	89	304	78	7	33	88	28	40	12
Thomasville	219	71	216	67	11	14	70	22	39	11
Rural	862	58	853	53	12	18	226	20	94	7
Davie	308	59	301	48	5	11	94	25	25	7
Duplin	610	564	579	370	13	126	201	128	62	25
Durham	1,489	980	1,483	967	49	227	474	319	209	141
Durham	879	741	877	740	16	180	312	257	149	124
Rural	610	239	606	227	33	47	162	62	60	17
Edgecombe	626	1,090	591	274	9	338	192	236	77	83
Rocky Mount*	221	144	220	56	2	40	66	64	31	24
Tarboro	140	120	139	44	3	46	54	37	23	12
Rural	265	826	232	174	4	252	72	135	23	47
Forsyth	2,989	1,113	2,962	1,035	41	350	727	471	341	258
Winston-Salem	1,557	1,013	1,552	950	31	332	389	424	208	234
Rural	1,432	100	1,410	85	10	18	338	47	133	24

*See Nash County for remainder of Rocky Mount.

Continued

Stillbirths				Infant deaths								Maternal deaths			
				Under one year				Under 28 days							
Total		Hospital		Total		Hospital		Total		Hospital		Total		Hospital	
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
10	4	10	3	15	4	13	3	8	3	8	2	------	------	------	------
12	4	11	4	8	8	8	5	8	7	8	4	1	------	1	------
5	------	4	------	1	2	1	2	1	2	1	2	------	------	------	------
7	4	7	4	7	6	7	3	7	5	7	2	1	------	1	------
7	------	6	------	17	1	14	------	12	------	11	------	------	------	------	------
4	11	4	7	4	6	4	2	3	2	3	1	------	------	------	------
3	2	3	2	2	2	2	1	2	------	2	------	------	------	------	------
1	9	1	5	2	4	2	1	1	2	1	1	------	------	------	------
4	------	2	------	------	------	------	------	------	------	------	------	1	------	1	------
21	13	20	11	30	24	24	20	21	19	18	17	------	1	------	1
6	1	6	1	8	1	6	1	6	1	6	1	------	1	------	1
7	2	7	2	7	4	5	3	5	4	4	3	------	------	------	------
8	10	7	8	15	19	13	16	10	14	8	13	------	------	------	------
11	32	11	20	34	46	25	20	23	23	20	15	------	1	------	1
3	1	3	------	4	6	4	5	3	4	3	3	------	------	------	------
8	30	8	19	30	40	21	15	20	19	17	12	------	1	------	1
19	13	19	6	31	33	29	12	25	14	25	7	2	1	2	------
6	6	6	3	6	15	6	8	5	8	5	6	1	1	1	------
13	7	13	3	25	18	23	4	20	6	20	1	1	------	1	------
42	33	40	26	89	54	78	31	70	32	69	25	1	5	1	4
22	20	21	15	44	29	41	18	38	18	37	14	------	3	------	2
20	13	19	11	45	25	37	13	32	14	32	11	1	2	1	2
3	2	2	1	1	5	1	------	1	2	1	------	------	------	------	------
1	1	1	------	2	------	1	------	2	------	1	------	1	------	1	------
23	5	23	3	36	10	30	5	25	8	22	4	1	------	1	------
3	3	3	1	7	3	7	2	4	3	4	2	------	------	------	------
3	2	3	2	10	2	9	1	9	2	8	1	------	------	------	------
17	------	17	------	19	5	14	2	12	3	10	1	1	------	1	------
6	2	5	2	6	7	4	2	4	4	4	1	------	------	------	------
10	8	10	6	12	18	10	6	7	10	7	3	2	2	2	1
25	34	23	33	28	37	22	36	22	26	21	25	1	1	------	1
16	30	16	29	18	32	15	28	14	25	14	24	1	1	------	1
9	4	7	4	10	5	7	2	8	1	7	1	------	------	------	------
15	28	14	12	11	51	10	26	9	31	9	17	------	------	------	------
6	2	6	2	3	6	3	3	3	4	3	2	------	------	------	------
1	5	1	2	4	8	4	6	3	5	3	4	------	------	------	------
8	21	7	8	4	37	3	17	3	22	3	11	------	------	------	------
51	30	51	25	65	54	59	35	51	29	49	24	------	2	------	2
28	29	28	25	33	47	31	31	26	26	26	22	------	2	------	2
23	2	23	1	32	7	28	4	25	3	23	2	------	------	------	------

TABLE 20.—

Area	Live births						Deaths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Franklin	341	492	331	181	4	95	147	124	65	30
Louisburg	34	44	34	20	------	12	13	17	9	4
Rural	307	448	297	161	4	83	134	107	56	26
Gaston	2,625	464	2,585	388	83	99	588	128	266	53
Belmont	262	25	257	21	4	6	34	8	14	6
Bessemer City	94	13	93	7	4	4	21	2	7	------
Cherryville	91	7	89	7	4	2	24	3	8	1
Gastonia	807	164	801	156	33	37	169	51	83	27
Rural	1,371	255	1,345	197	38	50	340	64	154	19
Gates	86	152	86	63	------	21	45	46	15	16
Graham	166	8	159	7	6	------	35	1	6	------
Granville	365	458	354	310	7	84	106	133	35	48
Oxford	93	64	93	58	1	10	20	34	7	13
Rural	272	394	261	252	6	74	86	99	28	35
Greene	195	346	153	187	2	86	53	67	18	19
Guilford	3,952	1,235	3,930	1,081	85	250	1,033	381	496	173
Greensboro	1,596	659	1,594	639	30	143	399	210	209	111
High Point	773	283	772	203	17	56	224	84	109	30
Rural	1,583	293	1,564	239	38	51	410	87	178	32
Halifax	573	1,279	547	239	7	228	204	281	94	65
Roanoke Rapids	197	32	195	28	2	2	69	10	38	6
Scotland Neck	45	41	44	7	1	17	26	12	8	4
Rural	331	1,206	308	204	4	209	109	259	48	55
Harnett	790	457	768	276	12	103	219	104	92	24
Dunn	125	82	124	53	1	20	31	28	17	6
Rural	665	375	644	223	11	83	188	76	75	18
Haywood	813	34	806	34	23	7	211	5	90	5
Canton	142	11	142	11	1	1	20	------	12	------
Waynesville	132	17	132	17	6	4	41	3	18	3
Rural	539	6	532	6	16	2	150	2	60	2
Henderson	649	61	632	53	14	8	232	32	104	11
Hendersonville	135	37	132	33	3	3	53	21	25	8
Rural	514	24	500	20	11	5	179	11	79	3
Hertford	154	479	136	220	4	75	72	109	28	34
Ahoskie	49	71	49	60	------	20	19	12	10	6
Rural	105	408	87	160	4	55	53	97	18	28
Hoke	146	314	110	64	1	78	31	64	12	15
Hyde	60	95	57	45	1	28	47	22	12	4
Iredell	1,099	336	1,087	305	32	87	341	119	157	46
Mooresville	124	36	122	35	3	10	53	20	27	6
Statesville	341	79	336	71	10	27	110	45	55	21
Rural	634	221	629	199	19	50	178	54	75	19
Jackson	304	40	269	35	8	11	132	8	46	1
Johnston	1,089	464	1,009	176	17	88	383	95	120	25
Selma	54	25	51	8	2	6	22	7	3	------

Continued

Stillbirths				Infant deaths								Maternal deaths			
				Under one year				Under 28 days							
Total		Hospital		Total		Hospital		Total		Hospital		Total		Hospital	
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
5	24	5	10	6	24	5	3	6	13	5	2	1	3	------	2
------	3	------	2	1	2	1	1	1	1	1	1	------	------	------	------
5	21	5	8	5	22	4	2	5	12	4	1	1	3	------	2
43	19	41	19	65	26	47	15	42	18	40	11	------	1	------	------
5	------	5	------	2	3	1	3	1	3	1	3	------	------	------	------
1	------	1	------	------	1	------	------	------	1	------	------	------	------	------	------
2	1	2	1	------	1	------	1	------	1	------	1	------	------	------	------
8	3	8	3	18	6	12	5	11	5	9	4	------	------	------	------
27	15	25	15	45	15	34	6	30	8	30	3	------	1	------	------
2	1	2	1	3	6	2	4	2	3	2	3	------	------	------	------
3	------	3	------	3	------	2	------	1	------	1	------	------	------	------	------
9	17	6	15	6	24	6	18	4	16	4	14	------	------	------	------
3	1	3	1	------	2	------	2	------	1	------	1	------	------	------	------
6	16	3	14	6	22	6	16	4	15	4	13	------	------	------	------
4	12	4	5	2	20	------	8	------	12	------	5	------	2	------	1
51	42	51	37	88	53	75	34	66	33	64	27	------	2	------	2
15	15	15	13	30	26	29	20	28	19	28	17	------	1	------	1
13	11	13	10	17	11	14	4	11	6	11	3	------	------	------	------
23	16	23	14	41	16	32	10	27	8	25	7	------	1	------	1
10	39	10	13	8	55	8	21	7	29	7	10	------	2	------	------
5	3	5	3	3	4	3	4	3	3	3	3	------	------	------	------
1	1	1	1	1	3	1	3	1	1	1	1	------	------	------	------
4	35	4	9	4	48	4	14	3	25	3	6	------	2	------	------
14	11	13	8	15	23	12	10	12	13	11	8	1	------	1	------
1	------	1	------	------	7	------	3	------	4	------	2	------	------	------	------
13	11	12	8	15	16	12	7	12	9	11	6	1	------	1	------
12	1	12	1	15	2	14	2	10	2	10	2	------	------	------	------
1	1	1	1	------	------	------	------	------	------	------	------	------	------	------	------
2	------	2	------	3	1	2	1	2	1	2	1	------	------	------	------
9	------	9	------	12	1	12	1	8	1	8	1	------	------	------	------
14	1	14	1	10	4	10	2	9	4	9	2	------	------	------	------
1	------	1	------	2	2	2	1	2	2	2	1	------	------	------	------
13	1	13	1	8	2	8	1	7	2	7	1	------	------	------	------
------	10	------	4	------	21	------	7	------	14	------	5	------	1	------	1
------	2	------	1	------	4	------	------	------	1	------	------	------	------	------	------
------	8	------	3	------	17	------	7	------	13	------	5	------	1	------	1
------	10	------	2	2	17	1	6	1	8	1	3	------	------	------	------
1	5	1	2	1	4	------	------	1	3	------	------	------	------	------	------
17	17	17	14	21	16	18	9	17	9	16	8	------	1	------	1
------	3	------	3	2	1	2	------	2	------	2	------	------	------	------	------
1	5	1	4	9	7	7	4	7	4	6	3	------	------	------	------
16	9	16	7	10	8	9	5	8	5	8	5	------	1	------	1
4	1	3	1	9	------	6	------	5	------	5	------	------	------	------	------
23	17	23	12	25	15	20	7	19	7	18	5	1	------	1	------
------	1	------	1	1	------	1	------	1	------	1	------	------	------	------	------

TABLE 20.—

Area	Live births						Deaths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Smithfield	86	43	85	20	------	11	24	14	8	5
Rural	949	396	873	148	15	71	337	74	109	20
Jones	125	199	118	101	4	52	47	28	17	8
Lee	497	242	492	210	15	54	135	71	73	28
Sanford	240	99	238	84	3	32	43	33	24	17
Rural	257	143	254	126	12	22	92	38	49	11
Lenoir	859	803	834	244	20	179	234	213	93	51
Kinston	455	291	449	99	7	55	105	102	43	23
Rural	404	512	385	145	13	124	129	111	50	28
Lincoln	554	98	543	35	16	16	179	18	72	5
Lincolnton	133	20	132	10	5	2	31	2	14	1
Rural	421	78	411	25	11	14	148	16	58	4
McDowell	605	59	587	56	26	10	145	15	53	4
Marion	101	6	99	6	3	1	27	2	16	------
Rural	504	53	488	50	23	9	118	13	37	4
Macon	354	5	260	--------	7	------	116	3	35	1
Madison	375	4	295	--------	14	2	107	3	34	1
Martin	289	519	258	224	5	113	97	113	41	25
Williamston	82	114	81	54	2	21	20	22	8	6
Rural	207	405	177	170	3	92	77	91	33	19
Mecklenburg	4,358	1,971	4,353	1,722	135	504	1,113	558	586	252
Charlotte	2,738	1,512	2,735	1,348	111	377	764	452	403	218
Rural	1,620	459	1,618	374	24	127	349	106	183	34
Mitchell	347	--------	331	--------	18	------	107	4	29	2
Montgomery	319	157	315	125	11	30	89	35	37	8
Moore	691	320	682	274	12	71	187	83	92	36
Southern Pines	130	65	127	51	1	18	28	20	12	6
Rural	561	255	555	223	11	53	159	63	80	30
Nash	804	924	766	154	16	196	293	236	127	76
Rocky Mount*	244	120	243	32	4	30	97	56	48	18
Rural	560	804	523	122	12	166	196	180	79	52
New Hanover	1,227	619	1,223	605	19	150	414	254	194	135
Wilmington	780	521	777	509	12	121	271	211	131	117
Rural	447	98	446	96	7	29	143	43	63	18
Northampton	186	626	165	70	2	122	101	125	29	22
Onslow	1,931	290	1,920	206	18	64	188	60	104	27
Jacksonville	353	46	352	38	6	14	26	8	10	7
Rural	1,578	244	1,568	168	12	50	162	52	94	20
Orange	585	314	576	270	5	59	145	74	54	30
Chapel Hill	106	44	104	43	2	11	22	15	19	10

*See Edgecombe County for remainder of Rocky Mount.

Continued

Stillbirths				Infant deaths								Maternal deaths			
				Under one year				Under 28 days							
Total		Hospital		Total		Hospital		Total		Hospital		Total		Hospital	
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
1	2	1	1	1	1	1	1	1	1	1	1	------	------	------	------
22	14	22	10	23	14	18	6	17	6	16	4	1	------	1	------
2	6	2	4	2	2	1	1	------	2	------	1	------	1	------	------
8	6	7	4	14	11	14	5	11	4	11	4	------	1	------	1
5	------	5	------	3	4	3	2	3	2	3	2	------	1	------	1
3	6	2	4	11	7	11	3	8	2	8	2	------	------	------	------
18	33	18	13	21	41	17	16	16	26	15	8	------	1	------	1
10	15	10	4	13	8	10	6	10	5	9	4	------	1	------	1
8	18	8	9	8	33	7	10	6	21	6	4	------	------	------	------
9	4	9	2	12	4	12	1	11	3	11	------	------	------	------	------
1	3	1	2	2	------	2	------	2	------	2	------	------	------	------	------
8	1	8	------	10	4	10	1	9	3	9	------	------	------	------	------
8	2	8	2	8	2	4	1	4	1	2	------	1	------	1	------
1	1	1	1	2	------	2	------	1	------	1	------	------	------	------	------
7	1	7	1	6	2	2	1	3	1	1	------	1	------	1	------
3	------	2	------	10	------	5	------	9	------	5	------	------	------	------	------
7	------	6	------	9	------	5	------	4	------	4	------	------	------	------	------
3	21	1	12	4	29	4	9	4	18	4	8	1	------	1	------
1	7	1	5	2	7	2	3	2	3	2	2	1	------	1	------
2	14	------	7	2	22	2	6	2	15	2	6	------	------	------	------
62	57	62	46	102	73	89	48	78	44	77	38	1	1	1	1
44	43	44	36	68	58	60	41	55	34	54	32	1	------	1	------
18	14	18	10	34	15	29	7	23	10	23	6	------	1	------	1
7	------	7	------	3	------	2	------	1	------	1	------	------	------	------	------
6	3	6	3	6	5	5	2	3	3	3	2	------	------	------	------
6	9	6	7	6	9	5	9	3	4	3	4	1	------	------	------
1	2	1	------	1	1	1	1	------	------	------	------	------	------	------	------
5	7	5	7	5	8	4	8	3	4	3	4	1	------	------	------
8	33	7	13	20	47	18	16	17	28	16	10	------	------	------	------
2	2	2	1	7	9	7	4	6	6	6	2	------	------	------	------
6	31	5	12	13	38	11	12	11	22	10	8	------	------	------	------
14	16	13	16	27	39	25	29	21	28	21	27	------	3	------	3
12	14	11	14	18	34	17	26	14	25	14	25	------	2	------	2
2	2	2	2	9	5	8	3	7	3	7	2	------	1	------	1
3	17	2	5	2	19	1	3	2	10	1	1	------	1	------	------
32	7	32	6	47	12	40	5	36	5	35	3	------	------	------	------
3	1	3	1	9	3	7	2	4	1	4	1	------	------	------	------
29	6	29	5	38	9	33	3	32	4	31	2	------	------	------	------
16	11	14	10	9	17	8	9	7	10	7	7	------	------	------	------
5	2	5	2	3	2	3	1	3	1	3	1	------	------	------	------

TABLE 20.—

Area	Live births						Deaths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Rural	479	270	472	227	3	48	123	59	35	20
Pamlico	147	123	101	29	2	31	59	29	18	3
Pasquotank	506	295	500	101	6	53	132	96	58	27
Elizabeth City	387	182	385	86	5	35	97	62	50	23
Rural	119	113	115	15	1	18	35	34	8	4
Pender	211	297	204	152	3	71	76	66	35	23
Perquimans	118	161	112	20	------	26	43	43	15	6
Person	363	373	347	231	5	44	100	85	39	20
Roxboro	59	29	58	26	2	3	23	19	8	3
Rural	304	344	289	205	3	41	77	66	31	17
Pitt	837	1,218	768	544	7	336	262	288	106	78
Farmville	39	55	33	20	------	13	16	17	4	2
Greenville	292	247	291	120	1	83	80	88	37	29
Rural	506	916	444	404	6	240	166	183	65	47
Polk	223	49	211	30	6	9	74	10	27	5
Randolph	1,253	139	1,239	115	25	26	349	38	160	16
Asheboro	359	41	359	37	6	13	56	15	30	4
Rural	894	98	880	78	19	13	293	23	130	12
Richmond	699	413	678	222	14	98	212	160	90	54
Hamlet	81	44	81	29	------	13	19	12	7	2
Rockingham	65	45	64	20	2	14	31	20	17	4
Rural	553	324	533	173	12	71	162	128	66	48
Robeson	996	2,108	902	1,152	18	372	290	416	107	128
Lumberton	208	128	203	86	4	34	55	42	23	12
Rural	788	1,980	699	1,066	14	338	235	374	84	116
Rockingham	1,151	427	1,086	250	22	98	360	118	143	50
Draper	83	4	79	3	2	2	16	3	5	2
Leaksville	121	20	120	12	2	1	47	5	12	3
Reidsville	191	120	190	77	5	32	65	44	30	21
Rural	756	283	697	158	13	63	232	66	96	24
Rowan	1,366	371	1,344	308	21	90	433	137	198	41
Salisbury	334	162	333	142	6	46	127	69	68	20
Spencer	59	13	59	13	------	4	21	--------	11	------
Rural	973	196	952	153	15	40	285	68	119	21
Rutherford	890	168	761	58	25	40	276	46	122	15
Forest City	133	42	116	11	3	12	34	11	15	2
Rutherfordton	89	19	87	11	5	4	23	6	13	------
Spindale	89	6	85	2	1	------	23	4	12	2
Rural	579	101	473	34	16	24	196	25	82	11
Sampson	720	688	669	166	9	107	226	161	83	38
Clinton	115	87	113	17	1	18	29	21	12	4
Rural	605	601	556	149	8	89	197	140	71	34
Scotland	366	430	337	198	10	96	108	118	45	30
Laurinburg	151	112	147	43	2	28	25	38	14	12
Rural	215	318	190	155	8	68	83	80	31	18

Continued

Stillbirths				Infant deaths								Maternal deaths			
				Under one year				Under 28 days							
Total		Hospital		Total		Hospital		Total		Hospital		Total		Hospital	
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
11	9	9	8	6	15	5	8	4	9	4	6	------	------	------	------
2	7	2	1	3	5	3	2	2	5	2	2	------	------	------	------
7	6	6	2	11	12	10	4	8	3	8	1	------	------	------	------
5	3	4	1	10	6	9	3	7	1	7	1	------	------	------	------
2	3	2	1	1	6	1	1	1	2	1	------	------	------	------	------
3	9	3	4	3	15	3	9	2	10	2	6	------	1	------	1
2	4	2	2	1	4	1	1	1	3	1	1	------	1	------	------
5	12	5	6	8	17	7	6	3	9	3	5	------	2	------	------
------	1	------	1	1	3	1	2	------	3	------	2	------	------	------	------
5	11	5	5	7	14	6	4	3	6	3	3	------	2	------	------
9	43	9	27	12	46	11	18	11	24	11	13	1	1	1	------
------	3	------	1	1	1	1	------	1	------	1	------	------	------	------	------
4	8	4	4	2	9	2	4	2	6	2	3	------	1	------	------
5	32	5	22	9	36	8	14	8	18	8	10	1	------	1	------
4	1	4	------	9	3	8	1	8	1	8	1	------	------	------	------
18	3	18	2	34	2	28	1	23	1	22	------	1	1	1	1
4	------	4	------	6	------	5	------	4	------	4	------	------	------	------	------
14	3	14	2	28	2	23	1	19	1	18	------	1	1	1	1
10	7	8	4	13	23	7	15	8	13	6	11	------	------	------	------
------	1	------	1	2	5	2	1	2	2	2	1	------	------	------	------
2	1	1	1	------	3	------	3	------	2	------	2	------	------	------	------
8	5	7	2	11	15	5	11	6	9	4	8	------	------	------	------
19	67	19	42	24	104	15	43	13	39	13	27	1	4	1	2
3	2	3	------	6	10	2	3	2	3	2	1	1	------	1	------
16	65	16	42	18	94	13	40	11	36	11	26	------	4	------	2
11	4	11	2	24	12	16	8	16	9	14	8	------	2	------	1
1	------	1	------	2	------	2	------	2	------	2	------	------	------	------	------
4	------	4	------	1	1	------	1	1	1	------	1	------	------	------	------
2	1	2	1	6	4	4	2	4	2	4	2	------	1	------	1
4	3	4	1	15	7	10	5	9	6	8	5	------	1	------	------
18	12	18	10	27	15	24	8	18	7	18	5	------	1	------	1
3	3	3	3	11	5	11	3	9	2	9	2	------	1	------	1
------	------	------	------	1	------	1	------	1	------	1	------	------	------	------	------
15	9	15	7	15	10	12	5	8	5	8	3	------	------	------	------
11	4	10	1	18	7	14	3	15	1	12	------	1	------	------	------
3	1	2	------	1	3	1	2	1	1	1	------	------	------	------	------
------	1	------	------	2	------	2	------	1	------	1	------	------	------	------	------
2	------	2	------	1	1	1	------	1	------	1	------	------	------	------	------
6	2	6	1	14	3	10	1	12	------	9	------	1	------	------	------
16	17	15	10	13	38	8	12	6	13	4	4	------	1	------	1
3	6	2	2	------	9	------	3	------	1	------	1	------	------	------	------
13	11	13	8	13	29	8	9	6	12	4	3	------	1	------	1
7	17	7	8	7	30	6	10	5	13	5	5	------	1	------	1
3	3	3	2	3	5	3	2	3	3	3	2	------	------	------	------
4	14	4	6	4	25	3	8	2	10	2	3	------	1	------	1

TABLE 20.—

Area	Live births						Deaths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Stanly	700	144	686	126	15	27	217	43	92	19
Albemarle	258	33	257	30	10	6	79	19	33	9
Rural	442	111	429	96	5	21	138	24	59	10
Stokes	426	66	359	32	4	9	114	19	41	5
Surry	1,076	70	983	40	37	12	304	13	114	3
Elkin	84	5	84	5	1	1	16	1	4	1
Mount Airy	163	5	155	1	12	1	48	4	16	------
Rural	829	60	744	34	24	10	240	8	94	2
Swain	197	53	151	51	10	4	66	9	20	3
Transylvania	354	18	305	15	10	2	83	7	26	3
Brevard	109	16	108	13	4	2	25	3	9	2
Rural	245	2	197	2	6	------	58	4	17	1
Tyrrell	59	61	57	19	1	14	17	18	8	3
Union	746	352	736	93	10	74	268	86	141	30
Monroe	179	95	178	29	------	16	63	29	36	12
Rural	567	257	558	64	10	58	205	57	105	18
Vance	413	518	409	243	5	77	146	164	48	61
Henderson	217	194	217	112	3	32	67	74	22	31
Rural	196	324	192	131	2	45	79	90	26	30
Wake	2,407	1,275	2,339	698	37	235	692	405	342	196
Raleigh	1,062	494	1,058	352	18	111	341	197	191	113
Wake Forest	52	27	52	12	2	1	20	6	8	------
Rural	1,293	754	1,229	334	17	123	331	202	143	83
Warren	139	470	128	122	1	50	67	115	15	26
Washington	207	238	199	122	1	35	61	71	17	10
Plymouth	81	84	80	48	------	19	12	23	5	1
Rural	126	154	119	74	1	16	49	48	12	9
Watauga	417	5	413	5	12	------	117	4	47	1
Boone	72	4	72	4	2	------	13	4	6	1
Rural	345	1	341	1	10	------	104	--------	41	------
Wayne	901	809	831	360	9	215	282	252	100	62
Goldsboro	329	333	316	102	2	93	96	115	46	32
Mount Olive	62	52	62	45	------	23	18	20	2	5
Rural	510	424	453	213	7	99	168	117	52	25
Wilkes	974	63	858	51	35	13	262	26	91	8
North Wilkesboro	96	11	88	10	4	4	26	4	10	------
Rural	878	52	770	41	31	9	236	22	81	8
Wilson	790	848	742	440	9	209	242	251	117	98
Wilson	375	353	371	171	5	98	105	149	51	58
Rural	415	495	371	269	4	111	137	102	66	40
Yadkin	437	32	435	29	11	4	130	8	49	2
Yancey	380	7	333	5	8	1	108	1	40	------

Continued

Stillbirths				Infant deaths								Maternal deaths			
				Under one year				Under 28 days							
Total		Hospital		Total		Hospital		Total		Hospital		Total		Hospital	
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
14	4	14	4	16	7	13	6	11	7	11	6	2	------	2	------
2	1	2	1	4	3	4	3	3	3	3	3	1	------	1	------
12	3	12	3	12	4	9	3	8	4	8	3	1	------	1	------
6	3	5	------	7	1	5	------	3	1	3	------	------	1	------	------
12	2	11	2	32	1	19	------	21	------	15	------	------	------	------	------
2	------	2	------	2	------	1	------	1	------	1	------	------	------	------	------
------	------	------	------	3	------	2	------	3	------	2	------	------	------	------	------
10	2	9	2	27	1	16	------	17	------	12	------	------	------	------	------
------	2	------	2	2	2	2	1	2	1	2	1	------	------	------	------
2	------	2	------	8	2	4	------	7	------	4	------	------	------	------	------
------	------	------	------	3	1	3	------	3	------	3	------	------	------	------	------
2	------	2	------	5	1	1	------	4	------	1	------	------	------	------	------
3	1	3	1	------	5	------	1	------	4	------	1	------	------	------	------
17	22	17	6	26	18	25	9	21	9	21	7	1	------	1	------
4	5	4	3	7	3	7	2	6	2	6	2	------	------	------	------
13	17	13	3	19	15	18	7	15	7	15	5	1	------	1	------
6	20	6	11	6	37	5	21	4	20	4	14	------	1	------	1
4	8	4	6	2	16	1	11	1	10	1	7	------	------	------	------
2	12	2	5	4	21	4	10	3	10	3	7	------	1	------	1
41	40	40	22	45	66	40	44	34	44	32	33	------	2	------	2
17	12	17	10	20	22	18	16	17	17	17	13	------	------	------	------
1	1	1	------	1	------	------	------	1	------	------	------	------	------	------	------
23	27	22	12	24	44	22	28	16	27	15	20	------	2	------	2
1	12	1	2	------	21	------	2	------	11	------	2	------	------	------	------
6	5	5	4	5	9	4	3	5	5	4	3	------	1	------	1
2	3	1	3	3	2	2	------	3	------	2	------	------	------	------	------
4	2	4	1	2	7	2	3	2	5	2	3	------	1	------	1
6	1	6	1	13	------	8	------	4	------	4	------	------	------	------	------
------	1	------	1	2	------	1	------	1	------	1	------	------	------	------	------
6	------	6	------	11	------	7	------	3	------	3	------	------	------	------	------
17	14	17	12	25	39	20	17	22	23	20	13	------	1	------	------
8	6	8	5	10	16	8	5	9	10	8	4	------	------	------	------
3	1	3	1	1	4	1	3	1	3	1	3	------	------	------	------
6	7	6	6	14	19	11	9	12	10	11	6	------	1	------	------
11	1	9	1	23	2	12	1	11	1	10	------	1	------	------	------
------	1	------	1	6	------	5	------	4	------	4	------	1	------	------	------
11	------	9	------	17	2	7	1	7	1	6	------	------	------	------	------
11	40	10	25	20	56	19	27	16	33	16	21	------	2	------	1
7	21	7	14	9	26	9	11	8	17	8	10	------	1	------	------
4	19	3	11	11	30	10	16	8	16	8	11	------	1	------	1
7	1	7	1	13	1	10	------	10	1	9	------	------	------	------	------
3	------	2	------	9	------	5	------	8	------	4	------	------	------	------	------

TABLE 21.—RESIDENT LIVE BIRTHS, ILLEGITIMATES, DEATHS, STILLBIRTHS, INFANT DEATHS, AND MATERNAL DEATHS OF INDIANS WITH NUMBER OCCURRING IN HOSPITALS: NORTH CAROLINA, EACH COUNTY, URBAN AND RURAL, 1954

Area	Live births			Deaths		Stillbirths		Infant deaths		Maternal deaths	
	Total	Hospital	Illegitimate	Total	Hospital	Total	Hospital	Total	Hospital	Total	Hospital
NORTH CAROLINA	1,341	914	169	173	66	28	23	44	21	2	2
Urban	25	22	5	2	2			1	1		
Rural	1,316	892	164	171	64	28	23	43	20	2	2
Alamance				1							
Bladen	3	3		1		1	1				
Burke				1							
Chatham				1							
Cherokee	3	1		1				1			
Columbus	28	14	7	1							
Cumberland	32	20	4	2		2	2	1			
Fayetteville	6	5	2								
Rural	26	15	2			2	2				
Currituck	1	1									
Graham	8	7		1							
Guilford	1	1		1	1			1	1		
Greensboro	1	1		1	1			1	1		
Rural											
Halifax	3	1									
Harnett	18	13	1	4	2			1	1		
Dunn	1	1									
Rural	17	12	1								
Henderson	1	1									
Hoke	27	5	6	4				2			
Iredell	2	2									
Statesville	2	2									
Jackson	32	28	8	3	1						
Mecklenburg	1	1									
Moore	1	1									
Nash	1										
New Hanover	1	1									
Onslow	3	2									
Orange	1	1									
Person	2	1		1							
Roxboro	1	1									
Rural	1										
Pitt	1										
Robeson	1,044	710	135	135	53	20	17	35	17	2	2
Lumberton	10	9	3								

TABLE 21.—*Continued*

Area	Live births			Deaths		Stillbirths		Infant deaths		Maternal deaths	
	Total	Hospital	Illegitimate	Total	Hospital	Total	Hospital	Total	Hospital	Total	Hospital
Rural	1,034	701	132	------	------	20	17	------	------	------	------
Rowan	1	1	------	------	------	------	------	------	------	------	------
Salisbury	1	1	------	------	------	------	------	------	------	------	------
Sampson	27	15	------	6	4	------	------	1	1	------	------
Scotland	39	32	5	3	2	3	1	------	------	------	------
Laurinburg	2	2	------	1	1	------	------	------	------	------	------
Rural	37	30	5	2	1	3	1	------	------	------	------
Swain	52	50	3	6	2	2	2	2	1	------	------
Transylvania	1	1	------	------	------	------	------	------	------	------	------
Union	------	------	------	1	1	------	------	------	------	------	------
Wake	1	------	------	------	------	------	------	------	------	------	------
Warren	4	------	------	------	------	------	------	------	------	------	------
Watauga	1	1	------	------	------	------	------	------	------	------	------
Wayne	1	------	------	------	------	------	------	------	------	------	------
Goldsboro	1	------	------	------	------	------	------	------	------	------	------

TABLE 22.—RESIDENT LIVE BIRTHS AND DEATHS (EXCLUDING STILLBIRTHS) BY COLOR AND INSTITUTION OF OCCURRENCE: NORTH CAROLINA AND EACH COUNTY, 1954

Area	Home and non-institutional				General hospital				Veterans hospital				All other institutions			
	Births		Deaths		Births		Deaths		Births		Deaths		Births		Deaths	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
NORTH CAROLINA	2,746	16,869	10,652	6,174	73,554	21,200	9,012	3,581	-------	1	350	145	74	119	1,166	402
Alamance	19	210	188	69	1,466	192	135	27	-------	-------	4	2	-------	-------	32	7
Alexander	2	-------	60	5	317	36	29	6	-------	-------	-------	-------	-------	-------	5	3
Alleghany	28	3	41	4	103	3	19	-------	-------	-------	1	-------	-------	-------	4	-------
Anson	15	306	76	89	271	116	42	29	-------	-------	1	1	-------	3	5	1
Ashe	61	-------	79	4	423	5	63	-------	-------	-------	2	-------	-------	-------	1	-------
Avery	11	1	31	1	297	2	34	1	-------	-------	4	-------	-------	-------	3	-------
Beaufort	15	246	110	126	467	242	74	47	-------	-------	1	2	-------	-------	16	9
Bertie	9	329	58	101	211	248	40	31	-------	-------	-------	1	-------	-------	3	1
Bladen	39	235	67	66	389	198	58	41	-------	-------	2	3	-------	-------	3	2
Brunswick	11	121	58	37	282	122	36	28	-------	-------	2	1	1	-------	-------	-------
Buncombe	39	95	404	67	2,284	266	294	59	-------	-------	38	8	-------	-------	77	29
Burke	38	2	94	17	845	91	127	10	-------	-------	4	1	-------	-------	16	5
Cabarrus	4	20	170	42	1,180	309	171	36	-------	-------	4	-------	-------	-------	19	4
Caldwell	66	11	132	18	1,117	90	110	21	-------	-------	4	1	-------	-------	7	1
Camden	12	68	19	14	61	14	10	7	-------	-------	1	-------	-------	-------	-------	-------
Carteret	7	35	97	21	573	90	66	15	-------	-------	4	1	-------	-------	3	-------
Caswell	22	236	55	56	179	87	25	17	-------	-------	1	-------	-------	1	2	1
Catawba	18	44	163	33	1,503	196	153	21	-------	-------	3	1	-------	2	14	3
Chatham	6	32	71	39	348	237	64	21	-------	-------	-------	1	-------	-------	5	3
Cherokee	19	3	70	2	353	6	53	-------	-------	-------	4	-------	-------	-------	5	-------

Chowan	8	115	45	39	162	89	11	13			2				3	2
Clay	46		27		78		6				3					
Cleveland	23	157	147	38	1,133	405	152	61			6	1	15	16	12	5
Columbus	62	344	126	107	820	349	110	52			2	1	3	8	8	1
Craven	11	339	122	142	1,505	272	117	45			5	2		1	6	8
Cumberland	56	631	177	147	3,757	637	219	107			11	6	4		11	8
Currituck	11	67	24	20	72	14	13	2				1	1		2	1
Dare	3	10	33	6	109	5	14	2			2					1
Davidson	12	20	182	37	1,373	198	173	30			4	2	1		19	1
Davie	7	11	60	18	301	48	25	7							9	
Duplin	30	180	128	99	579	370	62	25			4	1	1	14	7	3
Durham	6	13	220	162	1,483	967	209	141			8	7			37	9
Edgecombe	35	816	96	146	591	274	77	83			3				16	7
Forsyth	27	78	342	193	2,962	1,035	341	258			9	6			35	14
Franklin	10	311	75	88	331	181	65	30			1	3			6	3
Gaston	39	76	293	70	2,585	388	266	53			9	1	1		20	4
Gates		89	29	28	86	63	15	16				1			1	1
Graham	7	1	27	1	159	7	6				1				1	
Granville	11	148	62	78	354	310	35	48			3	3			6	4
Greene	29	120	31	47	153	187	18	19			1		13	39	3	1
Guilford	22	154	410	181	3,930	1,081	496	173			17	3			110	24
Halifax	26	1,040	96	207	547	239	94	65			3	2			11	7
Harnett	22	181	111	78	768	276	92	24			5	1			11	1
Haywood	7		106		806	34	90	5			6				9	
Henderson	17	8	99	14	632	53	104	11			5	2			24	5
Hertford	18	259	42	68	136	220	28	34			1	4			1	3
Hoke	29	243	14	41	110	64	12	15				3	7	7	5	5
Hyde	3	50	31	18	57	45	12	4			1				3	
Iredell	12	31	162	66	1,087	305	157	46			3	2			19	5
Jackson	35	5	79	7	269	35	46	1			1				6	

TABLE 22.—*Continued*

Area	Home and non-institutional				General hospital				Veterans hospital				All other institutions			
	Births		Deaths		Births		Deaths		Births		Deaths		Births		Deaths	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Johnston	80	288	247	67	1,009	176	120	25			5				11	3
Jones	7	98	28	20	118	101	17	8							2	
Lee	5	32	56	36	492	210	73	28							6	7
Lenoir	22	556	127	153	834	244	93	51			5	3	3	3	9	6
Lincoln	11	62	94	11	543	35	72	5			3	2		1	10	
McDowell	18	3	81	11	587	56	53	4			5				6	
Macon	94	5	78	2	260		35	1							3	
Madison	79	3	68	2	295		34	1			2		1	1	3	
Martin	31	295	50	87	258	224	41	25			3				3	1
Mecklenburg	5	248	389	258	4,353	1,722	586	252			19	4		1	119	44
Mitchell	16		70	1	331		29	2			2				6	1
Montgomery	4	32	46	27	315	125	37	8			2				4	
Moore	9	46	81	40	682	274	92	36			2	1			12	6
Nash	38	770	143	157	766	154	127	70			4				19	9
New Hanover	4	14	186	102	1,223	605	194	135			6	3			28	14
Northampton	21	556	66	95	165	70	29	22				2			6	6
Onslow	11	84	78	30	1,920	206	104	27			2	2			4	1
Orange	9	44	78	42	576	270	54	30			2				11	2
Pamlico	46	94	38	26	101	29	18	3			1				2	
Pasquotank	6	194	69	65	500	101	58	27				1			5	3

Pender	7	145	38	42	204	152	35	23			3	1				
Perquimans	6	141	26	34	112	20	15	6							2	3
Person	16	142	52	63	347	231	39	20			2				7	2
Pitt	68	674	145	195	768	544	106	78			4	4	1		7	11
Polk	12	19	41	5	211	30	27	5							6	
Randolph	14	24	163	20	1,239	115	160	16			4	1			22	1
Richmond	21	191	109	99	678	222	90	54			2	4			11	3
Robeson	94	954	153	266	902	1,152	107	128			9	5		2	21	17
Rockingham	64	177	194	62	1,086	250	143	50			2	2	1		21	4
Rowan	22	63	203	89	1,344	308	198	41			6	2			26	5
Rutherford	129	110	135	25	761	58	122	15			9	1			10	5
Sampson	32	510	131	120	669	166	83	38			5	2	19	12	7	1
Scotland	29	232	59	79	337	198	45	30			1	2			3	7
Stanly	14	18	116	21	686	126	92	19			2				7	3
Stokes	67	34	69	13	359	32	41	5			2				2	1
Surry	93	30	169	10	983	40	114	3			2				19	
Swain	46	2	42	6	151	51	20	3			1				3	
Transylvania	49	3	52	3	305	15	26	3			2				3	1
Tyrrell	2	42	9	15	57	19	8	3								
Union	9	257	117	51	736	93	141	30			1		1	2	9	5
Vance	4	275	87	90	409	243	48	61			1	8			10	5
Wake	67	577	305	196	2,339	698	342	196			16	10	1		29	3
Warren	11	347	41	82	128	122	15	26		1	6	3			5	4
Washington	8	116	41	57	199	122	17	10			2	1			1	3
Watauga	4		67	3	413	5	47	1							3	
Wayne	70	444	163	172	831	360	100	62			4	4		5	15	14
Wilkes	116	12	165	15	858	51	91	8				1			6	2
Wilson	48	407	109	145	742	440	117	98			4	1		1	12	7
Yadkin	2	3	74	6	435	29	49	2							7	
Yancey	47	2	65	1	333	5	40				1				2	

TABLE 23.—RESIDENT STILLBIRTHS BY COLOR AND SEX WITH RATIOS PER 1,000 LIVE BIRTHS: NORTH CAROLINA AND EACH COUNTY, 1954

Area	Grand total		White				Nonwhite			
			Total		Male	Female	Total		Male	Female
	Number	Ratio	Number	Ratio	Number	Number	Number	Ratio	Number	Number
NORTH CAROLINA	2,353	20.5	1,163	15.2	611	552	1,190	31.2	671	519
Alamance	20	10.6	8	5.4	5	3	12	29.9	5	7
Alexander	6	16.9	3	9.4	2	1	3	83.3	2	1
Alleghany	4	29.2	4	30.5	2	2				
Anson	28	39.4	5	17.5	3	2	23	54.1	14	9
Ashe	10	20.4	10	20.7	6	4				
Avery	8	25.7	8	26.0	4	4				
Beaufort	33	34.0	14	29.0	9	5	19	38.9	13	6
Bertie	14	17.6	4	18.1	3	1	10	17.3	5	5
Bladen	17	19.7	5	11.7	3	2	12	27.7	9	3
Brunswick	14	26.1	5	17.0	1	4	9	37.0	6	3
Buncombe	36	13.4	26	11.2	15	11	10	27.7	4	6
Burke	14	14.3	14	15.9	8	6				
Cabarrus	33	21.8	22	18.6	10	12	11	33.4	6	5
Caldwell	23	17.9	20	16.9	10	10	3	29.7	2	1
Camden	4	25.8					4	48.8	1	3
Carteret	16	22.7	11	19.0	7	4	5	40.0	1	4
Caswell	18	34.3	5	24.9	4	1	13	40.1	7	6
Catawba	23	13.0	16	10.5	9	7	7	28.9	3	4
Chatham	16	25.7	12	33.9	9	3	4	14.9	4	
Cherokee	7	18.4	7	18.8	3	4				
Chowan	15	40.1	4	23.5	3	1	11	53.9	7	4
Clay	4	32.3	4	32.3	3	1				
Cleveland	34	19.4	21	17.9	8	13	13	22.5	8	5
Columbus	43	27.1	11	12.4	5	6	32	45.6	23	9
Craven	32	15.0	19	12.5	9	10	13	21.2	7	6
Cumberland	75	14.8	42	11.0	21	21	33	26.0	17	16
Currituck	5	30.3	3	35.7	2	1	2	24.7		2
Dare	2	15.7	1	8.9	1		1	66.7	1	
Davidson	28	17.5	23	16.6	9	14	5	22.9	2	3
Davie	8	21.8	6	19.5	4	2	2	33.9	1	1
Duplin	18	15.3	10	16.4	3	7	8	14.2	6	2
Durham	59	23.9	25	16.8	11	14	34	34.7	20	14
Edgecombe	43	25.1	15	24.0	10	5	28	25.7	15	13
Forsyth	81	19.7	51	17.1	27	24	30	27.0	16	14
Franklin	29	34.8	5	14.7	1	4	24	48.8	16	8

TABLE 23.—*Continued*

Area	Grand total		White				Nonwhite			
			Total		Male	Female	Total		Male	Female
	Number	Ratio	Number	Ratio	Number	Number	Number	Ratio	Number	Number
Gaston	62	20.1	43	16.4	22	21	19	40.9	8	11
Gates	3	12.6	2	23.3		2	1	6.6		1
Graham	3	17.2	3	18.1		3				
Granville	26	31.6	9	24.7	2	7	17	37.1	7	10
Greene	16	29.6	4	20.5	2	2	12	34.7	6	6
Guilford	93	17.9	51	12.9	27	24	42	34.0	28	14
Halifax	49	26.5	10	17.5	3	7	39	30.5	18	21
Harnett	25	20.0	14	17.7	6	8	11	24.1	6	5
Haywood	13	15.3	12	14.8	7	5	1	29.4		1
Henderson	15	21.1	14	21.6	4	10	1	16.4	1	
Hertford	10	15.8					10	20.9	6	4
Hoke	10	21.7					10	31.8	4	6
Hyde	6	38.7	1	16.7		1	5	52.6	3	2
Iredell	34	23.7	17	15.5	10	7	17	50.6	10	7
Jackson	5	14.5	4	13.2	3	1	1	25.0	1	
Johnston	40	25.8	23	21.1	11	12	17	36.6	10	7
Jones	8	24.7	2	16.0	2		6	30.2	4	2
Lee	14	18.9	8	16.1	6	2	6	24.8	2	4
Lenoir	51	30.7	18	21.0	8	10	33	41.1	20	13
Lincoln	13	19.9	9	16.2	8	1	4	40.8	3	1
McDowell	10	15.1	8	13.2	2	6	2	33.9	2	
Macon	3	8.4	3	8.5	3					
Madison	7	18.5	7	18.7	5	2				
Martin	24	29.7	3	10.4		3	21	40.5	12	9
Mecklenburg	119	18.8	62	14.2	34	28	57	28.9	33	24
Mitchell	7	20.2	7	20.2	3	4				
Montgomery	9	18.9	6	18.8	3	3	3	19.1	2	1
Moore	15	14.8	6	8.7	5	1	9	28.1	8	1
Nash	41	23.7	8	10.0	6	2	33	35.7	22	11
New Hanover	30	16.3	14	11.4	6	8	16	25.8	8	8
Northampton	20	24.6	3	16.1		3	17	27.2	11	6
Onslow	39	17.6	32	16.6	19	13	7	24.1	3	4
Orange	27	30.0	16	27.4	9	7	11	35.0	5	6
Pamlico	9	33.3	2	13.6	1	1	7	56.9	4	3
Pasquotank	13	16.2	7	13.8	4	3	6	20.3	2	4
Pender	12	23.6	3	14.2	1	2	9	30.3	5	4
Perquimans	6	21.5	2	16.9	2		4	24.8	2	2
Person	17	23.1	5	13.8	2	3	12	32.2	8	4
Pitt	52	25.3	9	10.8	5	4	43	35.3	23	20
Polk	5	18.4	4	17.9	2	2	1	20.4	1	

TABLE 23.—*Continued*

Area	Grand total		White				Nonwhite			
			Total		Male	Female	Total		Male	Female
	Number	Ratio	Number	Ratio	Number	Number	Number	Ratio	Number	Number
Randolph	21	15.1	18	14.4	10	8	3	21.6	3	--------
Richmond	17	15.3	10	14.3	5	5	7	16.9	4	3
Robeson	86	27.7	19	19.1	11	8	67	31.8	36	31
Rockingham	15	9.5	11	9.6	3	8	4	9.4	2	2
Rowan	30	17.3	18	13.2	9	9	12	32.3	4	8
Rutherford	15	14.2	11	12.4	6	5	4	23.8	3	1
Sampson	33	23.4	16	22.2	6	10	17	24.7	10	7
Scotland	24	30.2	7	19.1	6	1	17	39.5	11	6
Stanly	18	21.3	14	20.0	9	5	4	27.8	2	2
Stokes	9	18.3	6	14.1	4	2	3	45.5	2	1
Surry	14	12.2	12	11.2	7	5	2	28.6	--------	2
Swain	2	8.0	--------	--------	--------	--------	2	37.7	1	1
Transylvania	2	5.4	2	5.6	1	1	--------	--------	--------	--------
Tyrrell	4	33.3	3	56.8	3	--------	1	16.4	1	--------
Union	39	35.5	17	22.8	11	6	22	62.5	13	9
Vance	26	27.9	6	14.5	3	3	20	38.6	9	11
Wake	81	22.0	41	17.0	20	21	40	31.4	23	17
Warren	13	21.3	1	7.2	--------	1	12	25.5	5	7
Washington	11	24.7	6	29.0	3	3	5	21.0	3	2
Watauga	7	16.6	6	14.4	2	4	1	200.0	--------	1
Wayne	31	18.1	17	18.9	10	7	14	17.3	7	7
Wilkes	12	11.6	11	11.3	4	7	1	15.9	--------	1
Wilson	51	31.1	11	13.9	10	1	40	47.2	22	18
Yadkin	8	17.1	7	16.0	4	3	1	31.3	1	--------
Yancey	3	7.8	3	7.9	1	2	--------	--------	--------	--------

TABLE 24.—RESIDENT STILLBIRTHS BY COLOR AND SEX WITH RATIOS PER 1,000 LIVE BIRTHS: EACH INCORPORATED PLACE HAVING A POPULATION OF 10,000 OR MORE, 1954

Area	Grand total		White				Nonwhite			
			Total		Male	Female	Total		Male	Female
	Number	Ratio	Number	Ratio	Number	Number	Number	Ratio	Number	Number
Total	572	19.8	283	14.7	148	135	289	30.0	171	118
Albemarle	3	10.3	2	7.8	1	1	1	30.3	-------	1
Asheville	22	18.9	13	15.1	8	5	9	29.6	4	5
Burlington	5	11.5	2	5.6	1	1	3	39.0	2	1
Charlotte	87	20.5	44	16.1	23	21	43	28.4	28	15
Concord	13	31.6	8	26.9	5	3	5	43.9	4	1
Durham	46	28.4	16	18.2	10	6	30	40.5	17	13
Elizabeth City	8	14.1	5	12.9	3	2	3	16.5	1	2
Fayetteville	42	16.3	22	11.6	10	12	20	29.3	11	9
Gastonia	11	11.3	8	9.9	6	2	3	18.3	1	2
Goldsboro	14	21.1	8	24.3	6	2	6	18.0	3	3
Greensboro	30	13.3	15	9.4	7	8	15	22.8	14	1
Greenville	12	22.3	4	13.7	1	3	8	32.4	5	3
Henderson	12	29.2	4	18.4	2	2	8	41.2	4	4
Hickory	6	11.3	3	6.9	1	2	3	31.3	1	2
High Point	24	22.7	13	16.8	6	7	11	38.9	8	3
Kinston	25	33.5	10	22.0	6	4	15	51.5	11	4
Lexington	6	15.2	3	9.8	-------	3	3	33.7	2	1
Monroe	9	32.8	4	22.3	3	1	5	52.6	3	2
New Bern	12	21.4	6	18.4	1	5	6	25.5	3	3
Raleigh	29	18.6	17	16.0	6	11	12	24.3	11	1
Reidsville	3	9.6	2	10.5	1	1	1	8.3	1	-------
Rocky Mount	12	16.5	8	17.2	5	3	4	15.2	3	1
Salisbury	6	12.1	3	9.0	-------	3	3	18.5	1	2
Sanford	5	14.7	5	20.8	3	2	-------	-------	-------	-------
Shelby	9	20.9	7	23.9	3	4	2	14.6	-------	2
Statesville	6	14.3	1	2.9	1	-------	5	63.3	2	3
Thomasville	5	17.2	3	13.7	2	1	2	28.2	-------	2
Wilmington	26	20.0	12	15.4	5	7	14	26.9	6	8
Wilson	28	38.5	7	18.7	6	1	21	59.5	11	10
Winston-Salem	56	21.8	28	18.0	16	12	28	27.6	14	14

TABLE 25.—RESIDENT STILLBIRTHS BY AGE OF MOTHER, COLOR, AND ATTENDANT WITH PERCENTAGE DISTRIBUTION: NORTH CAROLINA, 1954

Age of mother in years	Grand total	White							Nonwhite						
		Total	Attended by:						Total	Attended by:					
			Physician		Midwife		Other			Physician		Midwife		Other	
			No.	%	No.	%	No.	%		No.	%	No.	%	No.	%
All ages	2,353	1,163	1,154	99.2	6	0.5	3	0.3	1,190	983	82.6	193	16.2	14	1.2
12	1	----	----	----	----	----	----	----	1	1	100.0	----	----	----	----
13	5	----	----	----	----	----	----	----	5	4	80.0	1	20.0	----	----
14	10	3	3	100.0	----	----	----	----	7	5	71.4	2	28.6	----	----
15	34	6	6	100.0	----	----	----	----	28	21	75.0	6	21.4	1	3.6
16	36	11	11	100.0	----	----	----	----	25	24	96.0	1	4.0	----	----
17	72	32	32	100.0	----	----	----	----	40	33	82.5	7	17.5	----	----
18	102	44	44	100.0	----	----	----	----	58	47	81.0	10	17.3	1	1.7
19	107	46	46	100.0	----	----	----	----	61	49	80.3	11	18.0	1	1.7
20	115	57	57	100.0	----	----	----	----	58	47	81.0	9	15.5	2	3.5
21	89	50	49	98.0	1	2.0	----	----	39	33	84.6	5	12.8	1	2.6
22	114	66	65	98.5	1	1.5	----	----	48	44	91.7	4	8.3	----	----
23	98	46	46	100.0	----	----	----	----	52	40	76.9	12	23.1	----	----
24	97	60	60	100.0	----	----	----	----	37	29	78.4	8	21.6	----	----
25	125	68	68	100.0	----	----	----	----	57	50	87.7	5	8.8	2	3.5
26	113	61	61	100.0	----	----	----	----	52	38	73.1	14	26.9	----	----
27	107	59	59	100.0	----	----	----	----	48	40	83.3	8	16.7	----	----
28	89	43	42	97.7	----	----	1	2.3	46	41	89.1	5	10.9	----	----
29	96	49	48	98.0	1	2.0	----	----	47	35	74.5	12	25.5	----	----
30	106	57	56	98.2	----	----	1	1.8	49	38	77.6	10	20.4	1	2.0
31	78	47	47	100.0	----	----	----	----	31	25	80.6	4	12.9	2	6.5
32	88	51	51	100.0	----	----	----	----	37	29	78.4	8	21.6	----	----
33	75	39	39	100.0	----	----	----	----	36	28	77.8	8	22.2	----	----
34	89	44	43	97.7	1	2.3	----	----	45	39	86.7	5	11.1	1	2.2
35	72	31	30	96.8	1	3.2	----	----	41	36	87.8	5	12.2	----	----
36	65	29	29	100.0	----	----	----	----	36	29	80.6	7	19.4	----	----
37	50	17	17	100.0	----	----	----	----	33	29	87.9	4	12.1	----	----
38	61	26	26	100.0	----	----	----	----	35	29	82.9	6	17.1	----	----
39	54	22	22	100.0	----	----	----	----	32	27	84.4	5	15.6	----	----
40	70	27	25	92.6	1	3.7	1	3.7	43	39	90.7	4	9.3	----	----
41	33	18	18	100.0	----	----	----	----	15	14	93.3	1	6.7	----	----
42	26	14	14	100.0	----	----	----	----	12	11	91.7	1	8.3	----	----
43	25	11	11	100.0	----	----	----	----	14	12	85.7	2	14.3	----	----
44	7	4	4	100.0	----	----	----	----	3	3	100.0	----	----	----	----
45	9	5	5	100.0	----	----	----	----	4	3	75.0	1	25.0	----	----
46	6	2	2	100.0	----	----	----	----	4	4	100.0	----	----	----	----
47	4	2	2	100.0	----	----	----	----	2	1	50.0	1	50.0	----	----
48	1	1	1	100.0	----	----	----	----	----	----	----	----	----	----	----
49	1	1	1	100.0	----	----	----	----	----	----	----	----	----	----	----
50	1	----	----	----	----	----	----	----	1	1	100.0	----	----	----	----
Not stated	22	14	14	100.0	----	----	----	----	8	5	62.5	1	12.5	2	25.0